

NAME

printf – format and print data

SYNOPSIS

printf *FORMAT* [*ARGUMENT*]...

printf *OPTION*

DESCRIPTION

Print *ARGUMENT*(s) according to *FORMAT*, or execute according to *OPTION*:

—**help** display this help and exit

—**version**

output version information and exit

FORMAT controls the output as in C printf. Interpreted sequences are:

\ " double quote

\\ backslash

\a alert (BEL)

\b backspace

\c produce no further output

\e escape

\f form feed

\n new line

\r carriage return

\t horizontal tab

\v vertical tab

\NNN byte with octal value NNN (1 to 3 digits)

\xHH byte with hexadecimal value HH (1 to 2 digits)

\uHHHH

Unicode (ISO/IEC 10646) character with hex value HHHH (4 digits)

\UHHHHHHHH

Unicode character with hex value HHHHHHHH (8 digits)

%% a single %

%b *ARGUMENT* as a string with ‘\’ escapes interpreted, except that octal escapes are of the form \0 or \0NNN

%q *ARGUMENT* is printed in a format that can be reused as shell input, escaping non–printable characters with the proposed POSIX \$” syntax.

and all C format specifications ending with one of diouxXfeEgGcs, with *ARGUMENT*s converted to proper type first. Variable widths are handled.

NOTE: your shell may have its own version of printf, which usually supersedes the version described here. Please refer to your shell’s documentation for details about the options it supports.

AUTHOR

Written by David MacKenzie.

REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report any translation bugs to <<https://translationproject.org/team/>>

COPYRIGHT

Copyright © 2020 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later
<<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

printf(3)

Full documentation <<https://www.gnu.org/software/coreutils/printf>>
or available locally via: info '(coreutils) printf invocation'