NAME

Locale::RecodeData::IBM905 - Conversion routines for IBM905

SYNOPSIS

This module is internal to libintl. Do not use directly!

DESCRIPTION

This module is generated and contains the conversion tables and routines for IBM905.

COMMENTS

The following comments have been extracted from the original charmap:

```
version: 1.0
  source: IBM 3174 Character Set Ref, GA27-3831-02, March 1990
alias CP905
alias EBCDIC-CP-TR
```

Please note that aliases listed above are not necessarily valid!

CHARACTER TABLE

The following table is sorted in the same order as the original charmap. All character codes are in hexadecimal. Please read 'ISO-10646' as 'ISO-10646-UCS4'.

Local	ISO-10646	Description
00	00000000	NULL (NUL)
01	00000001	START OF HEADING (SOH)
02	00000002	START OF TEXT (STX)
03	0000003	END OF TEXT (ETX)
04	0000009C	STRING TERMINATOR (ST)
05	00000009	CHARACTER TABULATION (HT)
06	00000086	START OF SELECTED AREA (SSA)
07	0000007F	DELETE (DEL)
08	00000097	END OF GUARDED AREA (EPA)
09	0000008D	REVERSE LINE FEED (RI)
0A	0000008E	SINGLE-SHIFT TWO (SS2)
0B	0000000B	LINE TABULATION (VT)
0C	000000C	FORM FEED (FF)
0D	000000D	CARRIAGE RETURN (CR)
0E	000000E	SHIFT OUT (SO)
0F	000000F	SHIFT IN (SI)
10	00000010	DATALINK ESCAPE (DLE)
11	00000011	DEVICE CONTROL ONE (DC1)
12	00000012	DEVICE CONTROL TWO (DC2)
13	00000013	DEVICE CONTROL THREE (DC3)
14	0000009D	OPERATING SYSTEM COMMAND (OSC)
15	00000085	NEXT LINE (NEL)
16	8000000	BACKSPACE (BS)
17	00000087	END OF SELECTED AREA (ESA)
18	00000018	CANCEL (CAN)
19	00000019	END OF MEDIUM (EM)
1A	00000092	PRIVATE USE TWO (PU2)
1B	0000008F	SINGLE-SHIFT THREE (SS3)
1C	0000001C	FILE SEPARATOR (IS4)
1D	0000001D	GROUP SEPARATOR (IS3)
1E	0000001E	RECORD SEPARATOR (IS2)
1F	0000001F	UNIT SEPARATOR (IS1)
20	00000080	PADDING CHARACTER (PAD)
21	00000081	HIGH OCTET PRESET (HOP)

```
00000082 | BREAK PERMITTED HERE (BPH)
23 | 00000083 | NO BREAK HERE (NBH)
24 | 00000084 | INDEX (IND)
25 | 0000000A | LINE FEED (LF)
     00000017 | END OF TRANSMISSION BLOCK (ETB)
26
     0000001B | ESCAPE (ESC)
27
28 | 00000088 | CHARACTER TABULATION SET (HTS)
29 | 00000089 | CHARACTER TABULATION WITH JUSTIFICATION (HTJ)
2A | 0000008A | LINE TABULATION SET (VTS)
2B | 0000008B | PARTIAL LINE FORWARD (PLD)
2C | 0000008C | PARTIAL LINE BACKWARD (PLU)
     00000005 | ENQUIRY (ENQ)
2D
2E | 00000006 | ACKNOWLEDGE (ACK)
2F | 00000007 | BELL (BEL)
30 | 00000090 | DEVICE CONTROL STRING (DCS)
31 | 00000091 | PRIVATE USE ONE (PU1)
32 | 00000016 | SYNCHRONOUS IDLE (SYN)
33 | 00000093 | SET TRANSMIT STATE (STS)
34 | 00000094 | CANCEL CHARACTER (CCH)
   00000095 | MESSAGE WAITING (MW)
35
36 | 00000096 | START OF GUARDED AREA (SPA)
37 | 00000004 | END OF TRANSMISSION (EOT)
38 | 00000098 | START OF STRING (SOS)
39 | 00000099 | SINGLE GRAPHIC CHARACTER INTRODUCER (SGCI)
3A | 0000009A | SINGLE CHARACTER INTRODUCER (SCI)
3B | 0000009B | CONTROL SEQUENCE INTRODUCER (CSI)
     00000014 | DEVICE CONTROL FOUR (DC4)
3C |
3D | 00000015 | NEGATIVE ACKNOWLEDGE (NAK)
3E | 0000009E | PRIVACY MESSAGE (PM)
3F | 0000001A | SUBSTITUTE (SUB)
40 | 00000020 | SPACE
42 | 000000E2 | LATIN SMALL LETTER A WITH CIRCUMFLEX
43 | 000000E4 | LATIN SMALL LETTER A WITH DIAERESIS
     000000E0 | LATIN SMALL LETTER A WITH GRAVE
44
   | 000000E1 | LATIN SMALL LETTER A WITH ACUTE
45
47 | 0000010B | LATIN SMALL LETTER C WITH DOT ABOVE
48 | 0000007B | LEFT CURLY BRACKET
49 | 000000F1 | LATIN SMALL LETTER N WITH TILDE
4A | 000000C7 | LATIN CAPITAL LETTER C WITH CEDILLA
4B | 0000002E | FULL STOP
     0000003C | LESS-THAN SIGN
4C
     00000028 | LEFT PARENTHESIS
4E | 0000002B | PLUS SIGN
4F | 00000021 | EXCLAMATION MARK
50 | 00000026 | AMPERSAND
51 | 000000E9 | LATIN SMALL LETTER E WITH ACUTE
52 | 000000EA | LATIN SMALL LETTER E WITH CIRCUMFLEX
     000000EB | LATIN SMALL LETTER E WITH DIAERESIS
53
   | 000000E8 | LATIN SMALL LETTER E WITH GRAVE
54
55 | 000000ED | LATIN SMALL LETTER I WITH ACUTE
56 | 000000EE | LATIN SMALL LETTER I WITH CIRCUMFLEX
57 | 000000EF | LATIN SMALL LETTER I WITH DIAERESIS
58 | 000000EC | LATIN SMALL LETTER I WITH GRAVE
59 | 000000DF | LATIN SMALL LETTER SHARP S (German)
```

perl v5.34.0 2022-02-06 2

```
0000011E | LATIN CAPITAL LETTER G WITH BREVE
     00000130 | LATIN CAPITAL LETTER I WITH DOT ABOVE
5C |
     0000002A | ASTERISK
     00000029 | RIGHT PARENTHESIS
5D |
     0000003B | SEMICOLON
5E
5F
     0000005E | CIRCUMFLEX ACCENT
60 | 0000002D | HYPHEN-MINUS
61 | 0000002F | SOLIDUS
62 | 000000C2 | LATIN CAPITAL LETTER A WITH CIRCUMFLEX
63 | 000000C4 | LATIN CAPITAL LETTER A WITH DIAERESIS
64 | 000000C0 | LATIN CAPITAL LETTER A WITH GRAVE
     000000C1 | LATIN CAPITAL LETTER A WITH ACUTE
65
67
     0000010A | LATIN CAPITAL LETTER C WITH DOT ABOVE
68 | 0000005B | LEFT SQUARE BRACKET
69 | 000000D1 | LATIN CAPITAL LETTER N WITH TILDE
6A | 0000015F | LATIN SMALL LETTER S WITH CEDILLA
6B | 0000002C | COMMA
6C | 00000025 | PERCENT SIGN
6D | 0000005F | LOW LINE
     0000003E | GREATER-THAN SIGN
6E
6F | 0000003F | QUESTION MARK
71 | 000000C9 | LATIN CAPITAL LETTER E WITH ACUTE
72 | 000000CA | LATIN CAPITAL LETTER E WITH CIRCUMFLEX
73 | 000000CB | LATIN CAPITAL LETTER E WITH DIAERESIS
74 | 000000C8 | LATIN CAPITAL LETTER E WITH GRAVE
75 | 000000CD | LATIN CAPITAL LETTER I WITH ACUTE
     000000CE | LATIN CAPITAL LETTER I WITH CIRCUMFLEX
76 l
77
   | 000000CF | LATIN CAPITAL LETTER I WITH DIAERESIS
78 | 000000CC | LATIN CAPITAL LETTER I WITH GRAVE
79 | 00000131 | LATIN SMALL LETTER DOTLESS I
7A | 0000003A | COLON
7B | 000000D6 | LATIN CAPITAL LETTER O WITH DIAERESIS
7C | 0000015E | LATIN CAPITAL LETTER S WITH CEDILLA
     00000027 | APOSTROPHE
7D |
     0000003D | EQUALS SIGN
7E
     000000DC | LATIN CAPITAL LETTER U WITH DIAERESIS
7F |
80 | 000002D8 | BREVE
81 | 00000061 | LATIN SMALL LETTER A
82 | 00000062 | LATIN SMALL LETTER B
     00000063 | LATIN SMALL LETTER C
83
     00000064 | LATIN SMALL LETTER D
84 l
85
     00000065 | LATIN SMALL LETTER E
86 | 00000066 | LATIN SMALL LETTER F
87 | 00000067 | LATIN SMALL LETTER G
88 | 00000068 | LATIN SMALL LETTER H
89 | 00000069 | LATIN SMALL LETTER I
8A | 00000127 | LATIN SMALL LETTER H WITH STROKE
     00000109 | LATIN SMALL LETTER C WITH CIRCUMFLEX
8B
8C
     0000015D | LATIN SMALL LETTER S WITH CIRCUMFLEX
8D |
     0000016D | LATIN SMALL LETTER U WITH BREVE
8F | 0000007C | VERTICAL LINE
90 | 000000B0 | DEGREE SIGN
91 | 0000006A | LATIN SMALL LETTER J
92 | 0000006B | LATIN SMALL LETTER K
```

```
93
     0000006C | LATIN SMALL LETTER L
     0000006D | LATIN SMALL LETTER M
     0000006E | LATIN SMALL LETTER N
96 | 0000006F | LATIN SMALL LETTER O
     00000070 | LATIN SMALL LETTER P
97
98
     00000071 | LATIN SMALL LETTER Q
99 | 00000072 | LATIN SMALL LETTER R
9A | 00000125 | LATIN SMALL LETTER H WITH CIRCUMFLEX
9B | 0000011D | LATIN SMALL LETTER G WITH CIRCUMFLEX
9C |
     00000135 | LATIN SMALL LETTER J WITH CIRCUMFLEX
     000002DB | OGONEK
9D |
     000000A4 | CURRENCY SIGN
9F
Α0
     000000B5 | MICRO SIGN
A1 | 000000F6 | LATIN SMALL LETTER O WITH DIAERESIS
A2 | 00000073 | LATIN SMALL LETTER S
A3 | 00000074 | LATIN SMALL LETTER T
A4 | 00000075 | LATIN SMALL LETTER U
A5 | 00000076 | LATIN SMALL LETTER V
   | 00000077 | LATIN SMALL LETTER W
Аб
     00000078 | LATIN SMALL LETTER X
Α7
A8 | 00000079 | LATIN SMALL LETTER Y
A9 | 0000007A | LATIN SMALL LETTER Z
AA | 00000126 | LATIN CAPITAL LETTER H WITH STROKE
AB | 00000108 | LATIN CAPITAL LETTER C WITH CIRCUMFLEX
     0000015C | LATIN CAPITAL LETTER S WITH CIRCUMFLEX
AC |
     0000016C | LATIN CAPITAL LETTER U WITH BREVE
AD |
     00000040 | COMMERCIAL AT
AF
В0
     000000B7 | MIDDLE DOT
B1 | 000000A3 | POUND SIGN
B2 | 0000017C | LATIN SMALL LETTER Z WITH DOT ABOVE
B3 | 0000007D | RIGHT CURLY BRACKET
B4 | 0000017B | LATIN CAPITAL LETTER Z WITH DOT ABOVE
B5 | 000000A7 | SECTION SIGN
     0000005D | RIGHT SQUARE BRACKET
Вб
     000000BD | VULGAR FRACTION ONE HALF
В8
B9 | 00000024 | DOLLAR SIGN
BA | 00000124 | LATIN CAPITAL LETTER H WITH CIRCUMFLEX
BB | 0000011C | LATIN CAPITAL LETTER G WITH CIRCUMFLEX
BC |
     00000134 | LATIN CAPITAL LETTER J WITH CIRCUMFLEX
     000000A8 | DIAERESIS
BD |
     000000B4 | ACUTE ACCENT
BE.
     000000D7 | MULTIPLICATION SIGN
C0 |
     000000E7 | LATIN SMALL LETTER C WITH CEDILLA
C1 | 00000041 | LATIN CAPITAL LETTER A
C2 | 00000042 | LATIN CAPITAL LETTER B
C3 | 00000043 | LATIN CAPITAL LETTER C
C4 | 00000044 | LATIN CAPITAL LETTER D
     00000045 | LATIN CAPITAL LETTER E
C5
C6
     00000046 | LATIN CAPITAL LETTER F
C7 |
     00000047 | LATIN CAPITAL LETTER G
C8 | 00000048 | LATIN CAPITAL LETTER H
C9 | 00000049 | LATIN CAPITAL LETTER I
CA | 000000AD | SOFT HYPHEN
CB | 000000F4 | LATIN SMALL LETTER O WITH CIRCUMFLEX
```

```
CC |
     0000007E | TILDE
      000000F2 | LATIN SMALL LETTER O WITH GRAVE
CE
     000000F3 | LATIN SMALL LETTER O WITH ACUTE
     00000121 | LATIN SMALL LETTER G WITH DOT ABOVE
CF
     0000011F | LATIN SMALL LETTER G WITH BREVE
D0
     0000004A | LATIN CAPITAL LETTER J
D1
     0000004B | LATIN CAPITAL LETTER K
D2 |
     0000004C | LATIN CAPITAL LETTER L
D3
     0000004D | LATIN CAPITAL LETTER M
     0000004E | LATIN CAPITAL LETTER N
D5
     0000004F | LATIN CAPITAL LETTER O
D6
     00000050 | LATIN CAPITAL LETTER P
D7
D8
     00000051 | LATIN CAPITAL LETTER Q
     00000052 | LATIN CAPITAL LETTER R
D9
     00000060 | GRAVE ACCENT
DA
     000000FB | LATIN SMALL LETTER U WITH CIRCUMFLEX
DB |
DC | 0000005C | REVERSE SOLIDUS
ן ממ
     000000F9 | LATIN SMALL LETTER U WITH GRAVE
     000000FA | LATIN SMALL LETTER U WITH ACUTE
DE.
     000000FC | LATIN SMALL LETTER U WITH DIAERESIS
EO
F:1
     000000F7 | DIVISION SIGN
E2 | 00000053 | LATIN CAPITAL LETTER S
E3
   | 00000054 | LATIN CAPITAL LETTER T
     00000055 | LATIN CAPITAL LETTER U
     00000056 | LATIN CAPITAL LETTER V
E.5
     00000057 | LATIN CAPITAL LETTER W
Еб
     00000058 | LATIN CAPITAL LETTER X
E7
E8
     00000059 | LATIN CAPITAL LETTER Y
E9
     0000005A | LATIN CAPITAL LETTER Z
EA 000000B2 SUPERSCRIPT TWO
EB | 000000D4 | LATIN CAPITAL LETTER O WITH CIRCUMFLEX
EC | 00000023 | NUMBER SIGN
     000000D2 | LATIN CAPITAL LETTER O WITH GRAVE
ED
     000000D3 | LATIN CAPITAL LETTER O WITH ACUTE
EE
     00000120 | LATIN CAPITAL LETTER G WITH DOT ABOVE
EF
     00000030 | DIGIT ZERO
FΩ
     00000031 | DIGIT ONE
F1 |
     00000032 | DIGIT TWO
F2
F3
     00000033 | DIGIT THREE
     00000034 | DIGIT FOUR
F4
     00000035 | DIGIT FIVE
F5
F6
     00000036 | DIGIT SIX
F7
     00000037 | DIGIT SEVEN
F8 |
     00000038 | DIGIT EIGHT
F9 |
     00000039 | DIGIT NINE
FA |
     000000B3 | SUPERSCRIPT THREE
     000000DB | LATIN CAPITAL LETTER U WITH CIRCUMFLEX
FB
FC
     00000022 | QUOTATION MARK
     000000D9 | LATIN CAPITAL LETTER U WITH GRAVE
FD
     000000DA | LATIN CAPITAL LETTER U WITH ACUTE
FE
FF | 0000009F | APPLICATION PROGRAM COMMAND (APC)
```

AUTHOR

Copyright (C) 2002–2016 Guido Flohr http://www.guido-flohr.net/ (<mailto:guido.flohr@cantanea.com>), all rights reserved. See the source code for details!code for details!

Locale::RecodeData::IBM905(3pm) User Contributed Perl Documentation Locale::RecodeData::IBM905(3pm)

SEE ALSO

 $\textbf{Locale::} \textbf{RecodeData} \, (3), \, \textbf{Locale::} \textbf{Recode} \, (3), \, \textbf{perl} \, (1)$