

NAME

openssl-srp, srp – maintain SRP password file

SYNOPSIS

openssl srp [**-help**] [**-verbose**] [**-add**] [**-modify**] [**-delete**] [**-list**] [**-name section**] [**-config file**] [**-srpfile file**] [**-gn identifier**] [**-userinfo text...**] [**-passin arg**] [**-passout arg**] [*user...*]

DESCRIPTION

The **srp** command is user to maintain an SRP (secure remote password) file. At most one of the **-add**, **-modify**, **-delete**, and **-list** options can be specified. These options take zero or more usernames as parameters and perform the appropriate operation on the SRP file. For **-list**, if no **user** is given then all users are displayed.

The configuration file to use, and the section within the file, can be specified with the **-config** and **-name** flags, respectively. If the config file is not specified, the **-srpfile** can be used to just specify the file to operate on.

The **-userinfo** option specifies additional information to add when adding or modifying a user.

The **-gn** flag specifies the **g** and **N** values, using one of the strengths defined in IETF RFC 5054.

The **-passin** and **-passout** arguments are parsed as described in the **openssl(1)** command.

OPTIONS

-help

Display an option summary.

-verbose

Generate verbose output while processing.

COPYRIGHT

Copyright 2017 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the OpenSSL license (the “License”). You may not use this file except in compliance with the License. You can obtain a copy in the file **LICENSE** in the source distribution or at <https://www.openssl.org/source/license.html>.