

**NAME**

ifnames – Extract CPP conditionals from a set of files

**SYNOPSIS**

**ifnames** [*OPTION*]... [*FILE*]...

**DESCRIPTION**

Scan all of the C source FILES (or the standard input, if none are given) and write to the standard output a sorted list of all the identifiers that appear in those files in '#if', '#elif', '#ifdef', or '#ifndef' directives. Print each identifier on a line, followed by a space-separated list of the files in which that identifier occurs.

**-h, --help**

print this help, then exit

**-V, --version**

print version number, then exit

**AUTHOR**

Written by David J. MacKenzie and Paul Eggert.

**REPORTING BUGS**

Report bugs to <bug-autoconf@gnu.org>.

GNU Autoconf home page: <<https://www.gnu.org/software/autoconf/>>.

General help using GNU software: <<https://www.gnu.org/gethelp/>>.

**COPYRIGHT**

Copyright © 2021 Free Software Foundation, Inc. License GPLv3+/Autoconf: GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>, <<https://gnu.org/licenses/exceptions.html>>

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

**SEE ALSO**

**autoconf(1)**, **automake(1)**, **autoreconf(1)**, **autoupdate(1)**, **autoheader(1)**, **autoscan(1)**, **config.guess(1)**, **config.sub(1)**, **ifnames(1)**, **libtool(1)**.

The full documentation for **ifnames** is maintained as a Texinfo manual. If the **info** and **ifnames** programs are properly installed at your site, the command

**info ifnames**

should give you access to the complete manual.