

NAME

speech-dispatcher – speech synthesis daemon

SYNOPSIS

speech-dispatcher [-*d/s*] [-*l* {1/2/3/4/5}] [-*c com_method*] [-*S socket_path*] [-*p port*] [-*t timeout*] / [-*v*] / [-*h*]

DESCRIPTION

Speech Dispatcher — Common interface for Speech Synthesis (GNU GPL)

OPTIONS

- d, --run-daemon**
Run as a daemon
- s, --run-single**
Run as single application
- a, --spawn**
Start only if autospawn is not disabled
- l, --log-level**
Set log level (between 1 and 5)
- L, --log-dir**
Set path to logging
- c, --communication-method**
Communication method to use ('unix_socket' or 'inet_socket')
- S, --socket-path**
Socket path to use for 'unix_socket' method (filesystem path or 'default')
- p, --port**
Specify a port number for 'inet_socket' method
- t, --timeout**
Set time in seconds for the server to wait before it shuts down, if it has no clients connected. Setting to 0 disables such shutdown
- P, --pid-file**
Set path to pid file
- C, --config-dir**
Set path to configuration
- m, --module-dir**
Set path to modules
- v, --version**
Report version of this program
- D, --debug**
Output debugging information into *\$TMPDIR/speechd-debug* if *TMPDIR* is exported, otherwise to */tmp/speechd-debug*
- h, --help**
Print this info

Please report bugs to speechd-discuss@nongnu.org

COPYRIGHT

Copyright © 2002–2012 Brailcom, o.p.s.

This is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version. Please see COPYING for more details.

SEE ALSO

The full documentation for **speech-dispatcher** is maintained as a Texinfo manual. If the **info** and **speech-dispatcher** programs are properly installed at your site, the command

info speech-dispatcher

should give you access to the complete manual.