

NAME

airventriloquist-ng - encrypted WiFi packet injection

SYNOPSIS

airventriloquist-ng [options]

DESCRIPTION

airventriloquist-ng injects on encrypted WiFi packet and circumvents wireless intrusion prevention systems.

OPTIONS

- help** Shows the help screen.
- i <replay interface>**
Interface to capture and inject. Mandatory option.
- d, --deauth**
Sends active deauthentications frames to encrypted stations.
- e <value>, --ssid <value>**
ESSID of target network. For SSID containing special characters, see https://www.aircrack-ng.org/doku.php?id=faq#how_to_use_spaces_double_quote_and_single_quote_etc_in_ap_names
- p <value>, --passphrase <value>**
WPA Passphrase of the target network. Passphrase is between 8 and 63 characters long.
- c, --icmp**
Respond to all ICMP frames (Debug).
- n, --dns**
IP to resolve all DNS queries to.
- s <URL>, --hijack <URL>**
URL to look for in HTTP requests when hijacking connections. The URL can have wildcards characters. Example: *jquery*.js*
- r <URL>, --redirect <URL>**
URL to redirect hijacked connections to.
- v, --verbose**
Verbose output.

SEE ALSO

airbase-ng(8)
aireplay-ng(8)
airmon-ng(8)
airodump-ng(8)
airodump-ng-oui-update(8)
airserv-ng(8)
besside-ng(8)
easside-ng(8)
tkiptun-ng(8)
wesside-ng(8)
aircrack-ng(1)
airdecap-ng(1)
airdecloak-ng(1)
airolib-ng(1)
besside-ng-crawler(1)
buddy-ng(1)
ivstools(1)
kstats(1)
makeivs-ng(1)

packetforge-ng(1)
wpaclean(1)
airtun-ng(8)