#### **NAME**

devlink-region - devlink address region access

#### **SYNOPSIS**

```
devlink [ OPTIONS ] region { COMMAND | help }
```

 $OPTIONS := \{ -V[ersion] | -n[no-nice-names] \}$ 

devlink region show [ DEV/REGION ]

devlink region del DEV/REGION snapshot SNAPSHOT\_ID

devlink region dump DEV/REGION snapshot SNAPSHOT\_ID

 $\textbf{devlink region read } \textit{DEV/REGION} \text{ [ snapshot } \textit{SNAPSHOT\_ID } \text{] address } \textit{ADDRESS length } \textit{LENGTH}$ 

devlink region help

#### DESCRIPTION

## devlink region show - Show all supported address regions names, snapshots and sizes

DEV/REGION - specifies the devlink device and address-region to query.

### devlink region del - Delete a snapshot specified by address-region name and snapshot ID

DEV/REGION - specifies the devlink device and address-region to delete the snapshot from

snapshot SNAPSHOT\_ID - specifies the snapshot ID to delete

### devlink region dump - Dump all the available data from a region or from snapshot of a region

*DEV/REGION* - specifies the device and address-region to dump from.

snapshot SNAPSHOT\_ID - specifies the snapshot-id of the region to dump.

### devlink region read - Read from a specific region address for a given length

DEV/REGION - specifies the device and address-region to read from.

snapshot SNAPSHOT\_ID - specifies the snapshot-id of the region to read.

address ADDRESS - specifies the address to read from.

length  $\ensuremath{\mathit{LENGTH}}$  - specifies the length of data to read.

# **EXAMPLES**

devlink region show

List available address regions and snapshot.

devlink region del pci/0000:00:05.0/cr-space snapshot 1

Delete snapshot id 1 from cr-space address region from device pci/0000:05.0.

devlink region dump pci/0000:05.0/cr-space snapshot 1

Dump the snapshot taken from cr-space address region with ID 1

devlink region read pci/0000:00:05.0/cr-space snapshot 1 address 0x10 legth 16

Read from address 0x10, 16 Bytes of snapshot ID 1 taken from cr-space address region

# **SEE ALSO**

 $\textbf{devlink}(8), \, \textbf{devlink-dev}(8), \, \textbf{devlink-port}(8), \, \textbf{devlink-monitor}(8),$ 

# **AUTHOR**

Alex Vesker <valex@mellanox.com>