

BIRD IDENTIFICATION

FINCHES	2
SPARROWS	3
THRUSHES	5
VULTURES	6
WOODPECKERS	7
WRENS	9

FINCHES

PURPLE



- No Streaks on breast
- Straight Bill
- White Eye Strip










HOUSE



- No Streaks on breast
- Curved Bill
- Rounder Head



SPARROWS

	CLEAR BREAST	
White Face	Brushy forest edges With yellow on face	WHITE THROATED
White Face	NO WHITE THROAT	WHITE CROWNED 
No Red Cap	Wetlands <i>All year long</i> base of bill is yellow; grey face <i>♪ Trill song (like chipping) ♪</i>	SWAMP 
Rusty Cap PINK BILL	Fields  plain face, white eye-ring	FIELD 
Red Cap	Apr-Oct Dark line continuing thru eyes	CHIPPING
Red Cap	Oct-Apr Rusty eyeline (not black) Black & yellow bill	AMERICAN TREE 
Small Short tail	Open  White eyering Yellow above eye <i>♪ Two intro notes + trill ♪</i>	GRASSHOPPER 

THRUSHES

Veery - uniformly reddish-brown upperparts,
indistinct breast spotting, pale eye-ring
smaller than robin



Hermit – cinnamon tail different than body
- thin white eye ring,
- distinct spots on chest that fade



sustained whistle & soft echo-like song

Wood – large, bolder spots
flute like song



VULTURES

BLACK




TURKEY



Narrower wings

WOODPECKERS

HAIRY vs DOWNY



Hairy (left) and Downy Woodpecker. Illustrations: Roger Tory Peterson

- Hairy has all white tail feathers
- Hairy has longer beak
- Hairy prefers tall trees and deeper woods

YELLOW BELLIED SAPSUCKER



- Males have red throat
- Vertical white wing patches

NORTHERN FLICKER



- Black throat & white rump

RED BELLIED NORTHERN FLICKER



RED HEADER WOODPECKER



WRENS

CAROLINA WREN



HOUSE WREN



- Smallest
- Dark barring on wings, paler throat

WINTER WREN



- Forests
- Weak pale eyebrow
- Holds tail up
- ♪ warble with trills