## **BIRD IDENTIFICATION**

FINCHES	2
FLYCATCHERS	3
SPARROWS	4
SWALLOWS	9
THRUSHES	10
VULTURES	11
WOODPECKERS	12
WRENS	14

### **FINCHES**

PURPLE



- No Streaks on breast
- Straight Bill
- White Eye Strip



**HOUSE** 



- No Streaks on breast
- Curved Bill
- Rounder Head



### **FLYCATCHERS**

**SONGS** Acadian Sharp explosive *pit-see!* 

or wee-see!

**Least** Emphatic sharp *che-bek!* 

**Willow** Sneezy *fitx-bew* 

Alder Accented fee-B-o

or rree-BE-o

or free beer

### **OLIVE SIDED** has clear breast





### PHOEBE'S have a long tail





# **SPARROWS**

	CLEAR BREAST		
White Face	WHITE THROATED		
	Brushy forest edges		
	With yellow on face		
White Face	WHITE CROWNED		
	NO WHITE THROAT		
No Red Cap	SWAMP Wetlands		
	All year long		
	base of bill is yellow; grey face		
	♪ Trill song (like chipping ) ♪		









Grasshopper Sparrow	· · · <del>- 1111111111111111111111111111111</del>
Field Sparrow [x2010s]	
Fox Sparrow <sup>B</sup>	
American Tree Sparrow <sup>B</sup> ↓ ▶	
Dark-eyed Junco B <1924> <by1963< td=""><td></td></by1963<>	
White-crowned Sparrow <sup>B</sup>	│··│·│ <b>·│·</b> ├──│ ┃ │ │ <b>├──</b> │··│· │
White-throated Sparrow <sup>B</sup> ↑ <b>I</b>	┝═┿═┝═╇═┝╸╎╏╎╎╃═┝═┝═
Vesper Sparrow	
Savannah Sparrow <by1921 1<="" b="" td=""><td>   <b>     </b>  </td></by1921>	<b>     </b>
Song Sparrow	
Lincoln's Sparrow <sup>B</sup>	
Swamp Sparrow <sup>B</sup>	
Eastern Towhee 🔓 🗅	

### **SWALLOWS**

**TREE** - clean white underside and sharp contrast between cheek & throat



**NORTHERN ROUGH WING** - brownish throat that does not contrast with cheeks



### **THRUSHES**

**Veery** - uniformly reddish-brown upperparts, indistinct breast spotting, pale eye-ring smaller than robin



**Hermit** – cinnamon tail different than body

- thin white eye ring,
- distinct spots on chest that fade




sustained whistle & soft echo-like song

**Wood** – large, bolder spots flute like song



### **VULTURES**



### **WOODPECKERS**


#### **HAIRY vs DOWNY**



Hairy (left) and Downy Woodpecker. Illustrations: Roger Tory Peterson

- Hairy has all white tail feathers
- Hairy has longer beak
- Hairy prefers tall trees and deeper woods

#### YELLOW BELLIED SAPSUCKER



- Males have red throat
- Vertical white wing patches

#### **NORTHERN FLICKER**



Black throat & white rump

### **RED BELLIED NORTHERN FLICKER**



RED HEADER WOODPECKER



### **WRENS**

#### **CAROLINA WREN**



### **HOUSE WREN**



- Smallest
- Dark barring on wings, paler throat

### **WINTER WREN**



- Forests
- Weak pale eyebrow
- Holds tail up
- ♪ warble with trills