
Visible Flask

AWPUG - June 2017




Visible Flask
APUG: June 2017 ACTUAL SIZE


Tipton Cole

DISCLAIMER:

"Parts undecorated and paints not included."

FLASK - Overview






Tipton Cole

Visible Flask APUG: May 2017 AWPUG February 23, 2017

Tipton Cole

App & Request



Visible Flask APUG: May 2017

Moving Data: Browser to Server to Browser

request.cookies

request.args

request.form

session

Jinja templates


mkm_viewer

__init__.py

view_driver.py

views.py

exm_node_detail.html



Run through example edit.

Visible Flask APUG: June 2017

Tipton Cole

Initial Run-Through: Fill in form data

guid = 130848da-1178-4a00-8b1c-38017b5d4c41

Name	DnD
Desc	whatshappening
Subr	nit

 $created = 2016-05-04\ 21:51:39.325206$

 $edited = 2016-05-04\ 21:51:39.325218$

mkm_viewer/mkm_viewer/__init__.py

from flask import Flask

from .globals import JTC j = JTC()

from mkm_viewer.startup.startup import startup_bp from mkm_viewer.select_db.select_db import select_db_bp from . import globals

exm = Flask(__name__)

exm.register_blueprint(startup_bp) exm.register_blueprint(select_db_bp)

mkm_viewer/view_driver.py

from mkm_viewer import exm

from mkm_viewer import views from mkm_viewer import globals exm.secret_key = 'mkm_viewer'

exm.run(port=5050, debug=True)

```
views.py
from flask import render_template
from flask import request
from flask import session
from . import exm
@exm.route('/update/<node_id>', methods=['POST'])
def update_node(node_id):
  ms = j.MS_DB[session['ms_id']]
  session['to-and-fro'] += 1
  old_node = ms.mg.odg.node[node_id]
  data_movement(old_node)
  return render_template('exm_node_detail.html',
                ms=ms, db_id=session['db_id'],
                ms_id=session['ms_id'], node_id=node_id)
```

exm_node_detail.html

```
<div style="margin-left: 40px">
  quid = {{ node_id }}
  <form action="/update/{{ node_id }}?a=1&b=2" method="post">
    <label for="name">Name</label>
    <input type="text" name="topic-name" value={{ node['name'] }}>
    <br>
    <label for="desc">Desc</label>
    <input type="text" name="topic-desc" value={{ node['desc'] }}>
    <br/>br>
    <input type="submit" value="Submit">
  </form>
  created = {{ node['created'] }}
  edited = {{ node['edited'] }}
</div>
```


mkm_viewer

__init__.py

view_driver.py

views.py

exm_node_detail.html



Original Data

NODE:

```
old_node["name"]: 'DnD'
```

old_node["desc"]: "

old_node["created"]: '2016-05-04 21:51:39.325206'

old_node["edited"]: '2016-05-04 21:51:39.325218'

Start: Browser to Server

guid = 130848da-1178-4a00-8b1c-38017b5d4c41

Name DnD
Desc

Submit

 $created = 2016-05-04\ 21:51:39.325206$

 $edited = 2016-05-04\ 21:51:39.325218$

Browser to Server

guid = 130848da-1178-4a00-8b1c-38017b5d4c41

Name	DnD
Desc	whatshappening
Subr	nit

 $created = 2016-05-04\ 21:51:39.325206$

 $edited = 2016-05-04\ 21:51:39.325218$

COOKIES:

request.cookies["session"]=".eJwlyksKwkAM..."

request.cookies["panel"]="inbox"

request.cookies["Pycharm-a4edafa9"]="4ce3e89..."

NOTE: request.cookie["session"] is not the same as Flask.session import session refers to Flask.session

request.args

[templates/exm_node_detail.html]

```
<form action="/update/{{ node_id }}?a=1&b=2" method="post">
...
<input type="submit" value="Submit">
</form>
```

[views.py]

```
@exm.route('/update/<node_id>', methods=['POST'])
def update_node(node_id):
```

request.args

ARG values (request.args):

<type(request.args)=<class

'werkzeug.datastructures.ImmutableMultiDict'>

request.args["a"]: '1'

request.args["b"]: '2'

request.form

```
<form action="/update/{{ node_id }}?a=1&b=2" method="post">
  <label for="name">Name</label>
  <input type="text" name="topic-name" value={{ node['name'] }}>
  <br>
  <label for="desc">Desc</label>
  <input type="text" name="topic-desc" value={{ node['desc'] }}>
  <br>
  <input type="submit" value="Submit">
  </form>
```

request.form

FORM values (request.form):

<type(request.form)=<class

'werkzeug.datastructures.ImmutableMultiDict'>

request.form["topic-name"]: 'DnD'

request.form["topic-desc"]: 'whatshappening'

Recap: Browser to Server

- Change data content in <form> <input> field
- Send request to server Flask application via Submit
- Flask request.form[<field name>] updates server side data
- Flask.session information used for data context
- Flask request.args and request.cookies data available

Updated Server Side Data

UPDATED NODE:

```
updated old_node["name"]: 'DnD'
```

updated old_node["desc"]: 'whatshappening'

updated old_node["created"]: '2016-05-04 21:51:39.325206'

updated old_node["edited"]: '2016-05-04 21:51:39.325218'

```
views.py
from flask import render_template
from flask import request
from flask import session
from . import exm
@exm.route('/update/<node_id>', methods=['POST'])
def update_node(node_id):
  ms = j.MS_DB[session['ms_id']]
  session['to-and-fro'] += 1
  old_node = ms.mg.odg.node[node_id]
  data_movement(old_node)
  return render_template('exm_node_detail.html',
                ms=ms, db_id=session['db_id'],
                ms_id=session['ms_id'], node_id=node_id)
```

request.form

Recap: Server to Browser

Data passed to Jinja template in render_template

Python data values used in Jinja HTML template

Jinja {% for %} and {% if %} and {{ var }} used to build fully formatted HTML page

HTML page sent to browser


mkm_viewer


__init__.py

view_driver.py

views.py

exm_node_detail.html





Visible Flask APUG: June 2017

Tipton Cole