```
docker pull
biodatageeks/ds-notebook:spark-datascience-3.2.4-3.6.3-4

cd ~
mkdir -p shared
export TAG=spark-datascience-3.2.4-3.6.3-4


# sudo - jeśli poniższa komenda docker run wymaga
# uprawnień administratora (np. Ubuntu pod WSL2)

docker run --rm -it -p 8888:8888 \
-v $PWD/shared:/tmp/jovyan/work \
-e HOME=/tmp/jovyan \
-e DS_LAB_GCS_KEY=/tmp/dummy \
-e USER=jovyan \
biodatageeks/ds-notebook:$TAG \
jupyter-lab --ip='*' --NotebookApp.token=''
--NotebookApp.password=''


cd work/

git clone
https://github.com/biodatageeks/ds-notebooks.git

cd ds-notebooks/
git checkout 26L


%env PYSPARK_SUBMIT_ARGS=--repositories
https://oss.sonatype.org/content/repositories/snapshots/ --jars
/tmp/gcs-connector-hadoop2-1.9.17-shaded.jar,/tmp/google-cloud-nio-0.120.0-alpha-sh
aded.jar  --conf spark.driver.port=29010 --conf spark.blockManager.port=29011  --conf
spark.driver.host=jupyter-service-  --conf
spark.executorEnv.PYSPARK_PYTHON=/tmp/jovyan/venv/datascience/bin/python
```

```
--conf
spark.driverEnv.PYSPARK_DRIVER_PYTHON=/tmp/jovyan/venv/datascience/bin/pytho
n pyspark-shell


%env PYSPARK_PYTHON=/tmp/jovyan/venv/datascience/bin/python


from pyspark.sql import SparkSession

spark = SparkSession.builder.master("local[1]").config("spark.driver.host",
"localhost").getOrCreate()
```