Journal of Glaciology authors' guide to the IGS LaTeX 2ε class file

Craig BAXTER,[1] Rachel BROWN,[2][*] Louise BUCKINGHAM,[3]

Magnús M. MAGNÚSSON[1]

[1] *International Glaciological Society, Scott Polar Research Institute, Cambridge, UK*

[2] *Climate Change Institute, University of Maine, 303 Bryand Global Sciences Center, Orono, ME, USA*

[3] *Institute of Geological and Nuclear Sciences Ltd, Lower Hutt, New Zealand*

Correspondence: Craig Baxter <craig@igsoc.org>

ABSTRACT. The design for the *Journal of Glaciology* has been implemented as a LaTeX 2ε class file and is derived from article.cls. We recommend that authors use this guide as a template. Import your text to below the `\maketitle` command and then cut-and-paste the title/author/affiliation/abstract details. While writing we suggest you use the two-column `[twocolumn]` option to check that mathematical equations fit the measure. Submitted papers must, however, be presented using the one-column `[review]` option. The *Journal of Glaciology* is printed in Optima. However, submissions using Computer Modern are fine. If you have any problems using the class file, please email Craig Baxter at the above address, attaching your tex, log, cls, sty, bib, bbl, bst and any additional sty files you are using. The abstract should be less than 200 words and one paragraph long.

---

[*]Present address: Centre for Glaciology, Institute of Geography and Earth Sciences, University of Wales, Aberystwyth, UK.

21 USING THE IGS CLASS FILE

22 Please ensure you have downloaded the latest version from http://igsoc.org/production/. The IGS LATEX 2_ε
23 journal guide has examples of most environments authors are likely to come across. The title page contains
24 some new environments, e.g. affiliation and abstract. Papers should be divided into unnumbered sections
25 with short section headings. SI units and internationally recognized systems of abbreviation should be used
26 throughout. The TEX file should be named to reflect your paper number, i.e. 15J299.tex. Please remove
27 any extraneous text (e.g. text from previous drafts, notes and comments that will not form part of the
28 final printed text of the paper).

29 Additional packages supplied with igs.cls

30 The distribution package contains the following files; the first 10 are IGS-specific, the other 10 are standard
31 LATEX distribution files:
32

33 `igs2ejournalguide.tex` IGS LATEX guide

34 `igs2ejournalguide.pdf` pdf file of this guide

35 `igs2ejournalguide[twocolumn].pdf` pdf file of this guide using the `[twocolumn]` option

36 `15J299Fig01.eps` Fig. 1 in this guide

37 `15J299Fig02.eps` Fig. 2 in this guide

38 `igs.cls` IGS class file

39 `igs.bst` IGS bibliography style file

40 `igsnatbib.sty` IGS style file for citations

41 `igsupmath.sty` IGS style file for upright Greek characters

42 `igsrefs.bib` sample BIBTEX database

43 `amsbsy.sty` style file called in by igsupmath.sty

44 `amsfonts.sty` style file called in by amssymb.sty

45 `amsgen.sty` style file called in by igsupmath.sty

46 `amssymb.sty` accesses AMS fonts `msam` and `msbm`

47 `ednmath0.sty` style file required for [review] option

48 `edtable.sty` style file required for [review] option

49 `graphicx.sty` graphics style file

50 `lineno.sty` style file required for [review] option

51 `ltabptch.sty` style file required for [review] option

52 `vplref.sty` style file required for [review] option

Typesetting the title page

54 In the IGS design, shortened versions of the title and authors are used in the running head. The shortened

55 version is specified in square braces immediately after the `\title` and `\author` commands (see below). The

56 order in which the following elements appear may be crucial, i.e. `\maketitle` must be the last command

57 before your paper commences. The *Journal of Glaciology* is printed on A4 paper which is slightly longer

58 than US letter size. The default here is A4 paper but there is also a `[letterpaper]` option. Be aware that

59 using `[letterpaper]` will fractionally lengthen your article. This guide was typeset using the following

60 code:

61

```
62  % check that the math fits the two-column format:
63  % \documentclass[twocolumn]{igs}
64
65  % but use this version when submitting your article:
66      \documentclass[review,oneside]{igs}
67
68  % other options are available
69  %    authors printing on US letter size are advised
70  %    to use the slightly shorter [letterpaper] option
71  % SINGLE COLUMN
72  %    \documentclass{igs}
73  % SINGLE COLUMN, FEWER LINES/PAGE
74  %    \documentclass[letterpaper]{igs}
75  % DOUBLE COLUMN, FEWER LINES/PAGE
76  %    \documentclass[twocolumn,letterpaper]{igs}
77
78      \usepackage{igsnatbib}
79
80  % check if we are compiling under latex or pdflatex
```

```
81    \ifx\pdftexversion\undefined
82      \usepackage[dvips]{graphicx}
83    \else
84      \usepackage[pdftex]{graphicx}
85      \usepackage{epstopdf}
86      \epstopdfsetup{suffix=}
87    \fi
88
89  % the default is for unnumbered section heads
90  % if you really must have numbered sections, remove
91  % the % from the beginning of the following command
92  % and insert the level of sections you wish to be
93  % numbered (up to 4):
94
95  % \setcounter{secnumdepth}{2}
96
97  \begin{document}
98
99  \title[IGS \LaTeXe\ guide]{Journal of Glaciology
100    authors' guide to the IGS~\LaTeXe~class~file}
101
102  \author[Baxter and others]{Craig BAXTER,$^1$
103    Rachel BROWN,$^2$\protect\thanks{Present address:
104    Centre for Glaciology, Institute of Geography and
105    Earth Sciences, University of Wales, Aberystwyth,
106    UK.}\ \ Louise BUCKINGHAM,$^3$
107    Magn\'us~M.~MAGN\'USSON$^1$}
108
109  \affiliation{%
110  $^1$International Glaciological Society, Scott
```

```
111    Polar Research Institute, Cambridge, UK\\

112  $^2$Climate Change Institute, University of Maine,

113    303 Bryand Global Sciences Center, Orono,

114    ME, USA\\

115  $^3$Institute of Geological and Nuclear Sciences

116    Ltd, Lower Hutt, New Zealand\\

117    Correspondence: Craig Baxter

118    $<$craig@igsoc.org$>$}

119

120  \abstract{The design for the \emph{Journal of...

121  The abstract should be less than 200 words and

122  one paragraph long.}

123

124  \maketitle

125

126  \section{Using the IGS class file}

127
```

Lists

The IGS class file provides for numbered (`enumerate`) and unnumbered (`itemize`) lists. Nested lists are not encouraged. The default numbering system is 1., 2., 3., etc.; please do not change this unless there is a good reason. The IGS design removes bullet points from unnumbered lists.

User-defined macros

If possible, please do not define any new macros.

Tables

Tables may be typeset in either one- or two-column format. To typeset two-column format, add asterisks (`\begin{table*}...\end{table*}`) as shown in Table 2. We may change the format in-house if necessary. Please avoid the use of colour or shading. Note that if you choose to refer to tables using labels, `\caption` must precede `\label`, as in standard LaTeX. Vertical rules are not house-style and will be removed. Note the use of the minipage environment in Table 1 which enables table footnotes to be output. If the table

Table 1. One-column table captions will extend beyond the rules in two-column format. Do not try to adjust! Table captions do not have full points at the end

Period*	Surface elevation change	Emergence velocity
1975–85	−0.50	0.43
1986–2002	−1.03	0.32
Difference	−0.53	−0.11

*Please do not use more than one '&' between columns, and note that if a table includes table footnotes, it must be inside a `minipage` environment.

```
\begin{table}% table1, one column
\caption{One-column table captions will extend beyond
  the rules in two-column format. Do not try to adjust!
  Table captions do not have full points at the end}
\label{period}
\begin{minipage}{86mm}% you only need this line if you
  % have a table footnote
\begin{tabular}{@{}lcc}\hline
Period\footnote{Please do not use more than one '\&'
  between columns, and note that if a table includes
  table footnotes, it must be inside a \texttt{minipage}
  environment.}%
  & Surface elevation change
  & Emergence velocity\\ \hline
1975--85   & $-0.50$ & 0.43\\
1986--2002 & $-1.03$ & 0.32\\
Difference & $-0.53$ & \llap{$-$}0.11
\end{tabular}
\end{minipage}% you only need this line if you have a
            % table footnote
\end{table}
```

140 is two-column, use {178mm} instead of {86mm} on line 6. The source code for Tables 1 and 2 is shown

141 immediately below the tables.

Figures

143 Figures may be typeset in either one- or two-column format. One-column format allows up to 86 mm (e.g.

144 Fig. 1); two-column format up to 178 mm (e.g. Fig. 2). Please do not provide original graphics files in

145 which the figure is a great deal larger or smaller than what you envisage will be the final printed size. To

146 typeset two-column format, add asterisks (\begin{figure*}...\end{figure*}) as shown in Fig. 2. We

147 may change the format in-house if necessary. Please note that if you choose to refer to figures using labels,

148 \caption must precede \label, as in standard LATEX.

149 Please send one file for each figure (in other words do not use subfigures) and use a name that clearly

150 identifies it (e.g. '15J299Fig03.eps').

151 In addition, figures should be eps, ai (illustrator), ps, tif, psd or pdf. Use strong black lines with a width

152 of at least 0.75pt at final printed size (avoid tinting if possible) and SI units in labels. Lettering should

153 ideally be Optima to match the final typeface; Arial or a similar sans serif font for a second choice. Aim to

154 have the final-size lettering at 9pt, if possible. Figures should not be in boxes. The source code for Figs 1

155 and 2 is shown immediately below the figures.

Equations

157 We are including some complex equations as examples. Equations should be checked for width using the

158 [twocolumn] option. Note the use of arrays in the following equation:

$$\alpha_{t_2} = \left\{ \begin{array}{ll} \alpha_{t_1} - a_1[\ln(T+1)]e^{(a_2\sqrt{n})} & n_{\mathrm{d}} > 0 \quad \text{and} \quad T > 0 \\ \alpha_{t_1} - a_3 e^{(a_2\sqrt{n})} & n_{\mathrm{d}} > 0 \quad \text{and} \quad T < 0 \\ \alpha_{t_1} + a_4 P_{\mathrm{s}} & n_{\mathrm{d}} = 0 \end{array} \right. \tag{1}$$

159 Equation (1) above used the following code:

160

161 \begin{equation}

162 \label{arrayexample}

163 \alpha_{t_2}= \left\{%

164 \begin{array}{ll}

165 \alpha_{t_1} - a_1 [\ln (T+1)]

Table 2. Two-column table. Seasonal and annual SAT trends ($^\circ$C decade^{-1}) in the Arctic

Area	1951–2005					1976–2005				
	Dec–Feb	Mar–May	Jun–Aug	Sep–Nov	Annual	Dec–Feb	Mar–May	Jun–Aug	Sep–Nov	Annual
Atlantic region	0.09	0.29	0.10	0.09	0.15	0.470	0.60	0.45	0.53	0.59
Siberian region	0.12	0.29	0.04	0.17	0.16	0.08	0.69	0.29	0.59	0.48
Pacific region	0.45	0.46	0.25	0.26	0.35	0.712	1.08	0.27	0.66	0.52
Canadian region	0.16	0.12	0.14	0.30	0.18	0.20	0.52	0.48	0.94	0.53
Baffin Bay region	−0.02	0.10	0.00	0.15	0.02	0.33	0.62	0.51	0.80	0.57
Arctic 1	0.16	0.21	0.12	0.20	0.18	0.36	200.65	0.42	0.74	0.54
Arctic 2	0.22	0.29	0.14	0.14	0.19	0.38	0.60	0.40	0.51	0.45
Arctic 3	0.28	0.31	0.14	0.13	0.21	0.42	40.53	0.41	0.42	0.43
NH (land + ocean)	0.13	0.13	0.10	0.10	0.12	0.27	0.24	0.25	0.25	0.25

```
\begin{table*}% table2, two column

\caption{Two-column table. Seasonal and annual SAT trends ($^\circ$C\,decade$^{-1}$) in the Arctic}

\label{seasonal}

% the following illustrates how to align columns on decimal points

% since all numbers are the same width in LaTeX, redefine a ? to take up the width of a number

% do not use if your table contains a genuine ?

\catcode`\?=\active \gdef?{\setbox0=\hbox{0}\hbox to\wd0{}}%

\setlength\tabcolsep{2.5pt}% column separation reduced from the default 6pt so the table fits the measure

\begin{tabular}{@{}l@{\hspace{20pt}}ccccc@{\hspace{20pt}}ccccc}\hline

Area            & \multicolumn{5}{c}{1951--2005} & \multicolumn{5}{c}{1976--2005}\\[5pt]

                & Dec--Feb     & Mar--May    & Jun--Aug & Sep--Nov       & Annual

                & Dec--Feb     & Mar--May    & Jun--Aug & Sep--Nov       & Annual\\ \hline

Atlantic region & 0.09         & 0.29 & 0.10 & 0.09 & 0.15 & 0.470 & ??0.60 & 0.45 & 0.53 & 0.59\\

Siberian region & 0.12         & 0.29 & 0.04 & 0.17 & 0.16 & 0.08? & ??0.69 & 0.29 & 0.59 & 0.48\\

Pacific region  & 0.45         & 0.46 & 0.25 & 0.26 & 0.35 & 0.712 & ??1.08 & 0.27 & 0.66 & 0.52\\

Canadian region & 0.16         & 0.12 & 0.14 & 0.30 & 0.18 & 0.20? & ??0.52 & 0.48 & 0.94 & 0.53\\

Baffin Bay region & \llap{$-$}0.02 & 0.10 & 0.00 & 0.15 & 0.02 & 0.33? & ??0.62 & 0.51 & 0.80 & 0.57\\

Arctic 1        & 0.16         & 0.21 & 0.12 & 0.20 & 0.18 & 0.36? & 200.65 & 0.42 & 0.74 & 0.54\\

Arctic 2        & 0.22         & 0.29 & 0.14 & 0.14 & 0.19 & 0.38? & ??0.60 & 0.40 & 0.51 & 0.45\\

Arctic 3        & 0.28         & 0.31 & 0.14 & 0.13 & 0.21 & 0.42? & ?40.53 & 0.41 & 0.42 & 0.43\\

NH ($\mathrm{land}

  + \mathrm{ocean}$) & 0.13     & 0.13 & 0.10 & 0.10 & 0.12 & 0.27? & ??0.24 & 0.25 & 0.25 & 0.25\\

\hline

\end{tabular}
```

```
166       \mathrm{e}^{(a_2\sqrt{n})}

167       & \mbox{$n_\mathrm{d} > 0\enskip$ and

168       $\enskip T > 0$}\\

169     \alpha_{t_1} - a_3 \mathrm{e}^{(a_2\sqrt{n})}

170       & \mbox{$n_\mathrm{d} > 0\enskip$ and

171       $\enskip T < 0$}\\

172     \alpha_{t_1} + a_4 P_\mathrm{s}

173       & \mbox{$n_\mathrm{d} = 0$}

174   \end{array}

175 \right.

176 \end{equation}

177
```

Equations should be aligned on the equals signs where possible. Equations that extend beyond the one-column measure should be turned over before an operator. Note the \skew4 command below which moves the bar over the R to the right. The value generally varies between \skew1 and \skew5.

$$l_c = l_0 \left(\frac{\bar{R}_m}{R}\right)^2 \psi^{\frac{P}{P_0\cos Z}}$$
$$\times\, [\cos\beta\,\cos Z + \sin\beta\,\sin Z\,\cos(\psi_{\mathrm{sun}} - \psi_{\mathrm{slope}})] \tag{2}$$

```
178 Equation (2) above used the following code:

179

180 \begin{eqnarray}

181 \label{eqnarrayexample}

182 l_c &=& l_0 \left(\frac{\skew4\bar R_m}{R} \right)^2

183   \psi^{\frac{P}{P_0\cos Z}}\nonumber\\

184     && \mbox{}\times [\cos\beta\, \cos Z

185     + \sin\beta\,\sin Z\,\cos(\psi_\mathrm{sun}

186     - \psi_\mathrm{slope})]

187 \end{eqnarray}

188
```

Typesetting upright Greek characters

The `igsupmath` package provides macros for upright lower-case Greek (`\ualpha`–`\uxi`), and for bold lower-case Greek (`\ubalpha`–`\ubxi`). The bold upright symbol `\eta` has to be treated differently, in this case use `\uboldeta`.

To use the `igsupmath` package, you need to have the AMS `eurm/b` fonts installed.

The AMS packages are supplied from the AMS LaTeX distribution. If you already have the AMS LaTeX distribution installed, you can safely delete the `ams*.sty` files (it is worth checking if the supplied files are newer). If you do not have them already, the latest AMS Fonts/AMS LaTeX distributions can be found at http://ctan.org/.

For upright characters add a `u`, and for upright bold characters, `ub`, e.g.

α	`$\ualpha$`	$\boldsymbol{\alpha}$	`$\ubalpha$`
β	`$\ubeta$`	$\boldsymbol{\beta}$	`$\ubbeta$`
γ	`$\ugamma$`	$\boldsymbol{\gamma}$	`$\ubgamma$`
δ	`$\udelta$`	$\boldsymbol{\delta}$	`$\ubdelta$`

Authors who do not have this font are requested to key their articles using the commands above. The characters will be substituted automatically by the typesetter.

Typesetting the partial symbol

The `igsupmath` package also provides `\upartial` and `\ubpartial`.

Provided you have the AMS fonts, you can use the style file igsupmath.sty to typeset the partial symbol, e.g.

| ∂ | `$\upartial$` | $\boldsymbol{\partial}$ | `$\ubpartial$` |

Marginal notes

The IGS class file redefines the LaTeX command `\marginpar`. If you wish to add a marginal note such as *Editor!* the one alongside this text, you would key `\marginpar{Editor! Help!}`. Marginal notes will be removed *Help!* before printing.

References

All citations in text should include the author name(s) and the year of publication (e.g. 'Smith, 2014'; 'Smith and Jones, 2014'; 'Smith and others, 2015') and have an entry in the reference list.

214   References should:

215   be short;

216   be complete and accurate;

217   be arranged in alphabetical order by first author's surname;

218   include too much rather than too little information;

219   include doi numbers where available (note that older bib databases often included doi's in the page field

220   – in which case they may appear after a comma and without braces);

221   include works accepted but not published as 'in press';

222   not include personal communications, unpublished data or manuscript in preparation or submitted for

223   publication, data published on the web (these should be included in the text).

224   *Automatic references using* BibTeX

225   To generate automatic references from a bib database, you must first specify the database (we are using

226   `igsrefs.bib`) and then the IGS bibliography style by placing the following two commands where you

227   would like the references to appear (normally at the end of your paper, before `\end{document}`):

228

229   `\bibliography{igsrefs}`

230   `\bibliographystyle{igs}`

231

232   Then run through the following steps:

233   1. Run your paper through LaTeX.

234   2. Run BibTeX on your paper.

235   3. Open the newly-created bbl file containing the cited references and copy the entire contents to just

236   below the `bibliography/bibliographystyle` commands.

237   4. Then comment them out:

Fig. 1. One-column figures should be ≤86 mm. Good artwork can make or break a paper. Capitalize the first word of a label and use round not square brackets for units.

```
\begin{figure}%fig1, one column

\centering{\includegraphics{15J299Fig01.eps}}

\caption{One-column figures should be $\leq$86$\,$mm.

Good artwork can make or break a paper. Capitalize

the first word of a label and use round not square

brackets for units.}

\label{tracks}

\end{figure}
```

---

238   %\bibliography{igsrefs}

239   %\bibliographystyle{igs}

240 5. Run your paper through LATEX *twice* more.

241 The IGS do not need your bib or bbl files. Note that BIBTEX will lose the second initial in the entry 'Box

242 JE', for example, if it has been typed as '{J.E.} Box' in the bib file. This is because any text in an entry

243 enclosed in { } will be treated as a single unit, and will not be further parsed. Prof. Box's name will typeset

244 correctly if entered as 'J. E. Box' in the bib file.

245   If you have cited 16 references from the bib database, e.g. (Rignot and Steffen, 2008), (Rignot and

246 others, 2008), (Motyka and others, 2011), (Morlighem and others, 2010), (Morlighem and others, 2011),

247 (Seroussi and others, 2011), (Yan and others, 2013), (Rogozhina and others, 2012), (Hanna and others,

2013), (Goelzer and others, 2013), (Lucas-Picher and others, 2012), (Edwards and others, 2014), (Gladstone and others, 2010), (Morlighem and others, 2013), (Goldberg and Sergienko, 2011) and (Paterson, 1994), the output will be just those 16 references and they will appear at the end of the article.

Citations using natbib commands

Note that the standard natbib style file has been modified to fall into line with IGS style. The modified style file is called igsnatbib.sty (included in this distribution), and works exactly the same as natbib.sty. The default IGS house style is (Yan and others, 2013). The following combinations are also available – refer to the natbib documentation if you require any further explanation:

(Yan and others, 2013)   `\citep{Yan13}`

(see Yan and others, 2013, p. 34)

`\citep[see][p.$\,$34]{Yan13}`

(e.g. Yan and others, 2013)   `\citep[e.g.][]{Yan13}`

(Yan and others, 2013, Section 2.3)

`\citep[Section~2.3]{Yan13}`

(Yan and others, 2013; Edwards and others, 2014)

`\citep{Yan13, Edwards14}`

Yan and others (2013); Edwards and others (2014)

`\cite{Yan13, Edwards14}`

Yan and others 2013   `\citealt{Yan13}`

Yan and others (2013)   `\cite{Yan13}`

Yan and others, 2013   `\citealp{Yan13}`

Yan and others   `\citeauthor{Yan13}`

(2013)   `\citeyearpar{Yan13}`

2013   `\citeyear{Yan13}`

Manual references

References should be complete and conform to the IGS reference style. Particular points to note are that author names should be Surname followed by Initials, and that doi numbers, if available, must be included in parentheses at the end of the reference. Authors not using the bibliography style file igs.bst can either produce a reference list in plain text or produce the same output at the end of the guide by typing the references along the following lines:

Fig. 2. Two-column figures should be ≤178 mm. SSA reconstructed components found by projecting the SSA filters found using the whole 2000 traces in Fig. 4, on trace number 1, ordered by magnitude of variance accounted for in the radar trace.

```
\begin{figure*}%fig2, two column
\centering{\includegraphics{15J299Fig02.eps}}
\caption{Two-column figures should be $\leq$178$\,$mm. SSA reconstructed components found by
  projecting the SSA filters found using the whole 2000 traces in Fig.~4, on trace number 1,
  ordered by magnitude of variance accounted for in the radar trace.}
\label{filters}
\end{figure*}
```

```
263
264  \begin{thebibliography}{16}
265  \providecommand{\natexlab}[1]{#1}
266  \expandafter\ifx\csname urlstyle\endcsname\relax
267    \providecommand{\doi}[1]{doi: #1}\else
```

```
268    \providecommand{\doi}{doi: \begingroup

269    \urlstyle{rm}\Url}\fi

270

271  \bibitem[\protect\citename{Edwards and others, }2014]

272    {Edwards14}

273    Edwards TL, Fettweis X, Gagliardini O,

274    Gillet-Chaulet F, Goelzer H, Gregory JM, Hoffman M,

275    Huybrechts P, Payne AJ, Perego M, Price S,

276    Quiquet A and Ritz C (2014) Effects of uncertainty

277    in surface mass balance-elevation feedback on

278    projections of the future sea level contribution

279    of the {G}reenland ice sheet. \emph{The Cryosphere},

280    \textbf{8}, 195--208 (\doi {10.5194/tc-8-195-2014})

281

282  \bibitem[\protect\citename{Gladstone and others, }2010]

283    {gladstone_grl_10}

284    Gladstone RM, Lee V, Vieli A and Payne AJ (2010)

285    Grounding line migration in an adaptive mesh ice

286    sheet model. \emph{J. Geophys. Res.-Earth},

287    \textbf{115}, F04014 (\doi {0.1029/2009JF001615})

288

289  \bibitem[\protect\citename{Goelzer and others, }2013]

290    {Goelzer13}

291    Goelzer H, Huybrechts P, F\"{u}rst JJ, Nick FM,

292    Andersen ML, Edwards TL, Fettweis X, Payne AJ and

293    Shannon S (2013) Sensitivity of {G}reenland ice

294    sheet projections to model formulations.

295    \emph{J.~Glaciol.}, \textbf{59}(216), 733--749

296    (\doi {10.3189/2013JoG12J182})

297
```

```
298  \bibitem[\protect\citename{Goldberg and Sergienko, }2011]

299    {Goldberg11}

300    Goldberg DN and Sergienko OV (2011) Data assimilation

301    using a hybrid ice flow model. \emph{The Cryosphere},

302    \textbf{5}, 315--327 (\doi {10.5194/tc-5-315-2011})

303

304  \bibitem[\protect\citename{Hanna and others, }2013]

305    {Hanna13}

306    Hanna E, Navarro FJ, Pattyn F, Domingues CM,

307    Fettweis X, Ivins ER, Nicholls RJ, Ritz C, Smith B,

308    Tulaczyk S, Whitehouse PL and Zwally HJ (2013)

309    Ice-sheet mass balance and climate change. \emph{Nature},

310    \textbf{498}, 51--59 (\doi {10.1038/nature12238})

311

312  \bibitem[\protect\citename{Lucas-Picher and others, }2012]

313    {Lucas12}

314    Lucas-Picher P, Wulff-Nielsen M, Christensen JH,

315    Adalgeirsd\'ottir G, Mottram RH and Simonsen SB (2012)

316    Very high resolution regional climate model simulations

317    over Greenland: identifying added value. \emph{J.~Geophys.

318    Res.}, \textbf{117}, D02108 (\doi {10.1029/2011JD016267})

319

320  \bibitem[\protect\citename{Morlighem and others, }2010]

321    {Morlighem10}

322    Morlighem M, Rignot E, Seroussi H, Larour E, Dhia HB

323    and Aubry D (2010) Spatial patterns of basal drag

324    inferred using control methods from a full-Stokes and

325    simpler models for Pine Island Glacier, West Antarctica.

326    \emph{Geophys. Res. Lett.}, \textbf{37}, L14502

327    (\doi {10.1029/2010GL043853})
```

328

329 \bibitem[\protect\citename{Morlighem and others, }2011]

330 {Morlighem11}

331 Morlighem M, Rignot E, Seroussi H, Larour E, Dhia HB

332 and Aubry D (2011) A mass conservation approach for

333 mapping glacier ice thickness. \emph{Geophys. Res. Lett.},

334 \textbf{38}, L19503 (\doi {10.1029/2011GL048659})

335

336 \bibitem[\protect\citename{Morlighem and others, }2013]

337 {Morlighem13}

338 Morlighem M, Seroussi H, Larour E and Rignot E (2013)

339 Inversion of basal friction in Antartica using exact

340 and incomplete adjoints of a higher-order model.

341 \emph{J.~Geophys. Res.}, \textbf{118}, 1746--1753

342 (\doi {10.1002/jgrf.20125})

343

344 \bibitem[\protect\citename{Motyka and others, }2011]

345 {Motyka11}

346 Motyka RJ, Truffer M, Fahnestock M, Mortensen J,

347 Rysgaard S and Howat I (2011) Submarine melting of

348 the 1985 Jakobshavn Isbrae floating tongue and the

349 triggering of the current retreat.

350 \emph{J.~Geophys. Res.}, \textbf{116}, F01007

351 (\doi {10.1029/2009JF001632})

352

353 \bibitem[\protect\citename{Paterson, }1994]

354 {paterson94}

355 Paterson WSB (1994) \emph{The physics of

356 glaciers}. Butterworth-Heinemann, Oxford,

357 3rd edition

358

359 \bibitem[\protect\citename{Rignot and Steffen, }2008]

360   {Rignot08}

361   Rignot E and Steffen K (2008) Channelized bottom

362   melting and stability of floating ice shelves.

363   \emph{Geophys. Res. Lett.}, \textbf{35}, L02503

364   (\doi {10.1029/2007GL031765})

365

366 \bibitem[\protect\citename{Rignot and others, }2008]

367   {Rignot08_2}

368   Rignot E, Box JE, Burgess E and Hanna E (2008)

369   Mass balance of the Greenland ice sheet from

370   1958 to 2007. \emph{Geophys. Res. Lett.},

371   \textbf{35}, L02502 (\doi {10.1029/2008GL035417})

372

373 \bibitem[\protect\citename{Rogozhina and others, }2012]

374   {Rogozhina12}

375   Rogozhina I, Hagedoorn JM, Martinec Z, Fleming K,

376   Soucek O, Greve R and Thomas M (2012) Effects of

377   uncertainties in the geothermal heat flux

378   distribution on the Greenland ice sheet: an

379   assessment of existing heat flow models.

380   \emph{J.~Geophys. Res.}, \textbf{117}, F02025

381   (\doi {10.1029/2011JF002098})

382

383 \bibitem[\protect\citename{Seroussi and others, }2011]

384   {Seroussi11}

385   Seroussi H, Morlighem M, Rignot E, Larour E,

386   Aubry D, Dhia HB and Kristensen SS (2011) Ice flux

387   divergence anomalies on 79north glacier, Greenland.

```
388    \emph{Geophys. Res. Lett.}, \textbf{38}, L09501

389    (\doi {10.1029/2011GL047338})

390

391  \bibitem[\protect\citename{Yan and others, }2013]

392    {Yan13}

393    Yan Q, Zhang Z, Gao Y, Wang H and Johannessan OM

394    (2013) Sensitivity of the modeled present-day

395    Greenland ice sheet to climatic forcing and

396    spin-up methods and its influence on future sea

397    level projections. \emph{J. Geophys. Res. Earth

398    Surf.}, \textbf{118}, 2174--2189

399    (\doi {10.1002/jgrf.20156})

400

401  \end{thebibliography}
```

ACKNOWLEDGEMENTS

REFERENCES

Edwards TL, Fettweis X, Gagliardini O, Gillet-Chaulet F, Goelzer H, Gregory JM, Hoffman M, Huybrechts P, Payne AJ, Perego M, Price S, Quiquet A and Ritz C (2014) Effects of uncertainty in surface mass balance-elevation feedback on projections of the future sea level contribution of the Greenland ice sheet. *The Cryosphere*, **8**, 195–208 (doi: 10.5194/tc-8-195-2014)

Gladstone RM, Lee V, Vieli A and Payne AJ (2010) Grounding line migration in an adaptive mesh ice sheet model. *J. Geophys. Res.-Earth*, **115**, F04014 (doi: 0.1029/2009JF001615)

Goelzer H, Huybrechts P, Fürst JJ, Nick FM, Andersen ML, Edwards TL, Fettweis X, Payne AJ and Shannon S (2013) Sensitivity of Greenland ice sheet projections to model formulations. *J. Glaciol.*, **59**(216), 733–749 (doi: 10.3189/2013JoG12J182)

Goldberg DN and Sergienko OV (2011) Data assimilation using a hybrid ice flow model. *The Cryosphere*, **5**, 315–327 (doi: 10.5194/tc-5-315-2011)

Hanna E, Navarro FJ, Pattyn F, Domingues CM, Fettweis X, Ivins ER, Nicholls RJ, Ritz C, Smith B, Tulaczyk S, Whitehouse PL and Zwally HJ (2013) Ice-sheet mass balance and climate change. *Nature*, **498**, 51–59 (doi: 10.1038/nature12238)

Lucas-Picher P, Wulff-Nielsen M, Christensen JH, Adalgeirsdóttir G, Mottram RH and Simonsen SB (2012) Very high resolution regional climate model simulations over Greenland: identifying added value. *J. Geophys. Res.*, **117**, D02108 (doi: 10.1029/2011JD016267)

Morlighem M, Rignot E, Seroussi H, Larour E, Dhia HB and Aubry D (2010) Spatial patterns of basal drag inferred using control methods from a full-Stokes and simpler models for Pine Island Glacier, West Antarctica. *Geophys. Res. Lett.*, **37**, L14502 (doi: 10.1029/2010GL043853)

Morlighem M, Rignot E, Seroussi H, Larour E, Dhia HB and Aubry D (2011) A mass conservation approach for mapping glacier ice thickness. *Geophys. Res. Lett.*, **38**, L19503 (doi: 10.1029/2011GL048659)

Morlighem M, Seroussi H, Larour E and Rignot E (2013) Inversion of basal friction in Antartica using exact and incomplete adjoints of a higher-order model. *J. Geophys. Res.*, **118**, 1746–1753 (doi: 10.1002/jgrf.20125)

Motyka RJ, Truffer M, Fahnestock M, Mortensen J, Rysgaard S and Howat I (2011) Submarine melting of the 1985 Jakobshavn Isbrae floating tongue and the triggering of the current retreat. *J. Geophys. Res.*, **116**, F01007 (doi: 10.1029/2009JF001632)

Paterson WSB (1994) *The physics of glaciers*. Butterworth-Heinemann, Oxford, 3rd edition

Rignot E and Steffen K (2008) Channelized bottom melting and stability of floating ice shelves. *Geophys. Res. Lett.*, **35**, L02503 (doi: 10.1029/2007GL031765)

Rignot E, Box JE, Burgess E and Hanna E (2008) Mass balance of the Greenland ice sheet from 1958 to 2007. *Geophys. Res. Lett.*, **35**, L02502 (doi: 10.1029/2008GL035417)

Rogozhina I, Hagedoorn JM, Martinec Z, Fleming K, Soucek O, Greve R and Thomas M (2012) Effects of uncertainties in the geothermal heat flux distribution on the Greenland ice sheet: an assessment of existing heat flow models. *J. Geophys. Res.*, **117**, F02025 (doi: 10.1029/2011JF002098)

Seroussi H, Morlighem M, Rignot E, Larour E, Aubry D, Dhia HB and Kristensen SS (2011) Ice flux divergence anomalies on 79north glacier, Greenland. *Geophys. Res. Lett.*, **38**, L09501 (doi: 10.1029/2011GL047338)

Yan Q, Zhang Z, Gao Y, Wang H and Johannessan OM (2013) Sensitivity of the modeled present-day Greenland ice sheet to climatic forcing and spin-up methods and its influence on future sea level projections. *J. Geophys. Res. Earth Surf.*, **118**, 2174–2189 (doi: 10.1002/jgrf.20156)

APPENDIX

Start an appendix by typing `\appendix\section{Appendix}`. Appendices appear after the references.

Equation numbers automatically start again with (A1).

$$2\eta\kappa\frac{\partial\bar{u}}{\partial t} + \rho_{\mathrm{r}}g\bar{u} + D\kappa^4\bar{u} = \bar{\sigma}_{zz}. \tag{A1}$$

HANDLING MORE THAN ONE APPENDIX

Use the following code to achieve heading APPENDIX A followed by APPENDIX B and APPENDIX C, with appropriate equation numbers:

```
\appendix
\section{Appendix A}

\setcounter{equation}{0}
\renewcommand\theequation{B\arabic{equation}}
\section{Appendix B}

\setcounter{equation}{0}
\renewcommand\theequation{C\arabic{equation}}
\section{Appendix C}
```