METRO IMAGING & DIAGNOSTIC CENTER

DEPARTMENT OF RADIOLOGY & DIGITAL IMAGING

Patient Name:	John Doe	**Report ID:**	XR-2026-9841
Age / Sex:	45 / Male	**Date:**	22-Sep-2026
Referred By:	Dr. Sarah Jenkins, MD	**Examination:**	X-Ray Chest (PA View)

CLINICAL HISTORY / INDICATION

Persistent productive cough, fever for 5 days, and localized right-sided pleuritic chest pain.

RADIOLOGICAL FINDINGS

Bony Thorax: The ribs, clavicles, and visualized spine appear intact without evidence of acute fracture or lytic bone lesions.

Soft Tissues: The chest wall soft tissues are unremarkable.

Lungs: There is a distinct, ill-defined area of increased opacity/consolidation noted within the right lower lobe, highly suggestive of acute lobar pneumonia. No signs of cavitation or mass lesions are present. The left lung field is clear and well-aerated without focal consolidation.

Pleura: Minimal blunting of the right costophrenic angle is present, indicative of a small reactive pleural effusion. The left costophrenic and both cardiophrenic angles remain sharp and clear.

Mediastinum & Heart: The cardiomediastinal silhouette is within normal limits for size and configuration. The trachea is midline. Great vessels appear normal.

IMPRESSION

1. **Right lower lobe consolidation**, matching clinical features of acute bacterial pneumonia.
2. **Associated small right-sided reactive pleural effusion.**

Report Electronically Verified By:

Dr. Marcus Vance, MD
Consultant Radiologist

This is for informational purposes only. For medical advice or diagnosis, consult a professional. AI responses may include mistakes.

METRO IMAGING & DIAGNOSTIC CENTER

DEPARTMENT OF RADIOLOGY & DIGITAL IMAGING

Patient Name:	Jane Smith	**Report ID:**	XR-2026-9842
Age / Sex:	34 / Female	**Date:**	22-Sep-2026
Referred By:	Dr. Alan Mercer, MD	**Examination:**	X-Ray Lumbar Spine (AP & Lateral Views)

CLINICAL HISTORY / INDICATION

Chronic lower back pain radiating down the left lower extremity (sciatica) following lifting heavy boxes.

RADIOLOGICAL FINDINGS

Alignment: Normal lumbar lordosis is mildly flattened, frequently associated with paraspinal muscle spasm. No spondylolisthesis or structural subluxation is demonstrated.

Vertebral Bodies: The heights and contours of all lumbar vertebral bodies are well-preserved. There is no evidence of compression fracture or destructive bone erosion.

Disc Spaces: Moderate narrowing of the L4-L5 and L5-S1 intervertebral disc spaces is noted. Mild reactive endplate osteophytosis is visualized at these levels, matching degenerative disc disease changes.

Posterior Elements: The pedicles, laminae, and facet joints appear structurally intact. Mild facet arthropathy is noted bilaterally at L5-S1.

Sacroiliac Joints: The visualized sacroiliac joints appear clear and symmetric.

IMPRESSION

1. Lumbar spondylosis / Degenerative disc disease localized to the L4-L5 and L5-S1 segments, presenting as disc space narrowing and mild endplate changes.
2. Flattening of lumbar lordosis, likely secondary to acute paraspinal muscle spasm.

Report Electronically Verified By:

Dr. Marcus Vance, MD
Consultant Radiologist

This is for informational purposes only. For medical advice or diagnosis, consult a professional. AI responses may include mistakes.

METRO IMAGING & DIAGNOSTIC CENTER

DEPARTMENT OF RADIOLOGY & DIGITAL IMAGING

Patient Name:	Robert Lee	**Report ID:**	XR-2026-9843
Age / Sex:	62 / Male	**Date:**	22-Sep-2026
Referred By:	Dr. Linda Ross, MD	**Examination:**	X-Ray Right Knee (AP & Lateral Views)

CLINICAL HISTORY / INDICATION

Progressive, severe mechanical right knee pain, stiffness, and crepitus aggravated by prolonged weight-bearing.

RADIOLOGICAL FINDINGS

Joint Space: Severe, asymmetric narrowing of the medial femorotibial joint compartment is noted. The lateral femorotibial and patellofemoral joint compartments show mild to moderate narrowing.

Bone Changes: Prominent marginal osteophytes are present along the medial and lateral femoral condyles and tibial plateaus. Subchondral sclerosis and cystic changes are prominently visualized along the weight-bearing surface of the medial tibial plateau.

Alignment: A mild varus alignment deformity of the knee joint is noted.

Patella: Superior and inferior marginal osteophytes are noted on the patella, with associated narrowing of the patellofemoral articulation.

Soft Tissues: Mild joint effusion is noted within the suprapatellar bursa. No radiopaque loose bodies or abnormal soft tissue calcifications are identified.

IMPRESSION

Advanced (Grade 3-4) Osteoarthritis of the right knee, characterized by severe medial compartment joint space narrowing, subchondral sclerosis, extensive marginal osteophytosis, and mild secondary varus alignment.

Report Electronically Verified By:

Dr. Marcus Vance, MD
Consultant Radiologist

This is for informational purposes only. For medical advice or diagnosis, consult a professional. AI responses may include mistakes.