



MINI PROJECT ON NETWORK SCANNING



CYBER SECURITY

CHAVAN APURVA RAMKRUSHNA

Network Scanning:


Process of scanning a targeted network to identify existing vulnerabilities, open ports, and the services running on those ports. This information helps in mitigating or fixing the vulnerabilities.

Target ---> Metasploitable

METHODOLOGY STEPS


STEP 1:

SELECT THE TARGET



STEP 2:

SCAN FOR THEIR “IP RANGE” (ACTIVE DEVICE)”



STEP 3:

FIND THE OPEN PORTS RUNNING IN THE TARGET

```
(kali㉿kali)-[~]  
$ sudo nmap -sT 192.168.80.128  
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-04-14 00:57 CDT  
Nmap scan report for 192.168.80.128  
Host is up (0.0035s latency).  
Not shown: 977 closed tcp ports (conn-refused)  
PORT      STATE SERVICE  
21/tcp    open  ftp  
22/tcp    open  ssh  
23/tcp    open  telnet  
25/tcp    open  smtp  
53/tcp    open  domain  
80/tcp    open  http  
111/tcp   open  rpcbind  
139/tcp   open  netbios-ssn  
445/tcp   open  microsoft-ds  
512/tcp   open  exec  
513/tcp   open  login  
514/tcp   open  shell  
1099/tcp  open  rmiregistry  
1524/tcp  open  ingreslock  
2049/tcp  open  nfs  
2121/tcp  open  ccproxy-ftp  
3306/tcp  open  mysql  
5432/tcp  open  postgresql  
5900/tcp  open  vnc  
6000/tcp  open  X11  
6667/tcp  open  irc  
8009/tcp  open  ajp13  
8180/tcp  open  unknown  
MAC Address: 00:0C:29:E2:98:BA (VMware)
```



```
(kali@kali)-[~]
$ sudo nmap -sS 192.168.80.128
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-04-14 00:58 CDT
Nmap scan report for 192.168.80.128
Host is up (0.0032s latency).
Not shown: 977 closed tcp ports (reset)
PORT      STATE SERVICE
21/tcp    open  ftp
22/tcp    open  ssh
23/tcp    open  telnet
25/tcp    open  smtp
53/tcp    open  domain
80/tcp    open  http
111/tcp   open  rpcbind
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
512/tcp   open  exec
513/tcp   open  login
514/tcp   open  shell
1099/tcp  open  rmiregistry
1524/tcp  open  ingreslock
2049/tcp  open  nfs
2121/tcp  open  ccproxy-ftp
3306/tcp  open  mysql
5432/tcp  open  postgresql
5900/tcp  open  vnc
6000/tcp  open  X11
6667/tcp  open  irc
8009/tcp  open  ajp13
8180/tcp  open  unknown
MAC Address: 00:0C:29:E2:98:BA (VMware)

Nmap done: 1 IP address (1 host up) scanned in 2.31 seconds
```

```
(kali@kali)-[~]
$ sudo nmap -sU 192.168.80.128
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-04-14 00:58 CDT
Stats: 0:04:13 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 31.37% done; ETC: 01:11 (0:09:11 remaining)
Stats: 0:04:14 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 31.47% done; ETC: 01:11 (0:09:11 remaining)
Stats: 0:04:15 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 31.57% done; ETC: 01:11 (0:09:08 remaining)
Stats: 0:04:15 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 31.58% done; ETC: 01:11 (0:09:10 remaining)
Stats: 0:04:16 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 31.68% done; ETC: 01:11 (0:09:10 remaining)
Stats: 0:04:17 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 31.78% done; ETC: 01:11 (0:09:09 remaining)
Stats: 0:04:18 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 31.88% done; ETC: 01:11 (0:09:09 remaining)
Stats: 0:04:19 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 31.98% done; ETC: 01:11 (0:09:07 remaining)
Stats: 0:04:22 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 32.20% done; ETC: 01:11 (0:09:10 remaining)
Stats: 0:04:23 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 32.30% done; ETC: 01:11 (0:09:07 remaining)
Stats: 0:04:23 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 32.32% done; ETC: 01:11 (0:09:09 remaining)
Stats: 0:04:24 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 32.42% done; ETC: 01:11 (0:09:08 remaining)
Stats: 0:04:25 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 32.52% done; ETC: 01:12 (0:09:08 remaining)
Stats: 0:04:26 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 32.62% done; ETC: 01:12 (0:09:07 remaining)
Stats: 0:04:27 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 32.72% done; ETC: 01:11 (0:09:05 remaining)
Stats: 0:04:27 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 32.73% done; ETC: 01:12 (0:09:07 remaining)
Stats: 0:04:28 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 32.83% done; ETC: 01:12 (0:09:06 remaining)
Stats: 0:04:29 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 32.93% done; ETC: 01:12 (0:09:06 remaining)
Stats: 0:04:30 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 33.03% done; ETC: 01:12 (0:09:05 remaining)
Stats: 0:04:31 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 33.13% done; ETC: 01:12 (0:09:03 remaining)
```


STEP 4:

CHECK THE SERVICES RUNNING ON THE OPEN PORTS

```
(kali@kali)-[~]  
$ sudo nmap -sS -p 20-25 192.168.80.128 -v  
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-04-14 01:16 CDT  
Initiating ARP Ping Scan at 01:16  
Scanning 192.168.80.128 [1 port]  
Completed ARP Ping Scan at 01:16, 0.07s elapsed (1 total hosts)  
Initiating Parallel DNS resolution of 1 host. at 01:16  
Completed Parallel DNS resolution of 1 host. at 01:16, 2.04s elapsed  
Initiating SYN Stealth Scan at 01:16  
Scanning 192.168.80.128 [6 ports]  
Discovered open port 23/tcp on 192.168.80.128  
Discovered open port 22/tcp on 192.168.80.128  
Discovered open port 25/tcp on 192.168.80.128  
Discovered open port 21/tcp on 192.168.80.128  
Completed SYN Stealth Scan at 01:16, 0.03s elapsed (6 total ports)  
Nmap scan report for 192.168.80.128  
Host is up (0.0037s latency).  
  
PORT      STATE SERVICE  
20/tcp    closed ftp-data  
21/tcp    open  ftp  
22/tcp    open  ssh  
23/tcp    open  telnet  
24/tcp    closed priv-mail  
25/tcp    open  smtp  
MAC Address: 00:0C:29:E2:98:BA (VMware)  
  
Read data files from: /usr/bin/../../share/nmap  
Nmap done: 1 IP address (1 host up) scanned in 2.26 seconds  
Raw packets sent: 7 (292B) | Rcvd: 7 (284B)
```


STEP 5:

GRAB THE VERSIONS RUNNING ON OPEN SERVICES

```
(kali㉿kali)-[~]
$ sudo nmap -sS -p 1-1000 192.168.80.128 -v -sV
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-04-14 01:17 CDT
NSE: Loaded 46 scripts for scanning.
Initiating ARP Ping Scan at 01:17
Scanning 192.168.80.128 [1 port]
Completed ARP Ping Scan at 01:17, 0.05s elapsed (1 total hosts)
Initiating Parallel DNS resolution of 1 host. at 01:17
Completed Parallel DNS resolution of 1 host. at 01:17, 2.02s elapsed
Initiating SYN Stealth Scan at 01:17
Scanning 192.168.80.128 [1000 ports]
Discovered open port 21/tcp on 192.168.80.128
Discovered open port 25/tcp on 192.168.80.128
Discovered open port 445/tcp on 192.168.80.128
Discovered open port 111/tcp on 192.168.80.128
Discovered open port 22/tcp on 192.168.80.128
Discovered open port 53/tcp on 192.168.80.128
Discovered open port 23/tcp on 192.168.80.128
Discovered open port 139/tcp on 192.168.80.128
Discovered open port 80/tcp on 192.168.80.128
Discovered open port 514/tcp on 192.168.80.128
Discovered open port 512/tcp on 192.168.80.128
Discovered open port 513/tcp on 192.168.80.128
Completed SYN Stealth Scan at 01:17, 0.16s elapsed (1000 total ports)
Initiating Service scan at 01:17
Scanning 12 services on 192.168.80.128
Completed Service scan at 01:17, 14.25s elapsed (12 services on 1 host)
NSE: Script scanning 192.168.80.128.
Initiating NSE at 01:17
Completed NSE at 01:17, 0.99s elapsed
Initiating NSE at 01:17
Completed NSE at 01:17, 0.04s elapsed
Nmap scan report for 192.168.80.128
Host is up (0.0054s latency).
Not shown: 988 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
21/tcp    open  ftp          vsftpd 2.3.4
22/tcp    open  ssh          OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
23/tcp    open  telnet       Linux telnetd
25/tcp    open  smtp         Postfix smtpd
53/tcp    open  domain       ISC BIND 9.4.2
80/tcp    open  http         Apache httpd 2.2.8 ((Ubuntu) DAV/2)
111/tcp   open  rpcbind      2 (RPC #100000)
139/tcp   open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
445/tcp   open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
```


STEP 6:

FIGURE OUT THE VULNERABILITIES OR SERVICE VERSION OPEN

```
(kali@kali)-[~]  
$ searchsploit vsftpd
```

Exploit Title	Path
vsftpd 2.0.5 - 'CWD' (Authenticated) Remote Memory Consumption	linux/dos/5814.pl
vsftpd 2.0.5 - 'deny_file' Option Remote Denial of Service (1)	windows/dos/31818.sh
vsftpd 2.0.5 - 'deny_file' Option Remote Denial of Service (2)	windows/dos/31819.pl
vsftpd 2.3.2 - Denial of Service	linux/dos/16270.c
vsftpd 2.3.4 - Backdoor Command Execution	unix/remote/49757.py
vsftpd 2.3.4 - Backdoor Command Execution (Metasploit)	unix/remote/17491.rb
vsftpd 3.0.3 - Remote Denial of Service	multiple/remote/49719.py

Shellcodes: No Results

```
(kali@kali)-[~]  
$ searchsploit smb
```

Exploit Title	Path
smbftpd 0.96 - SMB irList-function Remote Format String	linux/remote/4478.c

Shellcodes: No Results

STEP 7

GRAB THE OPERATING SYSTEMS

```
(kali@kali)-[~]  
$ sudo nmap -O 192.168.80.128  
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-04-14 01:30 CDT  
Nmap scan report for 192.168.80.128  
Host is up (0.0024s latency).  
Not shown: 977 closed tcp ports (reset)  
PORT      STATE SERVICE  
21/tcp    open  ftp  
22/tcp    open  ssh  
23/tcp    open  telnet  
25/tcp    open  smtp  
53/tcp    open  domain  
80/tcp    open  http  
111/tcp   open  rpcbind  
139/tcp   open  netbios-ssn  
445/tcp   open  microsoft-ds  
512/tcp   open  exec  
513/tcp   open  login  
514/tcp   open  shell  
1099/tcp  open  rmiregistry  
1524/tcp  open  ingreslock  
2049/tcp  open  nfs  
2121/tcp  open  ccproxy-ftp  
3306/tcp  open  mysql  
5432/tcp  open  postgresql  
5900/tcp  open  vnc  
6000/tcp  open  X11  
6667/tcp  open  irc  
8009/tcp  open  ajp13  
8180/tcp  open  unknown  
MAC Address: 00:0C:29:E2:98:BA (VMware)  
Device type: general purpose  
Running: Linux 2.6.X  
OS CPE: cpe:/o:linux:linux_kernel:2.6  
OS details: Linux 2.6.9 - 2.6.33  
Network Distance: 1 hop  
  
OS detection performed. Please report any incorrect results at https://nmap.org/submit/ .  
Nmap done: 1 IP address (1 host up) scanned in 4.68 seconds
```


STEP 8:

BYPASS THE SECURITY DEVICES

```
(kali@kali)-[~]  
$ sudo nmap -sS -f 192.168.80.128  
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-04-14 01:36 CDT  
Nmap scan report for 192.168.80.128  
Host is up (0.0010s latency).  
Not shown: 977 closed tcp ports (reset)  
PORT      STATE SERVICE  
21/tcp    open  ftp  
22/tcp    open  ssh  
23/tcp    open  telnet  
25/tcp    open  smtp  
53/tcp    open  domain  
80/tcp    open  http  
111/tcp   open  rpcbind  
139/tcp   open  netbios-ssn  
445/tcp   open  microsoft-ds  
512/tcp   open  exec  
513/tcp   open  login  
514/tcp   open  shell  
1099/tcp  open  rmiregistry  
1524/tcp  open  ingreslock  
2049/tcp  open  nfs  
2121/tcp  open  ccproxy-ftp  
3306/tcp  open  mysql  
5432/tcp  open  postgresql  
5900/tcp  open  vnc  
6000/tcp  open  X11  
6667/tcp  open  irc  
8009/tcp  open  ajp13  
8180/tcp  open  unknown  
MAC Address: 00:0C:29:E2:98:BA (VMware)  
  
Nmap done: 1 IP address (1 host up) scanned in 3.53 seconds
```

```
(kali@kali)-[~]  
$ sudo nmap -D RND:10 192.168.80.128  
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-04-14 01:36 CDT  
Nmap scan report for 192.168.80.128  
Host is up (0.0024s latency).  
Not shown: 977 closed tcp ports (reset)  
PORT      STATE SERVICE  
21/tcp    open  ftp  
22/tcp    open  ssh  
23/tcp    open  telnet  
25/tcp    open  smtp  
53/tcp    open  domain  
80/tcp    open  http  
111/tcp   open  rpcbind  
139/tcp   open  netbios-ssn  
445/tcp   open  microsoft-ds  
512/tcp   open  exec  
513/tcp   open  login  
514/tcp   open  shell  
1099/tcp  open  rmiregistry  
1524/tcp  open  ingreslock  
2049/tcp  open  nfs  
2121/tcp  open  ccproxy-ftp  
3306/tcp  open  mysql  
5432/tcp  open  postgresql  
5900/tcp  open  vnc  
6000/tcp  open  X11  
6667/tcp  open  irc  
8009/tcp  open  ajp13  
8180/tcp  open  unknown  
MAC Address: 00:0C:29:E2:98:BA (VMware)  
  
Nmap done: 1 IP address (1 host up) scanned in 3.60 seconds
```



```
(kali@kali)-[~]  
$ sudo nmap --source-port 53 192.168.80.128  
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-04-14 01:37 CDT  
Nmap scan report for 192.168.80.128  
Host is up (0.00093s latency).  
Not shown: 977 closed tcp ports (reset)  
PORT      STATE SERVICE  
21/tcp    open  ftp  
22/tcp    open  ssh  
23/tcp    open  telnet  
25/tcp    open  smtp  
53/tcp    open  domain  
80/tcp    open  http  
111/tcp   open  rpcbind  
139/tcp   open  netbios-ssn  
445/tcp   open  microsoft-ds  
512/tcp   open  exec  
513/tcp   open  login  
514/tcp   open  shell  
1099/tcp  open  rmiregistry  
1524/tcp  open  ingreslock  
2049/tcp  open  nfs  
2121/tcp  open  ccproxy-ftp  
3306/tcp  open  mysql  
5432/tcp  open  postgresql  
5900/tcp  open  vnc  
6000/tcp  open  X11  
6667/tcp  open  irc  
8009/tcp  open  ajp13  
8180/tcp  open  unknown  
MAC Address: 00:0C:29:E2:98:BA (VMware)  
  
Nmap done: 1 IP address (1 host up) scanned in 4.38 seconds
```


STEP 9::

SELECT THE RIGHT TYPE OF SCAN (TYPE OF PACKET)

```
(kali@kali)-[~]
$ sudo nmap -sS 192.168.80.128
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-04-14 01:40 CDT
Nmap scan report for 192.168.80.128
Host is up (0.0010s latency).
Not shown: 977 closed tcp ports (reset)
PORT      STATE SERVICE
21/tcp    open  ftp
22/tcp    open  ssh
23/tcp    open  telnet
25/tcp    open  smtp
53/tcp    open  domain
80/tcp    open  http
111/tcp   open  rpcbind
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
512/tcp   open  exec
513/tcp   open  login
514/tcp   open  shell
1099/tcp  open  rmiregistry
1524/tcp  open  ingreslock
2049/tcp  open  nfs
2121/tcp  open  ccproxy-ftp
3306/tcp  open  mysql
5432/tcp  open  postgresql
5900/tcp  open  vnc
6000/tcp  open  X11
6667/tcp  open  irc
8009/tcp  open  ajp13
8180/tcp  open  unknown
MAC Address: 00:0C:29:E2:98:BA (VMware)

Nmap done: 1 IP address (1 host up) scanned in 3.32 seconds
```

```
(kali@kali)-[~]
$ sudo nmap -sT 192.168.80.128
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-04-14 01:41 CDT
Nmap scan report for 192.168.80.128
Host is up (0.0048s latency).
Not shown: 977 closed tcp ports (conn-refused)
PORT      STATE SERVICE
21/tcp    open  ftp
22/tcp    open  ssh
23/tcp    open  telnet
25/tcp    open  smtp
53/tcp    open  domain
80/tcp    open  http
111/tcp   open  rpcbind
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
512/tcp   open  exec
513/tcp   open  login
514/tcp   open  shell
1099/tcp  open  rmiregistry
1524/tcp  open  ingreslock
2049/tcp  open  nfs
2121/tcp  open  ccproxy-ftp
3306/tcp  open  mysql
5432/tcp  open  postgresql
5900/tcp  open  vnc
6000/tcp  open  X11
6667/tcp  open  irc
8009/tcp  open  ajp13
8180/tcp  open  unknown
MAC Address: 00:0C:29:E2:98:BA (VMware)

Nmap done: 1 IP address (1 host up) scanned in 2.19 seconds
```



```
(kali@kali)-[~]
$ sudo nmap -sU 192.168.80.128
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-04-14 01:41 CDT
Stats: 0:03:15 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 19.57% done; ETC: 01:58 (0:13:13 remaining)
Stats: 0:03:16 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 19.77% done; ETC: 01:58 (0:13:07 remaining)
Stats: 0:03:17 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 19.87% done; ETC: 01:58 (0:13:07 remaining)
Stats: 0:03:18 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 19.97% done; ETC: 01:58 (0:13:06 remaining)
Stats: 0:03:19 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 19.98% done; ETC: 01:58 (0:13:09 remaining)
Stats: 0:03:19 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 19.98% done; ETC: 01:58 (0:13:09 remaining)
Stats: 0:03:20 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 20.08% done; ETC: 01:58 (0:13:08 remaining)
Stats: 0:03:21 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 20.18% done; ETC: 01:58 (0:13:07 remaining)
Stats: 0:03:23 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 20.29% done; ETC: 01:58 (0:13:10 remaining)
Stats: 0:03:23 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 20.39% done; ETC: 01:58 (0:13:05 remaining)
Stats: 0:03:27 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 20.70% done; ETC: 01:58 (0:13:05 remaining)
Stats: 0:03:27 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 20.80% done; ETC: 01:58 (0:13:01 remaining)
Stats: 0:03:28 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 20.90% done; ETC: 01:58 (0:13:00 remaining)
Stats: 0:03:35 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 21.52% done; ETC: 01:58 (0:12:57 remaining)
Stats: 0:03:51 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 23.07% done; ETC: 01:58 (0:12:44 remaining)
Stats: 0:03:52 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 23.17% done; ETC: 01:58 (0:12:43 remaining)
Stats: 0:03:53 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 23.27% done; ETC: 01:58 (0:12:42 remaining)
Stats: 0:03:54 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 23.37% done; ETC: 01:58 (0:12:41 remaining)
Stats: 0:03:55 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 23.38% done; ETC: 01:58 (0:12:44 remaining)
Stats: 0:03:55 elapsed; 0 hosts completed (1 up), 1 undergoing UDP Scan
UDP Scan Timing: About 23.38% done; ETC: 01:58 (0:12:44 remaining)
```

```
(kali@kali)-[~]
$ sudo nmap -sA 192.168.80.128
[sudo] password for kali:
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-04-14 02:14 CDT
Nmap scan report for 192.168.80.128
Host is up (0.0044s latency).
All 1000 scanned ports on 192.168.80.128 are in ignored states.
Not shown: 1000 unfiltered tcp ports (reset)
MAC Address: 00:0C:29:E2:98:BA (VMware)

Nmap done: 1 IP address (1 host up) scanned in 2.24 seconds
```


SUMMARY OF NETWORK SCANNING

Network scanning using script scan involves leveraging Nmap's scripting engine (NSE) to automatically detect potential vulnerabilities on a target system. By using scripts from the vuln category, the scan goes beyond identifying open ports and services—it actively checks for known security issues such as outdated software versions, misconfigurations, weak authentication mechanisms, and exploitable bugs.


```

(kali㉿kali)-[~]
└─$ sudo nmap -sV --script vuln 192.168.80.128
Starting Nmap 7.94SVN ( https://nmap.org ) at 2025-04-14 02:17 CDT
Nmap scan report for 192.168.80.128
Host is up (0.0015s latency).
Not shown: 977 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
21/tcp    open  ftp          vsftpd 2.3.4
| vulners:
|   vsftpd 2.3.4:
|     PACKETSTORM:162145    10.0    https://vulners.com/packetstorm/PACKETSTORM:162145    *EXPLOIT*
|     EDB-ID:49757    9.8    https://vulners.com/exploitdb/EDB-ID:49757    *EXPLOIT*
|     CVE-2011-2523    9.8    https://vulners.com/cve/CVE-2011-2523
|     1337DAY-ID-36095    9.8    https://vulners.com/zdt/1337DAY-ID-36095    *EXPLOIT*
|_
| ftp-vsftpd-backdoor:
|   VULNERABLE:
|     vsFTPD version 2.3.4 backdoor
|     State: VULNERABLE (Exploitable)
|     IDs:  BID:48539  CVE:CVE-2011-2523
|           vsFTPD version 2.3.4 backdoor, this was reported on 2011-07-04.
|     Disclosure date: 2011-07-03
|     Exploit results:
|       Shell command: id
|       Results: uid=0(root) gid=0(root)
|     References:
|       https://github.com/rapid7/metasploit-framework/blob/master/modules/exploits/unix/ftp/vsftpd_234_backdoor.rb
|       https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2011-2523
|       http://scarybeastsecurity.blogspot.com/2011/07/alert-vsftpd-download-backdoored.html
|       https://www.securityfocus.com/bid/48539
|_
22/tcp    open  ssh          OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)
| vulners:
|   cpe:/a:openbsd:openssh:4.7p1:
|     2C119FFA-ECE0-5E14-A4A4-354A2C38071A    10.0    https://vulners.com/githubexploit/2C119FFA-ECE0-5E14-A4A4-354A2C38071A    *EXPLOIT*
|     CVE-2023-38408    9.8    https://vulners.com/cve/CVE-2023-38408
|     CVE-2016-1908    9.8    https://vulners.com/cve/CVE-2016-1908
|     B8190CDB-3EB9-5631-9828-8064A1575B23    9.8    https://vulners.com/githubexploit/B8190CDB-3EB9-5631-9828-8064A1575B23    *EXPLOIT*
|_

```

```

|   Disclosure date: 2009-09-17
|   References:
|     https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2007-6750
|     http://ha.ckers.org/slowloris/
|_ http-stored-xss: Couldn't find any stored XSS vulnerabilities.
|_ http-server-header: Apache-Coyote/1.1
|_ http-enum:
|   /admin/: Possible admin folder
|   /admin/index.html: Possible admin folder
|   /admin/login.html: Possible admin folder
|   /admin/admin.html: Possible admin folder
|   /admin/account.html: Possible admin folder
|   /admin/admin_login.html: Possible admin folder
|   /admin/home.html: Possible admin folder
|   /admin/admin-login.html: Possible admin folder
|   /admin/adminLogin.html: Possible admin folder
|   /admin/controlpanel.html: Possible admin folder
|   /admin/cp.html: Possible admin folder
|   /admin/index.jsp: Possible admin folder
|   /admin/login.jsp: Possible admin folder
|   /admin/admin.jsp: Possible admin folder
|   /admin/home.jsp: Possible admin folder
|   /admin/controlpanel.jsp: Possible admin folder
|   /admin/admin-login.jsp: Possible admin folder
|   /admin/cp.jsp: Possible admin folder
|   /admin/account.jsp: Possible admin folder
|   /admin/admin_login.jsp: Possible admin folder
|   /admin/adminLogin.jsp: Possible admin folder
|   /manager/html/upload: Apache Tomcat (401 Unauthorized)
|   /manager/html: Apache Tomcat (401 Unauthorized)
|   /admin/view/javascript/fckeditor/editor/filemanager/connectors/test.html: OpenCart/FCKeditor File upload
|   /admin/includes/FCKeditor/editor/filemanager/upload/test.html: ASP Simple Blog / FCKeditor File Upload
|   /admin/jscript/upload.html: Lizard Cart/Remote File upload
|_ /webdav/: Potentially interesting folder
MAC Address: 00:0C:29:E2:98:BA (VMware)
Service Info: Hosts: metasploitable.localdomain, irc.Metasploitable.LAN; OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

Host script results:
|_ smb-vuln-ms10-054: false
|_ smb-vuln-regsvc-dos: ERROR: Script execution failed (use -d to debug)
|_ smb-vuln-ms10-061: false

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 392.42 seconds

```