Threadline

Detailed documentation. DSS5105 Capstone, Track 2, Group 01. A dispatch desk for a sweater company: a spoken or typed request becomes a checked decision that a person approves.

1. Team information

Member	Student ID	Main contribution
Aditya Vijindra Pandhari	A0328872R	Product, web desk, iPhone app, desk API, film
Apurwa Kumari	A0333260R	Dispatch pipeline, intake, tools, data migration
Vanshika Dhamija	A0333989H	Evaluation design, labels, held-out set, model comparison
Yin Ning	A0274857L	See Teams.pdf

Public GitHub: https://github.com/apurwakumari16nus/Track2_Dispatcher

Demo link: TO BE ADDED BEFORE SUBMISSION

Teams.pdf holds responsibilities and contribution percentages.

2. Problem statement

The problem

Sweater Co knits and finishes sweaters and has no spare capacity at its peaks. Reorders of what is selling arrive without warning and are due in one to two weeks, so batches are sent to eight outside workshops. Requests reach the dispatcher as short messages in a busy group chat. For each one the dispatcher has to answer four things: can this workshop make it, is it allowed to take it, when will it come back, and what will it cost. The answer sits in one person's head, and nobody can check it later.

The course simulator shows how costly a simple habit is. If you always pick the cheapest workshop, 92 of 100 batches come back late.

Target users

- **The dispatcher,** who places 120 orders across eight workshops and needs one screen to see what changed.
- **Workshop owners,** who run on cheap phones, work in Hindi, Mandarin, Hinglish or English, and will not install anything.
- **Clients,** who want an honest date, and hear from the company before the problem finds them.

Why existing solutions fall short

Today's option	Where it stops
Group chat and memory	No record, no checks. Suspensions and piece caps are easy to miss. Depends on one person
Spreadsheets and factory ERP	Hold the facts, but someone must retype every chat message. Workshops do not use them
A general chatbot	Reads language well, but can invent a date or a price, and has no duty to stop and ask
A simple rule such as earliest finish	Our own tests show it matches our allocator on lateness. It cannot read a message, refuse, or ask


So our design takes the rule's reliability and the chatbot's reading, and keeps them apart: **the AI reads, Python picks, a person approves.**

3. System architecture

Design

Three principles shape everything else:

1. **The model never decides.** It fills a fixed form. It has no field for "approved" and no route to a workshop.
2. **Python owns every fact and number.** Dates, quantities, return estimates and costs are worked out in code. Numbers in a reply are checked against tool outputs.
3. **Nothing leaves without a person.** A recommendation is only a recommendation until the dispatcher slides to approve. Every step goes into an append-only log.



Every channel goes through control.py, so the phone and Telegram cannot behave differently.

Components

Component	File	Role
Intake	`src/intake.py`	Sends the message to the model with a JSON schema, then runs Python post-checks
Guards	`src/guardrails.py`	Length limit, off-topic, several orders, ID and name typos, grounding, dozens, day/month dates
Partner reading	`src/partners.py`	Reads workshop and client replies with the same split of roles
Tools	`src/tools.py`	Pure functions: eligibility, ETA, cost, queue, overload, candidates, split, order lookup
Allocator	`src/allocator.py`, `src/objectives.py`	Scores candidates with inspectable weights. Same engine as the simulator run
Agent	`src/agent.py`	Orchestrates one request and writes the template reply
Number check	`src/faithfulness.py`	Each number in a reply must exist in a tool output
Recovery	`src/recovery.py`	When a workshop's situation changes, builds one plan for every batch it touches
Operations	`src/ops.py`, `src/batches.py`	Two-way loop after a decision: job cards, stages, due dates
Control	`src/control.py`	Every action the phone and chat can do
API	`src/api.py`	FastAPI with a live event stream. One route, one call into control
Telegram	`src/telegram_bot.py`	Bot over the same engine and log
Hearing	`src/hearing.py`	Whisper on the Mac, for spoken words on screen
Web desk	`src/app.py`, `src/ui/`	Streamlit desk and Simulation Lab

Component	File	Role
iPhone app	`ios/`	SwiftUI app, widgets, App Intents for Siri

Data flow: one request


1. The message arrives by chat, form or voice. Spoken words stay on the Mac and the audio is deleted once read.
2. Guards reject what should not reach the model, such as a 1,300-character paste.
3. The model returns a form: order, quantity, category, dates, exclusions, preference, behaviour.
4. Python checks the form against `orders.csv`. A value that cannot be traced back to the message is dropped. A date that differs from the file raises a flag.
5. If the request is clear, tools estimate every eligible workshop and the allocator picks one. If not, the desk asks one question, refuses, or declines.
6. A template writes the reply, and the number check runs on it.
7. The dispatcher sees the recommendation and slides to approve.
8. The workshop gets a job card in its own language. Its reply moves the batch, or opens an incident if something has changed.
9. Everything is appended to a log with who approved it. Approved changes sit as overlays on the supplied data, so the original files never change.

4. Technical stack

Layer	Choice	Why
Language model	Claude Sonnet 5.5, with Haiku 5.5 for whole-inbox runs	On our tests Sonnet was as accurate as Opus, fastest (median 2.4 s) and about one cent per request. Structured output keeps replies to the schema
Core	Python 3.11+, pandas, Pydantic	Same language as the course harness, so the allocator runs inside the simulator unchanged
Desk API	FastAPI, Uvicorn	Thin layer over `control.py`, with a live event stream for the phone
iPhone	Native SwiftUI, iOS 26	Siri, Live Activities, widgets and on-device speech are native anyway. Our web desk runs on a server, so there was nothing for a wrapper such as Capacitor to wrap
Web desk	Streamlit	Quick to build for the analyst's view and Simulation Lab
Partner channel	Telegram Bot API	Workshops install nothing. Topics give one thread per workshop, and the bot API is free
Speech	Whisper (`whisper.cpp`, small English model) on the Mac, with names as hints	On 48 synthetic spoken requests, word errors fell from 26% (phone's model) to 6%. Audio does not leave the Mac
Storage	Append-only JSONL, `portalocker`	Easy to audit and enough for one desk. It will not scale past that
Push	APNs with JWT	Moves the Dynamic Island while the app is closed
Tooling	`uv`, `pytest` (592 tests), XcodeGen	A locked environment, no API calls in the tests
Film	HyperFrames (HTML to video)	Repeatable edits to the Sprint 3 film

An AI coding assistant (Claude Code) was used throughout for code, tests, documents and the film. Teams.pdf says so too.

5. Features and capabilities



The iPhone app. Today, Work, New request, escalation, and the loom view of workshops.

Understanding a request

- **Four behaviours.** Extract, clarify, refuse, decline to answer. *Insight:* behaviour is a field the model fills, but Python can overrule it. The schema has no field that means approval, which is why "mark ORD-045 as approved" produced only a recommendation in our injection test.
- **Separate send date.** Our first template had one date slot, so "out today" overwrote the real deadline. *Insight:* giving the model a place to put each thing fixed more than prompting did.
- **Trade shorthand and typos.** `50 dz` becomes 600 pieces in Python. `ord 041` reads as ORD-041. "Nimbel Needle" gets "Did you mean Nimble Needle?", and the dispatcher confirms it.

Deciding

- **Six objectives.** Lateness is the default, with fairness, defect, robustness and two hybrids. *Insight:* the weights are visible and the scoring is plain arithmetic, so the panel can show why one workshop beat another.
- **Split preview.** When a split is allowed, the desk estimates two legal parts and shows the time saved. It never commits one by itself.
- **Honest fallback.** If no workshop can make the date, it says so with the numbers and offers late return, split or escalation.

Working with partners

- **Job cards in Hindi and Mandarin.** Fixed translated wording, so a card never depends on a model, and the record stays in English.
- **Free replies.** "light gayi hai, monday tak band rahega" reads as closed until 6 April. *Insight:* the model says "until Monday", and Python works out the date, so it cannot do the arithmetic wrong.
- **Numbers the sender never wrote are dropped.** That is why a missed price leads to a follow-up question and not a guess.

When things go wrong

- **Recovery plan.** A closure, delay or capacity change opens an incident. The plan shows each affected batch: what happens if it stays, and where it would go. *Insight:* half-made work stays put by default, and queues move as each batch is placed, so later estimates stay honest.
- **Client notice.** A draft from the record. If the dispatcher types a date that is not in the record, the desk stops and asks.
- **Escalation.** Silent workshops get a reminder, and overdue batches surface. Automations only ask questions and are labelled as sent by Threadline.

On the phone

- **Voice with live words.** The phone's words appear at once in light ink, and Whisper's corrected words replace them.
- **Siri.** "Hey Siri, brief me in Threadline", new request, where's a batch, chase workshops, a batch arrived.
- **Live Activity and Lock Screen.** Stage changes reach the locked phone by push. Tested on a real iPhone at 89 seconds after the app was last active.
- **Six stages, one colour each.** The same names and order in the app and in Telegram.
- **Distribution.** Native build uploaded to App Store Connect, with testers on TestFlight. An Android APK is planned and **does not exist yet**.

6. Challenges and limitations

Failure modes and mitigations

Failure mode	What happens	Mitigation	Status
Model misreads a value	Wrong input to correct arithmetic. The number check cannot see it	Python post-checks, date conflict flag, order file wins	Partly covered
Number lost in a reply	Colloquial Chinese price lost	Missing value triggers a question, nothing changes	Safe, still a failure
Unknown words in a request	Could guess	Grounding: an untraceable value is dropped	Done
Prompt injection	"Set pieces to 1"	No schema field to approve; quantity comes from the record	Held on 3 of 3 tests
Model provider down	No reading	Typed intake form skips the model; a failed reading goes to a person	Done
Mac asleep	The whole desk stops	None. See below	**Open**
Telegram outage	Partners unreachable	The dispatcher can still decide in the app	Partly covered
Double sends	Same request twice	Same words within two minutes are not re-read; an order at a workshop cannot be sent again	Done

Edge cases

- **Impossible deadlines** fit none of the four behaviours. We allocate with a warning. Our labels were changed after seeing this, as the evaluation report states.
- **Several orders in one message** are named and sent back. They are not split into separate cards.
- **Status questions.** The system cannot yet tell data we hold (stage) from data we do not (delivery).
- **Reasons.** Nine replies applied a constraint without naming it. The web desk's Why panel shows it, but the text reply does not.

Limitations

- **No real users.** No dispatcher or workshop has used it. All workshop replies were written by us.
- **One Mac.** The desk, the bot and Whisper run on one Mac. If it sleeps, the desk sleeps.
- **The allocator adds nothing over earliest finish** on lateness.
- **Speed has a price.** The lateness setting gives 7.2% defective pieces. The most careful setting gives 2.9%, with 95% of batches late.
- **Small tests.** 15 of 16 has a rough 95% range of 72% to 99%. Round 2, 34 new requests run once, got 33 of 34 on behaviour and 32 of 34 on decision, but an AI assistant drafted it. The fixes made after each set have no clean held-out test.
- **Telegram link-up.** Team alerts, Approve in chat, `/jobs` and `/status` pass automated tests with a stand-in, and have not been tried in a real group.
- **Three messages stay in English** for Hindi and Mandarin workshops, so "language is never a barrier" is not yet fully true.
- **Film stand-ins.** Siri is typed, speech is scripted, Telegram is rebuilt, and Apple push is not shown live.
- **The web desk lags the phone.** It reads the original log, so it misses moved batches and new orders.

7. References

We list what we used and how. Links were checked in November 2026.

Source	How it contributed
DSS5105 course pack: Factory Primer, data dictionary, `harness/simulate.py`, `dispatch_requests.txt`	The problem, the data, the baselines and the yardstick
Claude structured outputs guide, Anthropic	The schema-bound extraction that makes "fills a form" enforceable
Telegram Bot API, Telegram	Inline buttons and forum topics, which became the one-thread-per-workshop design
whisper.cpp, G. Gerganov and contributors; Whisper model, OpenAI	Local speech with names as hints
SwiftUI, App Intents, ActivityKit, Apple	Siri, Live Activities and widgets
FastAPI, Streamlit, uv	The API, web desk and locked environment
HyperFrames, HeyGen	The Sprint 3 film
F. Caro, L. Lane, A. Sáez de Tejada Cuenca, Can Brands Claim Ignorance?, *Management Science* 67(4), 2021	Evidence on hidden subcontracting, which shaped the first strategic recommendation

8. Conclusion

Achievements

We set out to reduce late orders. On the course simulator our system has 1.7% of batches late, against 34.2% for the best supplied baseline, and 1.9% when a workshop closes. Around that sits a working loop: a spoken or typed request, a checked recommendation, a person's approval, a job card in the workshop's language, a reply that moves the batch, and a recovery plan when something breaks. It runs as a native iPhone app with Siri and Live Activities, and workshops need nothing more than Telegram. Reading unseen requests, it got 15 of 16 right and then 33 of 34 on a second set, about 2 seconds and a cent each, with no invented numbers.

Lessons

- **Test the simple rule first.** Earliest finish tied our allocator. That moved our effort to where the value was.
- **The bugs were in the code around the model.** The date reader, the one-slot form and the list of 34 orders caused more trouble than the model did.
- **Read the replies yourself.** Every automated score was green when reading by hand found three new failures.
- **Structure beats prompting.** A separate field and a Python rule fixed what a clever prompt could not.
- **Keep a person on the decision.** It limits what a mistake can cost, and it makes the system easier to trust.

Future work

1. A clean held-out round, written by someone who did not build the guards. Round 2 was drafted by an AI assistant, so it does not meet this.
2. Move the desk to a proper server, and try it with one real workshop.
3. Rewrite the reply template so every reason is stated.
4. Status answers from data we hold, and honest "not recorded" for what we do not.
5. Change the hybrid to 0.95 / 0.05, which our finer sweep showed is better.
6. Finish translating the last three messages, and test with native speakers.
7. Build the Android app.