05080009389 MEHMET AKİF İLYASOĞULLARI

```
INITIAL X80,0
         INITIAL X$TOPLA, 0
         SAVEVALUE PASSWRD,""
         SAVEVALUE P$NUMERO,""
        GENERATE ,,,1
OPEN ("TSTRD.txt"),1,Flag
                  ("MYFILE.txt"),2,Done
         OPEN
         SPLIT
* ilk harf oluşturuluyor
          SPLIT 1, RAKAM KARMA SETUP
          SEEK (DUNIFORM(1,1,26));
                    Numero, 1, Finis
          SAVEVALUE PASSWRD, P$NUMERO
          ADVANCE 1
          SAVEVALUE 80+,1
          TRANSFER , GO
* 4 tane rakam oluşturuluyor
RAKAM KARMA SETUP SPLIT 1, KARMA SETUP
          SPLIT 3, RAKAM
          SEEK (DUNIFORM (2, 27, 36))
          READ Numero, 1, Finis
          SAVEVALUE PASSWRD, (catenate (X$PASSWRD, P$NUMERO))
          ADVANCE 1
          SAVEVALUE 80+,1
          TRANSFER , GO
* 5 tane karma oluşturuluyor
KARMA SETUP SPLIT 4, KARMA
          SEEK (DUNIFORM (3, 27, 47))
               Numero, 1, Finis
          SAVEVALUE PASSWRD, (catenate (X$PASSWRD, P$NUMERO))
          ADVANCE 1
          SAVEVALUE 80+,1
          TRANSFER , GO
RAKAM
         SEEK (DUNIFORM (4, 27, 36))
                    Numero, 1, Finis
          SAVEVALUE PASSWRD, (catenate (X$PASSWRD, P$NUMERO))
          ADVANCE 1
          SAVEVALUE 80+,1
          TRANSFER , GO
KARMA
         SEEK (DUNIFORM (5, 1, 47))
                     Numero, 1, Finis
          SAVEVALUE PASSWRD, (catenate(X$PASSWRD, P$NUMERO))
          ADVANCE 1
          SAVEVALUE 80+,1
          TRANSFER , GO
        ASSEMBLE 10
GO
WRITE
         X$PASSWRD,2,Done
Done CLOSE Error Parm, 2
                                       ;Copy the file to disk
       SAVEVALUE File_Error, P$Error Parm ; Put in Standard Report
Finis CLOSE Prob, 1, Flag1
       TERMINATE 1
      TERMINATE 1
Flag
Flag1 TERMINATE 1
```

Α В С D Ε F G Н Ι J K L Μ N 0 Р Q R S Т U V W Χ Y Z 0 1 2 3 4 5 6 8 9 \$ 엉 & / { ([)] =

@ .. ~ : . < > - é

*Örnektir

"MYFILE.txt"

V69238A8JL