ÖRNEK CLASS SELECTOR HTML DÖKÜMANI (ÖNCESI)

```
e>Element with Class Selector
 font-style: italic;
<hl class="highlight">Element with Class Selector</hl>
Lorem ipsum dolor sit amet, consectetur adipisicing elit. Possimus amet alias est? Nobis cum quasi at soluta odit, maiores quaerat dolores expedita ex nemo ea repellendus dolorem sed maxime quos?
This is P with CLASS="highlight"
<div class="mainpoint highlight">This is the main point of the entire article.
```

CLASS SELECTOR HTML DÖKÜMANI SONUCU (ÖNCESI)

Element with Class Selector

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Possimus amet alias est? Nobis cum quasi at soluta odit, maiores quaerat dolores expedita ex nemo ea repellendus dolorem sed maxime quos?

This is P with CLASS="highlight"

This is the main point of the entire article.

ÖRNEK CLASS SELECTOR HTML DÖKÜMANI (SONRASI)

```
le>Element with Class Selector
<hl class="highlight">Element with Class Selector</hl>
Lorem ipsum dolor sit amet, consectetur adipisicing elit. Possimus amet alias est? Nobis cum quasi at soluta odit, maiores quaerat dolores expedita ex nemo ea repellendus dolorem sed maxime quos?
This is P with CLASS="highlight"
<div class="mainpoint highlight">This is the main point of the entire article.
```

CLASS SELECTOR HTML DÖKÜMANI SONUCU (SONRASI)

Element with Class Selector

Lorem ipsum dolor sit amet, consectetur adipisicing elit. Possimus amet alias est? Nobis cum quasi at soluta odit, maiores quaerat dolores expedita ex nemo ea repellendus dolorem sed maxime quos?

This is P with CLASS="highlight"

This is the main point of the entire article

ÖRNEK CHILD SELECTOR HTML DÖKÜMANI (ÖNCESI)

```
<meta charset="utf-8">
<title>Child Selector</title>
xxx {
 font-size: 24px:
xxx {
<h1>Child Selector</h1>
  <h2>Subheading 1</h2>
   <article>ARTICLE which inside DIV. which is inside SECTION</article>
  <article>ARTICLE as a direct child of the SECTION element.
<h2>Subheading 2</h2>
```



Child Selector

Subheading 1

ARTICLE which inside DIV, which is inside SECTION ARTICLE as a direct child of the SECTION element.

Subheading 2

ÖRNEK CHILD SELECTOR HTML DÖKÜMANI (SONRASI)

```
<meta charset="utf-8">
<title>Child Selector</title>
 color: green;
<h1>Child Selector</h1>
 <h2>Subheading 1</h2>
   <article>ARTICLE which inside DIV, which is inside SECTION</article>
  <article>ARTICLE as a direct child of the SECTION element.</article>
<h2>Subheading 2</h2>
```

CHILD SELECTOR HTML DÖKÜMANI SONUCU (SONRASI)

Child Selector

Subheading 1

ARTICLE which inside DIV, which is inside SECTION ARTICLE as a direct child of the SECTION element.

Subheading 2

ÖRNEK DESCENDANT SELECTOR HTML DÖKÜMANI (ÖNCESI)

```
<!DOCTYPE html>
<meta charset="utf-8">
<title>Descendant Selector</title>
color: green;
<h1>Decendant Selector</h1>
 Table of contents:
  Article 1
   Article 2
   Article 3
 Shopping List:
   Cookies
   Cake
   Pie
```

DESCENDANT SELECTOR HTML DÖKÜMANI SONUCU (ÖNCESI)

Child Selector

Subheading 1

ARTICLE which inside DIV, which is inside SECTION ARTICLE as a direct child of the SECTION element.

Subheading 2

ÖRNEK DESCENDANT SELECTOR HTML DÖKÜMANI (SONRASI)

```
<!DOCTYPE html>
<meta charset="utf-8">
<title>Descendant Selector</title>
color: green;
<h1>Decendant Selector</h1>
 Table of contents:
   Article 1
   Article 2
   Article 3
 Shopping List:
   Cookies
   Cake
   Pie
```

DESCENDANT SELECTOR HTML DÖKÜMANI SONUCU (SONRASI)

Decendant Selector

Table of contents:

- Article 1
- Article 2
- Article 3

Shopping List:

- Cookies
- Cake
- Pie