## **DATABASE MANAGEMENT**

SOCIAL NETWORK DATABASE

05080009389

Mehmet Akif İlyasoğulları

05090000052

N.Özer Bilgi

Proje dokümanında 2 örnek database verildi. Bu iki database kullanıcıların ihtiyaçları doğrultusunda birleştirildi. Yeni tablolar ve bu tablolara gerekli alanlar eklendi. Primary Key' ler ve Foreign Key'ler, tablolar arasındaki ilişkiler çerçevesinde oluşturuldu. Aramada kolaylık sağlaması açısından Index ler belirlendi ki bu oluşturulacak queryler ile veri çekmemizde response time'ı azaltmamızı sağlar. Uniqe alanlar belirlendi, böylece bilgi kirliliğinin önüne geçerek performansı artırmak hedeflendi.

Proje edindiğimiz bilgileri kapsamlı bir projede uygulama imkanı ve veritabanı ile ilgili işlemlerin yürütülmesi sürecini gözlemleme imkanı sunuyor.

```
insert into Members (MemberId,DateJoined,DateOfBirth,EmailAddress,FirstName,LastName)
values (1,'2014-12-30','1988-09-29','n.ozerbilgi@gmail.com','Ozer','Bilgi')

update Members set MemberId=2, DateJoined='2014-11-12', DateOfBirth='1988-09-29',
EmailAddress='ozerbilgi@hotmail.com.tr', Firstname='Nurullah', LastName='Bilgi' where
MemberId=1

delete from Members where MemberId=2

Select FirstName from Members where FirstName Like'N%'
select DISTINCT FirstName, LastName from Members ORDER BY FirstName,LastName DESC
```

## DATABASE CREATE CÜMLELERİ

```
USE [FBLN]
/***** Object: Table [dbo].[Addresses] Script Date: 29.12.2014 12:34:41 ******/
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[Addresses](
       [AddressId] [int] NOT NULL,
       [Line1] [nvarchar](255) NOT NULL,
       [Line2] [nvarchar](255) NOT NULL,
       [Line3] [nvarchar](255) NOT NULL,
       [City] [nvarchar](100) NOT NULL,
       [StateCountyProvice] [nvarchar](100) NOT NULL,
       [ZipOrPostCode] [int] NULL,
       [Country] [nvarchar](100) NOT NULL,
       [OtherDetails] [nvarchar](255) NOT NULL,
 CONSTRAINT [PK Addresses] PRIMARY KEY CLUSTERED
       [AddressId] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
/***** Object: Table [dbo].[ALBUM]
                                      Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[ALBUM](
       [aid] [numeric](18, 0) NOT NULL,
       [backdated_time] [timestamp] NULL,
       [can_backdate] [bit] NULL,
       [can_upload] [bit] NULL,
       [cover_object_id] [numeric](18, 0) NULL,
       [cover_pid] [numeric](18, 0) NULL,
       [created] [numeric](18, 0) NULL,
       [description] [nvarchar](50) NULL,
       [edit_link] [nvarchar](max) NULL,
       [is_user_facing] [bit] NULL,
       [link] [nvarchar](max) NULL,
       [location] [nvarchar](50) NULL,
       [modified] [numeric](18, 0) NULL,
       [modified_major] [numeric](18, 0) NULL,
       [name] [nvarchar](50) NULL,
       [object_id] [numeric](18, 0) NULL,
       [owner] [numeric](18, 0) NULL,
       [owner_cursor] [nvarchar](50) NULL,
       [photo count] [numeric](18, 0) NULL,
       [place_id] [numeric](18, 0) NULL,
       [type] [nvarchar](50) NULL,
       [video_count] [numeric](18, 0) NULL,
       [visible] [nvarchar](50) NULL,
 CONSTRAINT [PK ALBUM] PRIMARY KEY CLUSTERED
       [aid] ASC
```

```
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY] TEXTIMAGE ON [PRIMARY]
GO
/****** Object: Table [dbo].[APP ROLE]
                                         Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[APP ROLE](
       [application id] [numeric](18, 0) NULL,
       [developer id] [numeric](18, 0) NULL,
       [role] [nvarchar](50) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[APPLICATION]
                                            Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[APPLICATION](
       [android_key_hash] [nvarchar](max) NULL,
       [api key] [nvarchar](50) NULL,
       [app domains] [nvarchar](max) NULL,
       [app_id] [numeric](18, 0) NOT NULL,
       [app_name] [nvarchar](50) NULL,
       [app_type] [bit] NULL,
       [appcenter_icon_url] [nvarchar](max) NULL,
       [auth_dialog_data_help_url] [nvarchar](max) NULL,
       [auth_dialog_headline] [nvarchar](50) NULL,
       [auth_dialog_perms_explanation] [nvarchar](50) NULL,
       [auth_referral_default_activity_privacy] [nvarchar](50) NULL,
       [auth_referral_enabled] [bit] NULL,
       [auth_referral_extended_perms] [nvarchar](max) NULL,
       [auth_referral_friend_perms] [nvarchar](max) NULL,
       [auth_referral_response_type] [nvarchar](50) NULL,
       [auth_referral_user_perms] [nvarchar](max) NULL,
       [canvas_fluid_height] [bit] NULL,
       [canvas_fluid_width] [bit] NULL,
       [canvas_url] [nvarchar](max) NULL,
       [category] [nvarchar](50) NULL,
       [company_name] [nvarchar](50) NULL,
       [configured_ios_sso] [bit] NULL,
       [contact_email] [nvarchar](50) NULL,
       [created_time] [nvarchar](50) NULL,
       [creator uid] [numeric](18, 0) NULL,
       [daily active users] [nvarchar](50) NULL,
       [daily active users rank] [nvarchar](50) NULL,
       [deauth_callback_url] [nvarchar](max) NULL,
       [description] [nvarchar](50) NULL,
       [display_name] [nvarchar](50) NULL,
       [hosting url] [nvarchar](max) NULL,
       [icon url] [nvarchar](max) NULL,
       [ios bundle id] [numeric](18, 0) NULL,
       [ipad_app_store_id] [numeric](18, 0) NULL,
       [iphone_app_store_id] [numeric](18, 0) NULL,
       [is_facebook_app] [bit] NULL,
       [link] [nvarchar](max) NULL,
       [logo_url] [nvarchar](max) NULL,
       [migration status] [bit] NULL,
```

```
[mobile profile section url] [nvarchar](max) NULL,
       [mobile web url] [nvarchar](max) NULL,
       [monthly_active_users] [nvarchar](max) NULL,
       [monthly_active_users_rank] [nvarchar](50) NULL,
       [namespace] [nvarchar](50) NULL,
       [page tab default name] [nvarchar](50) NULL,
       [page tab url] [nvarchar](50) NULL,
      [privacy policy url] [nvarchar](max) NULL,
      [profile section url] [nvarchar](max) NULL,
      [restriction info age] [nvarchar](50) NULL,
      [restriction info age distribution] [nvarchar](50) NULL,
      [restriction info location] [nvarchar](50) NULL,
      [restriction info type] [nvarchar](50) NULL,
      [secure canvas url] [nvarchar](max) NULL,
      [secure_page_tab_url] [nvarchar](max) NULL,
      [server ip whitelist] [numeric](18, 0) NULL,
      [social discovery] [bit] NULL,
       [subcategory] [nvarchar](50) NULL,
       [supports attribution] [bit] NULL,
       [supports implicit sdk logging] [bit] NULL,
       [terms_of_service_url] [nvarchar](max) NULL,
       [url_scheme_suffix] [nvarchar](50) NULL,
       [user_support_email] [numeric](18, 0) NULL,
       [user_support_url] [nvarchar](max) NULL,
       [website_url] [nvarchar](max) NULL,
       [weekly_active_users] [nvarchar](50) NULL,
CONSTRAINT [PK_APPLICATION] PRIMARY KEY CLUSTERED
       [app_id] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
/***** Object: Table [dbo].[APPREQUEST] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
G0
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[APPREQUEST](
       [action_type] [nvarchar](50) NULL,
       [app_id] [numeric](18, 0) NULL,
       [created_time] [timestamp] NULL,
       [data] [nvarchar](50) NULL,
       [message] [nvarchar](50) NULL,
       [object_id] [numeric](18, 0) NULL,
       [recipient_uid] [numeric](18, 0) NULL,
       [request id] [numeric](18, 0) NOT NULL,
       [sender uid] [numeric](18, 0) NULL,
CONSTRAINT [PK APPREQUEST] PRIMARY KEY CLUSTERED
       [request id] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO.
```

```
CREATE TABLE [dbo].[CHECKIN](
      [app id] [numeric](18, 0) NULL,
      [author_uid] [numeric](18, 0) NULL,
      [checkin_id] [numeric](18, 0) NOT NULL,
      [message] [nvarchar](50) NULL,
      [post id] [numeric](18, 0) NULL,
      [tagged uids] [numeric](18, 0) NULL,
      [target id] [numeric](18, 0) NULL,
      [target_type] [nvarchar](50) NULL,
      [timestamp] [timestamp] NULL,
CONSTRAINT [PK_CHECKIN] PRIMARY KEY CLUSTERED
      [checkin id] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
/***** Object: Table [dbo].[COLUMN]
                                       Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
G0
CREATE TABLE [dbo].[COLUMN](
       [column_name] [nvarchar](50) NOT NULL,
       [description] [nvarchar](50) NULL,
       [is_cursor] [bit] NULL,
       [is_deprecated] [bit] NULL,
       [table_name] [nvarchar](50) NOT NULL,
       [type] [nvarchar](50) NULL,
CONSTRAINT [PK COLUMN] PRIMARY KEY CLUSTERED
(
       [column_name] ASC,
      [table_name] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[COMMENT](
       [app_id] [numeric](18, 0) NULL,
       [can_comment] [bit] NULL,
       [can like] [bit] NULL,
       [can remove] [bit] NULL,
       [comment count] [numeric](18, 0) NULL,
       [fromid] [numeric](18, 0) NULL,
      [id] [numeric](18, 0) NOT NULL,
      [is_private] [bit] NULL,
      [likes] [numeric](18, 0) NULL,
      [object id] [numeric](18, 0) NULL,
      [object id cursor] [nvarchar](50) NULL,
      [parent_id] [nvarchar](50) NULL,
      [parent_id_cursor] [nvarchar](50) NULL,
      [post_fbid] [nvarchar](50) NULL,
      [post_id] [nvarchar](50) NULL,
      [post_id_cursor] [nvarchar](50) NULL,
      [text] [nvarchar](50) NULL,
```

```
[time] [timestamp] NULL,
      [user likes] [bit] NULL,
 CONSTRAINT [PK_COMMENT] PRIMARY KEY CLUSTERED
(
       [id] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
/***** Object: Table [dbo].[COMMENTS_INFO] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI NULLS ON
SET QUOTED_IDENTIFIER ON
CREATE TABLE [dbo].[COMMENTS INFO](
       [app_id] [numeric](18, 0) NULL,
       [count] [numeric](18, 0) NULL,
       [updated_time] [timestamp] NULL,
       [xid] [nvarchar](50) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[CONNECTION] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[CONNECTION](
       [is_following] [bit] NULL,
       [source_id] [numeric](18, 0) NULL,
       [target_id] [numeric](18, 0) NULL,
       [target_type] [nvarchar](50) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[Connections] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[Connections](
       [ConnectionId] [int] NOT NULL,
       [ConnectionMemberId] [int] NOT NULL,
       [MemberId] [int] NOT NULL,
       [DateConnectionMade] [date] NULL,
 CONSTRAINT [PK Connections] PRIMARY KEY CLUSTERED
       [ConnectionId] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
/***** Object: Table [dbo].[COOKIES] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO.
CREATE TABLE [dbo].[COOKIES](
      [expires] [timestamp] NULL,
```

```
[name] [nvarchar](50) NOT NULL,
       [path] [nvarchar](50) NULL,
       [uid] [nvarchar](50) NULL,
      [value] [nvarchar](50) NULL
) ON [PRIMARY]
/****** Object: Table [dbo].[CREDIT CARD]
                                            Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[CREDIT CARD](
      [street] [nvarchar](50) NULL,
       [street2] [nvarchar](50) NULL,
      [city] [nvarchar](50) NULL,
      [state] [nvarchar](50) NULL,
       [zip] [nvarchar](50) NULL,
       [country_code] [nvarchar](50) NULL,
       [business id] [nvarchar](50) NULL,
       [credit_card_id] [numeric](18, 0) NOT NULL,
       [credit_card_suffix] [nvarchar](50) NULL,
       [credit_card_type] [nvarchar](50) NULL,
       [expiration_month] [nvarchar](50) NULL,
       [expiration_year] [nvarchar](50) NULL,
       [first_name] [nvarchar](50) NULL,
       [fraud_status] [nvarchar](50) NULL,
       [last_name] [nvarchar](50) NULL,
       [middle_name] [nvarchar](50) NULL,
 CONSTRAINT [PK CREDIT CARD] PRIMARY KEY CLUSTERED
       [credit_card_id] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
/***** Object: Table [dbo].[Cvs] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[Cvs](
       [CvId] [int] NOT NULL,
       [MemberId] [int] NOT NULL,
       [DateCreated] [date] NOT NULL,
       [DateUpdated] [date] NOT NULL,
 CONSTRAINT [PK Cvs] PRIMARY KEY CLUSTERED
       [CvId] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
/***** Object: Table [dbo].[CvSections] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[CvSections](
       [CvSectionId] [int] NOT NULL,
```

```
[CvId] [int] NOT NULL,
      [CvSectionCode] [int] NOT NULL,
      [DateCreated] [date] NOT NULL,
      [DateUpdated] [date] NOT NULL,
      [CvSectionText] [nvarchar](255) NULL
) ON [PRIMARY]
/****** Object: Table [dbo].[DEVELOPER]
                                         Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[DEVELOPER](
      [application_id] [numeric](18, 0) NULL,
      [developer id] [numeric](18, 0) NULL,
      [role] [nvarchar](50) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[DOMAIN] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[DOMAIN](
      [domain_id] [numeric](18, 0) NOT NULL,
      [domain_name] [nvarchar](50) NULL,
CONSTRAINT [PK_DOMAIN] PRIMARY KEY CLUSTERED
      [domain_id] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
/***** Object: Table [dbo].[DOMAIN ADMIN]
                                          Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
SET QUOTED_IDENTIFIER ON
CREATE TABLE [dbo].[DOMAIN ADMIN](
      [domain_id] [numeric](18, 0) NULL,
      [owner_id] [numeric](18, 0) NULL
) ON [PRIMARY]
SET ANSI NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[EVENT](
      [all_members_count] [numeric](18, 0) NULL,
      [app_id] [numeric](18, 0) NULL,
      [attending_count] [numeric](18, 0) NULL,
      [can_invite_friends] [bit] NULL,
      [creator] [numeric](18, 0) NULL,
      [creator_cursor] [nvarchar](50) NULL,
      [declined_count] [numeric](18, 0) NULL,
      [description] [nvarchar](50) NULL,
```

```
[eid] [numeric](18, 0) NOT NULL,
       [end time] [nvarchar](50) NULL,
       [has profile pic] [bit] NULL,
       [hide_guest_list] [bit] NULL,
       [host] [nvarchar](50) NULL,
       [is date only] [bit] NULL,
       [location] [nvarchar](50) NULL,
       [name] [nvarchar](50) NULL,
       [not replied count] [numeric](18, 0) NULL,
       [parent_group_id] [numeric](18, 0) NULL,
       [pic] [nvarchar](50) NULL,
       [pic big] [nvarchar](50) NULL,
       [pic small] [nvarchar](50) NULL,
       [pic square] [nvarchar](50) NULL,
       [privacy] [nvarchar](50) NULL,
       [start time] [nvarchar](50) NULL,
       [ticket uri] [nvarchar](50) NULL,
       [timezone] [nvarchar](50) NULL,
       [unsure_count] [numeric](18, 0) NULL,
       [update time] [timestamp] NULL,
       [version] [numeric](18, 0) NULL,
 CONSTRAINT [PK_EVENT] PRIMARY KEY CLUSTERED
(
       [eid] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
/***** Object: Table [dbo].[EVENT_MEMBER]
                                               Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[EVENT MEMBER](
       [eid] [numeric](18, 0) NULL,
       [eid_cursor] [nvarchar](50) NULL,
       [inviter] [numeric](18, 0) NULL,
       [inviter_type] [nvarchar](50) NULL,
       [rsvp_status] [nvarchar](50) NULL,
       [start_time] [nvarchar](50) NULL,
       [uid] [numeric](18, 0) NULL,
       [uid cursor] [nvarchar](50) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[EXTENDED_CREDIT] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI NULLS ON
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[EXTENDED_CREDIT](
       [balance] [numeric](18, 0) NULL,
       [business id] [numeric](18, 0) NULL,
       [currency] [nvarchar](50) NULL,
       [extended_credit_id] [numeric](18, 0) NOT NULL,
       [last_payment_time] [timestamp] NULL,
       [max_balance] [numeric](18, 0) NULL,
 CONSTRAINT [PK_EXTENDED_CREDIT] PRIMARY KEY CLUSTERED
```

```
[extended credit id] ASC
)WITH (PAD INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
/***** Object: Table [dbo].[FAMILY] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET QUOTED_IDENTIFIER ON
CREATE TABLE [dbo].[FAMILY](
      [birthday] [nvarchar](50) NULL,
      [name] [nvarchar](50) NULL,
       [profile_id] [numeric](18, 0) NULL,
       [profile id cursor] [nvarchar](50) NULL,
       [relationship] [nvarchar](50) NULL,
      [uid] [numeric](18, 0) NULL
) ON [PRIMARY]
GO
/***** Object: Table [dbo].[FRIEND] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[FRIEND](
       [uid1] [numeric](18, 0) NOT NULL,
       [uid2] [numeric](18, 0) NOT NULL,
 CONSTRAINT [PK FRIEND] PRIMARY KEY CLUSTERED
(
       [uid1] ASC,
       [uid2] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE DUP KEY = OFF.
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
/***** Object: Table [dbo].[FRIEND LIST] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[FRIEND LIST](
       [count] [numeric](18, 0) NULL,
       [flid] [numeric](18, 0) NOT NULL,
       [name] [nvarchar](50) NULL,
       [owner] [numeric](18, 0) NULL,
       [owner cursor] [nvarchar](50) NULL,
       [type] [nvarchar](50) NULL,
 CONSTRAINT [PK_FRIEND_LIST] PRIMARY KEY CLUSTERED
       [flid] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
/***** Object: Table [dbo].[FRIEND_REQUEST] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
GO
```

```
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[FRIEND REQUEST](
       [is hidden] [bit] NULL,
       [message] [nvarchar](50) NULL,
       [time] [timestamp] NULL,
       [uid from] [numeric](18, 0) NULL,
       [uid to] [numeric](18, 0) NULL,
       [unread] [bit] NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[FRIENDLIST_MEMBER]
                                                   Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[FRIENDLIST MEMBER](
       [flid] [numeric](18, 0) NOT NULL,
       [flid_cursor] [nvarchar](50) NULL,
       [uid] [numeric](18, 0) NOT NULL,
 CONSTRAINT [PK FRIENDLIST MEMBER] PRIMARY KEY CLUSTERED
       [flid] ASC,
       [uid] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
/***** Object: Table [dbo].[GROUP]
                                       Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[GROUP](
       [creator] [numeric](18, 0) NULL,
       [description] [nvarchar](50) NULL,
       [email] [nvarchar](50) NULL,
       [gid] [numeric](18, 0) NOT NULL,
       [icon] [nvarchar](50) NULL,
       [icon34] [nvarchar](50) NULL,
       [icon50] [nvarchar](50) NULL,
[icon68] [nvarchar](50) NULL,
       [name] [nvarchar](50) NULL,
       [nid] [numeric](18, 0) NULL,
       [office] [nvarchar](50) NULL,
       [parent id] [numeric](18, 0) NULL,
       [pic] [nvarchar](50) NULL,
       [pic_big] [nvarchar](50) NULL,
       [pic_small] [nvarchar](50) NULL,
       [pic_square] [nvarchar](50) NULL,
       [privacy] [nvarchar](50) NULL,
       [recent_news] [nvarchar](50) NULL,
       [update time] [timestamp] NULL,
       [website] [nvarchar](50) NULL,
 CONSTRAINT [PK_GROUP] PRIMARY KEY CLUSTERED
       [gid] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
```

```
) ON [PRIMARY]
/***** Object: Table [dbo].[GROUP_MEMBER] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[GROUP MEMBER](
       [administrator] [bit] NULL,
       [bookmark order] [numeric](18, 0) NULL,
       [gid] [numeric](18, 0) NOT NULL,
       [uid] [numeric](18, 0) NOT NULL,
       [unread] [numeric](18, 0) NULL,
 CONSTRAINT [PK_GROUP_MEMBER] PRIMARY KEY CLUSTERED
       [gid] ASC,
       [uid] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
/***** Object: Table [dbo].[Groups] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[Groups](
       [GroupId] [int] NOT NULL,
       [CreatedByMemberId] [int] NOT NULL,
       [GroupName] [nvarchar](255) NOT NULL,
       [GroupDescription] [nvarchar](255) NULL,
       [GroupDateStarted] [date] NOT NULL,
       [GroupDateEnded] [date] NOT NULL,
       [GroupDateLastActivity] [date] NULL,
       [OtherDetails] [nvarchar](255) NULL,
 CONSTRAINT [PK_Groups] PRIMARY KEY CLUSTERED
       [GroupId] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
/***** Object: Table [dbo].[INSIGHTS] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
G0
SET QUOTED IDENTIFIER ON
G0
CREATE TABLE [dbo].[INSIGHTS](
       [breakdown] [nvarchar](50) NULL,
       [end_time] [timestamp] NULL,
       [event] [nvarchar](50) NULL,
       [metric] [nvarchar](50) NULL;
       [object_id] [nvarchar](50) NULL,
       [period] [nvarchar](50) NULL,
       [value] [nvarchar](50) NULL
) ON [PRIMARY]
```

```
/***** Object: Table [dbo].[LIKE] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[LIKE](
       [object id] [nvarchar](50) NULL,
       [object id cursor] [nvarchar](50) NULL,
       [object_type] [nvarchar](50) NULL,
       [post_id] [numeric](18, 0) NULL,
       [post_id_cursor] [nvarchar](50) NULL,
       [user id] [numeric](18, 0) NULL,
       [user id cursor] [nvarchar](50) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[LINK]
                                      Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET OUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[LINK](
       [backdated_time] [timestamp] NULL,
       [can_backdate] [bit] NULL,
       [caption] [nvarchar](50) NULL,
       [comment_info_can_comment] [bit] NULL,
       [comment_info_comment_count] [numeric](18, 0) NULL,
       [comment_info_comment_order] [nvarchar](50) NULL,
       [comment_info_mirroring_domain] [nvarchar](50) NULL,
       [created_time] [numeric](18, 0) NULL,
       [image_urls] [nvarchar](max) NULL,
       [like_info_can_like] [bit] NULL,
       [like_info_like_count] [numeric](18, 0) NULL,
       [like_info_user_likes] [bit] NULL,
       [link_id] [numeric](18, 0) NOT NULL,
       [owner] [numeric](18, 0) NULL,
       [owner_comment] [nvarchar](50) NULL,
       [owner_cursor] [nvarchar](50) NULL,
       [picture] [nvarchar](50) NULL,
       [summary] [nvarchar](50) NULL,
       [title] [nvarchar](50) NULL,
       [url] [nvarchar](max) NULL,
       [via id] [numeric](18, 0) NULL,
 CONSTRAINT [PK LINK] PRIMARY KEY CLUSTERED
       [link_id] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY] TEXTIMAGE ON [PRIMARY]
/***** Object: Table [dbo].[LINK_IMAGE_SRC]
                                               Script Date: 29.12.2014 12:34:42
*****/
SET ANSI NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[LINK_IMAGE_SRC](
       [max_height] [numeric](18, 0) NULL,
       [max_width] [numeric](18, 0) NULL,
       [source_url] [nvarchar](200) NOT NULL,
       [url] [nvarchar](200) NOT NULL,
```

```
CONSTRAINT [PK LINK IMAGE SRC] PRIMARY KEY CLUSTERED
      [source url] ASC,
      [url] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
/***** Object: Table [dbo].[LINK_STAT] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[LINK_STAT](
      [click count] [numeric](18, 0) NULL,
      [comment count] [numeric](18, 0) NULL,
      [comments fbid] [numeric](18, 0) NULL,
      [commentsbox count] [numeric](18, 0) NULL,
      [like count] [numeric](18, 0) NULL,
      [normalized_url] [nvarchar](max) NULL,
      [share_count] [numeric](18, 0) NULL,
      [total_count] [numeric](18, 0) NULL,
      [url] [nvarchar](max) NULL
) ON [PRIMARY] TEXTIMAGE ON [PRIMARY]
GO
/***** Object: Table [dbo].[LOCATION]
                                       Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO.
CREATE TABLE [dbo].[LOCATION](
      [street] [nchar](10) NULL,
      [city] [nchar](10) NULL,
      [state] [nchar](10) NULL,
      [country] [nchar](10) NULL,
      [zip] [nchar](10) NULL,
      [id] [numeric](18, 0) NULL,
      [name] [nchar](10) NULL
) ON [PRIMARY]
,
*****/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[LOCATION POST](
      [app_id] [numeric](18, 0) NULL,
      [author_uid] [numeric](18, 0) NULL,
      [id] [numeric](18, 0) NULL,
      [latitude] [float] NULL,
      [longitude] [float] NULL,
      [message] [nvarchar](50) NULL,
      [page_id] [numeric](18, 0) NULL,
      [timestamp] [numeric](18, 0) NULL,
      [type] [nvarchar](50) NULL
) ON [PRIMARY]
```

```
/***** Object: Table [dbo].[MAILBOX FOLDER] Script Date: 29.12.2014 12:34:42
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[MAILBOX FOLDER](
       [folder id] [numeric](18, 0) NULL,
       [name] [nvarchar](50) NULL,
       [total_count] [numeric](18, 0) NULL,
       [unread count] [numeric](18, 0) NULL,
       [viewer id] [numeric](18, 0) NULL
) ON [PRIMARY]
G0
/***** Object: Table [dbo].[Members] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[Members](
       [MemberId] [int] NOT NULL,
       [AddressId] [int] NULL,
       [CurrrentOrganizationId] [int] NULL,
       [MaritalStatusCode] [int] NULL,
       [DateJoined] [date] NOT NULL,
       [DateOfBirth] [date] NOT NULL,
       [EmailAddress] [nvarchar](255) NOT NULL,
       [FirstName] [nvarchar](50) NOT NULL,
       [MiddleName] [nvarchar](50) NULL,
       [LastName] [nvarchar](50) NOT NULL,
       [Gender] [nvarchar](50) NULL,
       [OtherDetails] [nvarchar](255) NULL,
       [OrganizationId] [int] NULL,
       [ProfileSectionId] [int] NULL,
       [MemberRecommendingId] [int] NULL,
       [Password] [nvarchar](20) NULL,
 CONSTRAINT [PK Members] PRIMARY KEY CLUSTERED
       [MemberId] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
/***** Object: Table [dbo].[MembersGroups] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI NULLS ON
SET QUOTED_IDENTIFIER ON
G0
CREATE TABLE [dbo].[MembersGroups](
       [MemberId] [int] NOT NULL,
       [GroupId] [int] NOT NULL,
       [DateJoined] [date] NOT NULL,
       [DateLeft] [date] NOT NULL,
 CONSTRAINT [PK_MembersGroups] PRIMARY KEY CLUSTERED
       [MemberId] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
```

```
/***** Object: Table [dbo].[MembersProfiles] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[MembersProfiles](
       [ProfileId] [int] NOT NULL,
       [MemberId] [int] NOT NULL,
       [DateCreated] [date] NOT NULL,
       [DateLastUpdated] [date] NOT NULL,
 CONSTRAINT [PK MembersProfiles] PRIMARY KEY CLUSTERED
       [ProfileId] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
/***** Object: Table [dbo].[MESSAGE] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[MESSAGE](
       [author_id] [numeric](18, 0) NULL,
       [body] [nvarchar](50) NULL,
       [created_time] [timestamp] NULL,
       [creator_admin_id] [numeric](18, 0) NULL,
       [message_id] [numeric](18, 0) NULL,
       [source] [numeric](18, 0) NULL,
       [thread_id] [numeric](18, 0) NULL,
       [viewer_id] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[NOTE] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[NOTE](
       [comment_info_can_comment] [bit] NULL,
       [comment_info_comment_count] [numeric](18, 0) NULL,
       [comment_info_comment_order] [nvarchar](50) NULL,
       [comment info mirroring domain] [nvarchar](50) NULL,
       [content] [nvarchar](50) NULL,
       [content html] [nvarchar](50) NULL,
       [created_time] [timestamp] NULL,
       [like_info_can_like] [bit] NULL,
       [like_info_like_count] [numeric](18, 0) NULL,
       [like_info_user_likes] [bit] NULL,
       [note id] [numeric](18, 0) NULL,
       [title] [nvarchar](50) NULL,
       [uid] [nvarchar](50) NULL,
      [uid_cursor] [nvarchar](50) NULL,
       [updated_time] [numeric](18, 0) NULL
) ON [PRIMARY]
```

```
/***** Object: Table [dbo].[NOTIFICATION] Script Date: 29.12.2014 12:34:42
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[NOTIFICATION](
      [app id] [numeric](18, 0) NULL,
      [body_ht_textml] [numeric](18, 0) NULL,
      [body_text] [numeric](18, 0) NULL,
      [created_time] [timestamp] NULL,
      [href] [nvarchar](50) NULL,
      [icon url] [nvarchar](max) NULL,
      [notification id] [numeric](18, 0) NULL,
      [object_id] [nvarchar](50) NULL,
      [object type] [nvarchar](50) NULL,
      [recipient id] [numeric](18, 0) NULL,
      [sender id] [numeric](18, 0) NULL,
      [title html] [nvarchar](50) NULL,
      [title text] [nvarchar](50) NULL,
      [updated_time] [numeric](18, 0) NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
/***** Object: Table [dbo].[OBJECT URL] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[OBJECT_URL](
      [id] [numeric](18, 0) NULL,
      [site] [nvarchar](max) NULL,
      [type] [nvarchar](50) NULL,
      [url] [nvarchar](max) NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
/***** Object: Table [dbo].[OFFER]
                                    Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[OFFER](
      [claim_limit] [numeric](18, 0) NULL,
      [coupon_type] [nvarchar](50) NULL,
      [created_time] [timestamp] NULL,
      [expiration_time] [numeric](18, 0) NULL,
      [id] [numeric](18, 0) NULL,
      [image url] [nvarchar](max) NULL,
      [message] [nvarchar](50) NULL,
      [owner_id] [numeric](18, 0) NULL,
      [redemption_code] [nvarchar](50) NULL,
      [redemption_link] [nvarchar](max) NULL,
      [terms] [nvarchar](50) NULL,
      [title] [nvarchar](50) NULL
) ON [PRIMARY] TEXTIMAGE ON [PRIMARY]
*****/
SET ANSI_NULLS ON
GO
```

```
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[Organizations](
       [OrganizationId] [int] NOT NULL,
       [OrganizationName] [nvarchar](255) NOT NULL,
       [OrganizationDescription] [nvarchar](510) NULL,
       [OtherDetails] [nvarchar](255) NULL,
 CONSTRAINT [PK Organizations] PRIMARY KEY CLUSTERED
       [OrganizationId] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
G0
/***** Object: Table [dbo].[PAGE]
                                        Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET OUOTED IDENTIFIER ON
CREATE TABLE [dbo].[PAGE](
       [about] [nvarchar](50) NULL,
       [access_token] [nvarchar](50) NULL,
       [affiliation] [nvarchar](50) NULL,
       [app_id] [numeric](18, 0) NULL,
       [artists_we_like] [nvarchar](50) NULL,
       [attire] [nvarchar](50) NULL,
       [awards] [nvarchar](50) NULL,
       [band_interests] [nvarchar](50) NULL,
       [band_members] [nvarchar](50) NULL,
       [best_page_id] [numeric](18, 0) NULL,
       [bio] [nvarchar](50) NULL,
       [birthday] [nvarchar](50) NULL,
       [booking_agent] [nvarchar](50) NULL,
       [built] [nvarchar](50) NULL,
       [can_post] [bit] NULL,
       [categories_id] [numeric](18, 0) NULL,
       [categories_name] [nvarchar](50) NULL,
       [checkins] [numeric](18, 0) NULL,
       [company_overview] [nvarchar](50) NULL,
       [culinary_team] [nvarchar](50) NULL,
       [current_location] [nvarchar](50) NULL,
       [description] [nvarchar](50) NULL,
       [description_html] [nvarchar](50) NULL,
       [directed_by] [nvarchar](50) NULL,
       [fan_count] [numeric](18, 0) NULL,
       [features] [nvarchar](50) NULL,
       [founded] [nvarchar](50) NULL,
       [general_info] [nvarchar](50) NULL,
       [general manager] [nvarchar](50) NULL,
       [genre] [nvarchar](50) NULL,
       [global_brand_page_name] [nvarchar](50) NULL,
       [global_brand_parent_page_id] [numeric](18, 0) NULL,
       [has added app] [bit] NULL,
       [hometown] [nvarchar](50) NULL,
       [influences] [nvarchar](50) NULL,
       [is_community_page] [bit] NULL,
       [is_permanently_closed] [bit] NULL,
       [is_published] [bit] NULL,
       [is_unclaimed] [bit] NULL,
       [is_verified] [bit] NULL,
       [keywords] [nvarchar](50) NULL,
```

```
[members] [nvarchar](50) NULL,
       [mission] [nvarchar](50) NULL,
       [mpg] [nvarchar](50) NULL,
       [name] [nvarchar](50) NULL,
       [network] [nvarchar](50) NULL,
       [new like count] [numeric](18, 0) NULL,
       [offer eligible] [bit] NULL,
       [page id] [numeric](18, 0) NULL,
       [page url] [nvarchar](max) NULL,
       [parent page] [numeric](18, 0) NULL,
       [personal info] [nvarchar](50) NULL,
       [personal interests] [nvarchar](50) NULL,
       [pharma safety info] [nvarchar](50) NULL,
       [phone] [nvarchar](50) NULL,
       [pic] [nvarchar](50) NULL,
       [pic big] [nvarchar](50) NULL,
       [pic large] [nvarchar](50) NULL,
       [pic small] [nvarchar](50) NULL,
       [pic square] [nvarchar](50) NULL,
       [plot_outline] [nvarchar](50) NULL,
       [press_contact] [nvarchar](50) NULL,
       [price_range] [nvarchar](50) NULL,
       [produced_by] [nvarchar](50) NULL,
       [products] [nvarchar](50) NULL,
       [promotion_eligible] [bit] NULL,
       [promotion ineligible reason] [nvarchar](50) NULL,
       [public_transit] [nvarchar](50) NULL,
       [record_label] [nvarchar](50) NULL,
       [release_date] [nvarchar](50) NULL,
       [schedule] [nvarchar](50) NULL,
       [screenplay_by] [nvarchar](50) NULL,
       [season] [nvarchar](50) NULL,
       [starring] [nvarchar](50) NULL,
       [store_number] [numeric](18, 0) NULL,
       [studio] [nvarchar](50) NULL,
       [talking_about_count] [numeric](18, 0) NULL,
       [type] [nvarchar](50) NULL,
       [unread_message_count] [numeric](18, 0) NULL,
       [unseen_message_count] [numeric](18, 0) NULL,
       [unseen_notif_count] [numeric](18, 0) NULL,
       [username] [nvarchar](max) NULL,
       [website] [nvarchar](max) NULL,
       [were_here_count] [numeric](18, 0) NULL,
       [written_by] [nvarchar](50) NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
/***** Object: Table [dbo].[PAGE_ADMIN]
                                             Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[PAGE_ADMIN](
       [last used time] [timestamp] NULL,
       [page id] [numeric](18, 0) NULL,
       [role] [nvarchar](50) NULL,
       [type] [nvarchar](50) NULL,
       [uid] [numeric](18, 0) NULL
) ON [PRIMARY]
```

```
/***** Object: Table [dbo].[PAGE BLOCKED USER] Script Date: 29.12.2014 12:34:42
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[PAGE BLOCKED USER](
       [page id] [numeric](18, 0) NULL,
       [uid] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[PAGE_FAN]
                                        Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[PAGE FAN](
       [created time] [timestamp] NULL,
       [page id] [numeric](18, 0) NULL,
       [profile_section] [nvarchar](50) NULL,
       [type] [nvarchar](50) NULL,
       [uid] [numeric](18, 0) NULL,
       [uid cursor] [nvarchar](50) NULL
) ON [PRIMARY]
GO
/***** Object: Table [dbo].[PAGE_GLOBAL_BRAND_CHILD] Script Date: 29.12.2014
12:34:42 *****/
SET ANSI NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[PAGE_GLOBAL_BRAND_CHILD](
       [global_brand_child_page_id] [numeric](18, 0) NULL,
       [parent_page_id] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[PAGE_MILESTONE] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[PAGE_MILESTONE](
       [created_time] [timestamp] NULL,
       [description] [nvarchar](50) NULL,
       [end time] [numeric](18, 0) NULL,
       [id] [numeric](18, 0) NULL,
       [is_hidden] [bit] NULL,
       [owner_id] [numeric](18, 0) NULL,
       [start_time] [numeric](18, 0) NULL,
       [title] [nvarchar](50) NULL,
       [updated time] [numeric](18, 0) NULL
) ON [PRIMARY]
/****** Object: Table [dbo].[PeopleBeingFallowed] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
GO
```

```
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[PeopleBeingFallowed](
       [MemberId] [int] NOT NULL,
       [MemberBeingFallowedId] [int] NOT NULL,
       [DateStartedFallowing] [date] NULL,
       [DateStoppedFallowing] [date] NULL,
       [OtherDetails] [nvarchar](255) NULL,
 CONSTRAINT [PK PeopleBeingFallowed] PRIMARY KEY CLUSTERED
       [MemberId] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
/****** Object: Table [dbo].[PERMISSIONS]
                                              Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET OUOTED IDENTIFIER ON
CREATE TABLE [dbo].[PERMISSIONS](
       [ads_management] [numeric](18, 0) NULL,
       [ads read] [numeric](18, 0) NULL,
       [bookmarked] [numeric](18, 0) NULL,
       [create_event] [numeric](18, 0) NULL,
       [create_note] [numeric](18, 0) NULL,
       [email] [numeric](18, 0) NULL,
       [export_stream] [numeric](18, 0) NULL,
       [friends_about_me] [numeric](18, 0) NULL,
       [friends_activities] [numeric](18, 0) NULL,
       [friends_birthday] [numeric](18, 0) NULL,
       [friends_checkins] [numeric](18, 0) NULL,
       [friends_education_history] [numeric](18, 0) NULL,
       [friends_events] [numeric](18, 0) NULL,
       [friends_games_activity] [numeric](18, 0) NULL,
       [friends_groups] [numeric](18, 0) NULL,
       [friends_hometown] [numeric](18, 0) NULL,
       [friends_interests] [numeric](18, 0) NULL,
       [friends_likes] [numeric](18, 0) NULL,
       [friends_location] [numeric](18, 0) NULL,
       [friends_notes] [numeric](18, 0) NULL,
       [friends_online_presence] [numeric](18, 0) NULL,
       [friends_photo_video_tags] [numeric](18, 0) NULL,
       [friends_photos] [numeric](18, 0) NULL,
       [friends_questions] [numeric](18, 0) NULL,
       [friends_relationship_details] [numeric](18, 0) NULL,
       [friends relationships] [numeric](18, 0) NULL,
       [friends religion politics] [numeric](18, 0) NULL,
       [friends status] [numeric](18, 0) NULL,
       [friends_subscriptions] [numeric](18, 0) NULL,
       [friends_videos] [numeric](18, 0) NULL,
       [friends_website] [numeric](18, 0) NULL,
       [friends_work_history] [numeric](18, 0) NULL,
       [manage_friendlists] [numeric](18, 0) NULL,
       [manage_notifications] [numeric](18, 0) NULL,
       [manage_pages] [numeric](18, 0) NULL,
       [photo_upload] [numeric](18, 0) NULL,
       [publish_actions] [numeric](18, 0) NULL,
       [publish_checkins] [numeric](18, 0) NULL,
       [publish_stream] [numeric](18, 0) NULL,
       [read_friendlists] [numeric](18, 0) NULL,
```

```
[read insights] [numeric](18, 0) NULL,
       [read_mailbox] [numeric](18, 0) NULL,
       [read_page_mailboxes] [numeric](18, 0) NULL,
       [read_requests] [numeric](18, 0) NULL,
       [read_stream] [numeric](18, 0) NULL,
       [rsvp event] [numeric](18, 0) NULL,
       [share_item] [numeric](18, 0) NULL,
       [sms] [numeric](18, 0) NULL,
       [status_update] [numeric](18, 0) NULL,
       [tab added] [numeric](18, 0) NULL,
       [uid] [numeric](18, 0) NULL,
       [user about me] [numeric](18, 0) NULL,
       [user activities] [numeric](18, 0) NULL,
       [user birthday] [numeric](18, 0) NULL,
       [user_education_history] [numeric](18, 0) NULL,
       [user events] [numeric](18, 0) NULL,
       [user friends] [numeric](18, 0) NULL,
       [user_games_activity] [numeric](18, 0) NULL,
       [user groups] [numeric](18, 0) NULL,
       [user hometown] [numeric](18, 0) NULL,
       [user_interests] [numeric](18, 0) NULL,
       [user_likes] [numeric](18, 0) NULL,
       [user_location] [numeric](18, 0) NULL,
       [user_notes] [numeric](18, 0) NULL,
       [user_online_presence] [numeric](18, 0) NULL,
       [user_photo_video_tags] [numeric](18, 0) NULL,
       [user_photos] [numeric](18, 0) NULL,
       [user_questions] [numeric](18, 0) NULL,
       [user_relationship_details] [numeric](18, 0) NULL,
       [user_relationships] [numeric](18, 0) NULL,
       [user_religion_politics] [numeric](18, 0) NULL,
       [user_status] [numeric](18, 0) NULL,
       [user_subscriptions] [numeric](18, 0) NULL,
       [user_tagged_places] [numeric](18, 0) NULL,
       [user_videos] [numeric](18, 0) NULL,
       [user_website] [numeric](18, 0) NULL,
       [user_work_history] [numeric](18, 0) NULL,
       [video_upload] [numeric](18, 0) NULL,
       [xmpp_login] [numeric](18, 0) NULL,
       [offline_access] [numeric](18, 0) NULL,
       [user_checkins] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[PERMISSIONS_INFO] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[PERMISSIONS_INFO](
       [header] [nvarchar](50) NULL,
       [permission_name] [nvarchar](50) NULL,
       [summary] [nvarchar](50) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[PHOTO]
                                      Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
```

```
CREATE TABLE [dbo].[PHOTO](
       [aid] [numeric](18, 0) NULL,
       [aid_cursor] [nvarchar](50) NULL,
       [album_object_id] [numeric](18, 0) NULL,
       [album_object_id_cursor] [nvarchar](50) NULL,
       [backdated_time] [timestamp] NULL,
       [backdated time granularity] [nvarchar](50) NULL,
       [can backdate] [bit] NULL,
       [can_delete] [bit] NULL,
       [can_tag] [bit] NULL,
       [caption] [nvarchar](50) NULL,
       [comment info can comment] [bit] NULL,
       [comment info comment count] [numeric](18, 0) NULL,
       [comment info comment order] [nvarchar](50) NULL,
       [comment_info_mirroring_domain] [nvarchar](50) NULL,
       [created] [numeric](18, 0) NULL,
       [images height] [numeric](18, 0) NULL,
       [images width] [numeric](18, 0) NULL,
       [images source] [nvarchar](50) NULL,
       [like info can like] [bit] NULL,
       [like_info_like_count] [numeric](18, 0) NULL,
       [like_info_user_likes] [bit] NULL,
       [link] [nvarchar](max) NULL,
       [modified] [numeric](18, 0) NULL,
       [object_id] [numeric](18, 0) NULL,
       [offline_id] [numeric](18, 0) NULL,
       [owner] [numeric](18, 0) NULL,
       [owner_cursor] [nvarchar](50) NULL,
       [page_story_id] [numeric](18, 0) NULL,
       [pid] [numeric](18, 0) NULL,
       [place_id] [numeric](18, 0) NULL,
       [src] [nvarchar](50) NULL,
       [src_big] [nvarchar](50) NULL,
       [src_big_height] [numeric](18, 0) NULL,
       [src_big_webp] [nvarchar](50) NULL,
       [src_big_width] [numeric](18, 0) NULL,
       [src_height] [numeric](18, 0) NULL,
       [src_small] [nvarchar](50) NULL,
       [src_small_height] [numeric](18, 0) NULL,
       [src_small_webp] [nvarchar](50) NULL,
       [src_small_width] [numeric](18, 0) NULL,
       [src_webp] [nvarchar](50) NULL,
       [src_width] [numeric](18, 0) NULL,
       [target_id] [numeric](18, 0) NULL,
       [target_type] [nvarchar](50) NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
/***** Object: Table [dbo].[PHOTO_SRC]
                                            Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET QUOTED_IDENTIFIER ON
CREATE TABLE [dbo].[PHOTO_SRC](
       [height] [numeric](18, 0) NULL,
       [photo id] [numeric](18, 0) NULL,
       [size] [nvarchar](50) NULL,
       [src] [nvarchar](max) NULL,
       [width] [numeric](18, 0) NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
```

```
/***** Object: Table [dbo].[PHOTO TAG] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[PHOTO TAG](
       [created] [timestamp] NULL,
       [object id] [numeric](18, 0) NULL,
       [pid] [numeric](18, 0) NULL,
       [subject] [numeric](18, 0) NULL,
       [text] [nvarchar](50) NULL,
       [xcoord] [float] NULL,
       [ycoord] [float] NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[PLACE] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
G0
CREATE TABLE [dbo].[PLACE](
       [checkin_count] [numeric](18, 0) NULL,
       [content_age] [int] NULL,
       [description] [nvarchar](50) NULL,
       [display_subtext] [nvarchar](50) NULL,
       [is_city] [bit] NULL,
       [is_unclaimed] [bit] NULL,
       [latitude] [float] NULL,
       [longitude] [float] NULL,
       [name] [nvarchar](50) NULL,
       [page_id] [numeric](18, 0) NULL,
       [pic] [nvarchar](50) NULL,
       [pic_big] [nvarchar](50) NULL,
       [pic_large] [nvarchar](50) NULL,
       [pic_small] [nvarchar](50) NULL,
       [pic_square] [nvarchar](50) NULL,
       [search_type] [nvarchar](50) NULL,
       [type] [nvarchar](50) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[PRIVACY] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
GO
SET QUOTED_IDENTIFIER ON
CREATE TABLE [dbo].[PRIVACY](
       [allow] [nvarchar](50) NULL,
       [deny] [nvarchar](50) NULL,
       [description] [nvarchar](50) NULL,
       [friends] [nvarchar](50) NULL,
       [id] [numeric](18, 0) NULL,
       [object_id] [numeric](18, 0) NULL,
       [owner_id] [numeric](18, 0) NULL,
       [value] [nvarchar](50) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[PRIVACY_SETTINGS] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
```

```
G0
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[PRIVACY_SETTINGS](
       [allow] [nvarchar](50) NULL,
       [deny] [nvarchar](50) NULL,
       [description] [nvarchar](50) NULL,
       [friends] [nvarchar](50) NULL,
       [name] [nvarchar](50) NULL,
       [value] [nvarchar](50) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[PROFILE] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[PROFILE](
       [can post] [bit] NULL,
       [id] [numeric](18, 0) NULL,
       [name] [nvarchar](50) NULL,
       [pic] [nvarchar](50) NULL,
       [pic_big] [nvarchar](50) NULL,
       [pic_small] [nvarchar](50) NULL,
       [pic_square] [nvarchar](50) NULL,
       [type] [nvarchar](50) NULL,
       [url] [nvarchar](max) NULL,
       [username] [nvarchar](max) NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
/***** Object: Table [dbo].[PROFILE_NAME] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[PROFILE_NAME](
       [first] [nvarchar](50) NULL,
       [first_alternate] [nvarchar](50) NULL,
       [last] [nvarchar](50) NULL,
       [last_alternate] [nvarchar](50) NULL,
       [locale] [nvarchar](50) NULL,
       [middle] [nvarchar](50) NULL,
       [middle_alternate] [nvarchar](50) NULL,
       [name] [nvarchar](50) NULL,
       [name_alternate] [nvarchar](50) NULL,
       [name format] [nvarchar](50) NULL,
       [profile id] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[PROFILE PIC] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[PROFILE_PIC](
       [height] [int] NULL,
       [id] [numeric](18, 0) NULL,
       [is_silhouette] [bit] NULL,
```

```
[real_height] [numeric](18, 0) NULL,
       [real_width] [numeric](18, 0) NULL,
       [url] [nvarchar](max) NULL,
      [widht] [int] NULL
) ON [PRIMARY] TEXTIMAGE ON [PRIMARY]
/***** Object: Table [dbo].[PROFILE TAB] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED_IDENTIFIER ON
CREATE TABLE [dbo].[PROFILE TAB](
       [app id] [numeric](18, 0) NULL,
       [custom_image_url] [nvarchar](max) NULL,
       [custom name] [nvarchar](50) NULL,
       [image url] [nvarchar](max) NULL,
       [is permanent] [bit] NULL,
       [key] [nvarchar](50) NULL,
       [link] [nvarchar](50) NULL,
       [name] [nvarchar](50) NULL,
       [position] [numeric](18, 0) NULL,
       [profile_id] [numeric](18, 0) NULL
) ON [PRIMARY] TEXTIMAGE ON [PRIMARY]
/***** Object: Table [dbo].[PROFILE_VIEW] Script Date: 29.12.2014 12:34:42
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[PROFILE_VIEW](
       [app_id] [numeric](18, 0) NULL,
       [custom_image_url] [nvarchar](max) NULL,
       [custom_name] [nvarchar](50) NULL,
       [image_url] [nvarchar](max) NULL,
       [is_permanent] [nvarchar](50) NULL,
       [key] [nvarchar](50) NULL,
       [link] [nvarchar](max) NULL,
       [name] [nvarchar](50) NULL,
       [position] [nvarchar](50) NULL,
       [profile_id] [numeric](18, 0) NULL
) ON [PRIMARY] TEXTIMAGE ON [PRIMARY]
/***** Object: Table [dbo].[ProfileSections] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI NULLS ON
SET QUOTED_IDENTIFIER ON
CREATE TABLE [dbo].[ProfileSections](
       [ProfilSectionId] [int] NOT NULL,
       [ProfilSectionCode] [int] NOT NULL,
       [DateCreated] [date] NOT NULL,
       [DateUpdated] [date] NOT NULL,
       [ProfileSectionText] [nvarchar](255) NULL,
 CONSTRAINT [PK_ProfileSections] PRIMARY KEY CLUSTERED
       [ProfilSectionId] ASC
```

```
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[QUESTION](
      [created time] [timestamp] NULL,
      [id] [numeric](18, 0) NULL,
      [is published] [bit] NULL,
      [owner] [numeric](18, 0) NULL,
      [question] [nvarchar](50) NULL,
      [updated time] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[QUESTION_OPTION] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[QUESTION_OPTION](
       [created_time] [timestamp] NULL,
       [id] [numeric](18, 0) NULL,
       [name] [nvarchar](50) NULL,
       [object_id] [numeric](18, 0) NULL,
       [owner] [numeric](18, 0) NULL,
       [photo_id] [numeric](18, 0) NULL,
       [question_id] [numeric](18, 0) NULL,
       [votes] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[QUESTION_OPTION_VOTES] Script Date: 29.12.2014
12:34:42 *****/
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[QUESTION_OPTION_VOTES](
       [option_id] [numeric](18, 0) NULL,
       [voter_id] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[Recommendations] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[Recommendations](
      [MemberRecommendingId] [int] NOT NULL,
       [MemberBeingRecommendedId] [int] NOT NULL,
      [DateOfRecommendation] [date] NOT NULL,
      [OtherDetails] [nvarchar](255) NULL,
 CONSTRAINT [PK_Recommendations] PRIMARY KEY CLUSTERED
```

```
[MemberRecommendingId] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
*****/
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[RefCvSections](
      [CvSectionCode] [int] NOT NULL,
      [CvSectionDescription] [nvarchar](255) NOT NULL,
      [PersonelDetails] [nvarchar](255) NULL,
      [Jobs] [nvarchar](150) NULL,
      [Qualifications] [nvarchar](255) NULL,
 CONSTRAINT [PK RefCvSections] PRIMARY KEY CLUSTERED
(
       [CvSectionCode] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
/***** Object: Table [dbo].[RefMaritalStatus] Script Date: 29.12.2014 12:34:42
SET ANSI NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[RefMaritalStatus](
       [MaritalStatusCode] [int] NOT NULL,
       [MaritalStatusDescription] [nvarchar](255) NULL,
       [Married] [bit] NULL,
       [Single] [bit] NULL,
       [Engaged] [bit] NULL,
       [InARelationship] [bit] NULL,
       [Complicated] [bit] NULL,
 CONSTRAINT [PK RefMaritalStatus] PRIMARY KEY CLUSTERED
       [MaritalStatusCode] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
/***** Object: Table [dbo].[RefProfileSections] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[RefProfileSections](
      [ProfileSectionCode] [int] NOT NULL,
      [ProfileSectionDescriptio] [nvarchar](255) NOT NULL,
      [Certification] [nvarchar](255) NULL,
      [Languages] [nvarchar](255) NULL,
      [Patents] [nvarchar](255) NULL,
      [Publications] [nvarchar](255) NULL,
```

```
[Skills] [nvarchar](255) NULL,
 CONSTRAINT [PK RefProfileSections] PRIMARY KEY CLUSTERED
      [ProfileSectionCode] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
/***** Object: Table [dbo].[REVIEW] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[REVIEW](
      [created time] [timestamp] NULL,
      [message] [nvarchar](50) NULL,
      [rating] [nvarchar](50) NULL,
      [review id] [numeric](18, 0) NULL,
      [reviewee id] [numeric](18, 0) NULL,
      [reviewer_id] [numeric](18, 0) NULL
) ON [PRIMARY]
*****/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO.
CREATE TABLE [dbo].[RTB_DYNAMIC_POST](
       [created] [timestamp] NULL,
       [description] [nvarchar](50) NULL,
       [id] [numeric](18, 0) NULL,
       [image_url] [nvarchar](max) NULL,
       [link] [nvarchar](max) NULL,
       [message] [nvarchar](50) NULL,
       [owner_id] [numeric](18, 0) NULL,
       [owner_id_cursor] [numeric](18, 0) NULL,
       [title] [nvarchar](50) NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
/***** Object: Table [dbo].[SCORE]
                                    Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED_IDENTIFIER ON
CREATE TABLE [dbo].[SCORE](
       [app id] [numeric](18, 0) NULL,
       [user_id] [numeric](18, 0) NULL,
      [value] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[SQUARE_PROFILE_PIC] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[SQUARE_PROFILE_PIC](
```

```
[id] [numeric](18, 0) NULL,
       [image_format] [nvarchar](50) NULL,
       [is_silhouette] [bit] NULL,
       [real_size] [numeric](18, 0) NULL,
       [size] [numeric](18, 0) NULL,
       [url] [nvarchar](50) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[SQUARE_PROFILE_PIC_SIZE] Script Date: 29.12.2014
12:34:42 *****/
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[SQUARE PROFILE PIC SIZE](
       [size] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[STANDARD_USER_INFO] Script Date: 29.12.2014 12:34:42
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[STANDARD_USER_INFO](
       [allowed_restrictions] [nvarchar](50) NULL,
       [birthday] [nvarchar](50) NULL,
       [current_location_street] [nvarchar](50) NULL,
       [current_location_city] [nvarchar](50) NULL,
       [current_location_state] [nvarchar](50) NULL,
       [current_location_country] [nvarchar](50) NULL,
       [current_location_zip] [nvarchar](50) NULL,
       [current_location_address] [nvarchar](50) NULL,
       [current_location_latitude] [float] NULL,
       [current_location_longitude] [float] NULL,
       [current_location_id] [numeric](18, 0) NULL,
       [current_location_name] [nvarchar](50) NULL,
       [current_location_located_in] [numeric](18, 0) NULL,
       [current_location_region] [nvarchar](50) NULL,
       [email] [nvarchar](50) NULL,
       [first_name] [nvarchar](50) NULL,
       [last_name] [nvarchar](50) NULL,
       [locale] [nvarchar](50) NULL,
       [name] [nvarchar](50) NULL,
       [profile_url] [nvarchar](max) NULL,
       [proxied email] [nvarchar](50) NULL,
       [sex] [nvarchar](50) NULL,
       [sort first name] [nvarchar](50) NULL,
       [sort_last_name] [nvarchar](50) NULL,
       [third_party_id] [numeric](18, 0) NULL,
       [timezone] [float] NULL,
       [uid] [numeric](18, 0) NULL,
       [username] [nvarchar](50) NULL
) ON [PRIMARY] TEXTIMAGE ON [PRIMARY]
/***** Object: Table [dbo].[STANDART_FRIEND_INFO] Script Date: 29.12.2014
12:34:42 *****/
SET ANSI_NULLS ON
GO
```

```
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[STANDART_FRIEND_INFO](
       [uid1] [numeric](18, 0) NULL,
       [uid2] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[STATUS]
                                         Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[STATUS](
       [comment_info_can_comment] [bit] NULL,
       [comment info comment count] [numeric](18, 0) NULL,
       [comment info comment order] [nvarchar](50) NULL,
       [comment info mirroring domain] [nvarchar](50) NULL,
       [like info can like] [bit] NULL,
       [like info like count] [numeric](18, 0) NULL,
       [like_info_user_likes] [bit] NULL,
       [message] [nvarchar](50) NULL,
       [place_id] [numeric](18, 0) NULL,
       [source] [numeric](18, 0) NULL,
       [status_id] [numeric](18, 0) NULL,
       [time] [timestamp] NULL,
       [uid] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[STREAM] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[STREAM](
       [action_links_text] [nvarchar](50) NULL,
       [action_links_href] [nvarchar](max) NULL,
       [actor_id] [numeric](18, 0) NULL,
       [app_id] [numeric](18, 0) NULL,
       [attribution] [nvarchar](50) NULL,
       [claim_count] [numeric](18, 0) NULL,
       [created_time] [timestamp] NULL,
       [description] [nvarchar](50) NULL,
       [expiration_timestamp] [nvarchar](50) NULL,
       [filter_key] [nvarchar](50) NULL,
       [impressions] [numeric](18, 0) NULL,
       [is_app_share] [bit] NULL,
       [is exportable] [numeric](18, 0) NULL,
       [is hidden] [bit] NULL,
       [is_popular] [bit] NULL,
       [is_published] [bit] NULL
       [like_info_can_like] [bit] NULL,
       [like_info_like_count] [numeric](18, 0) NULL,
       [like_info_user_likes] [bit] NULL,
       [message] [nvarchar](50) NULL,
       [parent_post_id] [numeric](18, 0) NULL,
       [permalink] [nvarchar](max) NULL,
       [place] [nvarchar](50) NULL,
       [post_id] [numeric](18, 0) NULL,
       [promotion_status] [nvarchar](50) NULL,
       [scheduled_publish_time] [numeric](18, 0) NULL,
```

```
[share count] [numeric](18, 0) NULL,
       [source id] [numeric](18, 0) NULL,
      [subscribed] [bit] NULL,
      [target_id] [numeric](18, 0) NULL,
       [timeline_visibility] [nvarchar](50) NULL,
       [type] [numeric](18, 0) NULL,
       [updated time] [numeric](18, 0) NULL,
       [via id] [numeric](18, 0) NULL,
      [viewer id] [numeric](18, 0) NULL,
      [with_location] [bit] NULL,
       [xid] [nvarchar](50) NULL
) ON [PRIMARY] TEXTIMAGE ON [PRIMARY]
/***** Object: Table [dbo].[STREAM_FILTER] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI NULLS ON
SET OUOTED IDENTIFIER ON
CREATE TABLE [dbo].[STREAM_FILTER](
       [filter_key] [nvarchar](50) NULL,
       [icon_url] [nvarchar](max) NULL,
       [is_visible] [bit] NULL,
       [name] [nvarchar](50) NULL,
       [rank] [numeric](18, 0) NULL,
       [type] [nvarchar](50) NULL,
       [uid] [numeric](18, 0) NULL,
       [value] [numeric](18, 0) NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
/***** Object: Table [dbo].[STREAM_TAG] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
GO
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[STREAM_TAG](
       [actor_id] [numeric](18, 0) NULL,
       [post_id] [numeric](18, 0) NULL,
       [target_id] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[SUBSCRIPTION] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[SUBSCRIPTION](
       [subscribed_id] [numeric](18, 0) NULL,
       [subscribed_id_cursor] [numeric](18, 0) NULL,
       [subscriber_id] [numeric](18, 0) NULL,
      [subscriber_id_cursor] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[SUGGESTED_PINNED_THREAD] Script Date: 29.12.2014
12:34:42 *****/
SET ANSI_NULLS ON
GO
```

```
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[SUGGESTED PINNED THREAD](
       [thread_fbid] [numeric](18, 0) NULL,
       [thread id] [numeric](18, 0) NULL,
       [user id] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[TABLE] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[TABLE](
       [description] [nvarchar](50) NULL,
       [is deprecated] [bit] NULL,
       [name] [nvarchar](50) NULL
) ON [PRIMARY]
GO
/***** Object: Table [dbo].[THREAD] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[THREAD](
       [folder_id] [numeric](18, 0) NULL,
       [has_attachment] [numeric](18, 0) NULL,
       [message_count] [numeric](18, 0) NULL,
       [object_id] [numeric](18, 0) NULL,
       [originator] [numeric](18, 0) NULL,
       [parent_message_id] [numeric](18, 0) NULL,
       [parent_thread_id] [numeric](18, 0) NULL,
       [snippet] [nvarchar](50) NULL,
       [snippet_author] [numeric](18, 0) NULL,
       [subject] [nvarchar](50) NULL,
       [thread_id] [numeric](18, 0) NULL,
       [unread] [numeric](18, 0) NULL,
       [unseen] [numeric](18, 0) NULL,
       [updated_time] [timestamp] NULL,
       [viewer_id] [numeric](18, 0) NULL
) ON [PRIMARY]
/***** Object: Table [dbo].[TRANSLATION]
                                            Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[TRANSLATION](
       [approval_status] [nvarchar](50) NULL,
       [best_string] [nvarchar](50) NULL,
       [description] [nvarchar](50) NULL,
       [is translatable] [numeric](18, 0) NULL,
       [locale] [nvarchar](50) NULL,
       [native_hash] [nvarchar](50) NULL,
       [native_string] [nvarchar](50) NULL,
       [pre_hash_string] [nvarchar](50) NULL,
       [translation] [nvarchar](50) NULL,
       [translation_id] [numeric](18, 0) NULL
) ON [PRIMARY]
```

```
/****** Object: Table [dbo].[URL LIKE]
                                         Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[URL LIKE](
       [url] [nvarchar](max) NULL,
       [user id] [numeric](18, 0) NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
/****** Object: Table [dbo].[USER]
                                       Script Date: 29.12.2014 12:34:42 ******/
SET ANSI_NULLS ON
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[USER](
       [about me] [nvarchar](50) NULL,
       [activities] [nvarchar](50) NULL,
       [allowed_restrictions] [nvarchar](50) NULL,
       [birthday] [nvarchar](50) NULL,
       [birthday_date] [nvarchar](50) NULL,
       [books] [nvarchar](50) NULL,
       [can_message] [bit] NULL,
       [can_post] [bit] NULL,
       [contact_email] [nvarchar](50) NULL,
       [email] [nvarchar](50) NULL,
       [first_name] [nvarchar](50) NULL,
       [friend_count] [numeric](18, 0) NULL,
       [friend_request_count] [numeric](18, 0) NULL,
       [has_timeline] [bit] NULL,
       [install_type] [nvarchar](50) NULL,
       [interests] [nvarchar](50) NULL,
       [is_app_user] [bit] NULL,
       [is_blocked] [bit] NULL,
       [is_verified] [bit] NULL,
       [last_name] [nvarchar](50) NULL,
       [likes_count] [numeric](18, 0) NULL,
       [locale] [nvarchar](50) NULL,
       [middle_name] [nvarchar](50) NULL,
       [movies] [nvarchar](50) NULL,
       [music] [nvarchar](50) NULL,
       [mutual_friend_count] [numeric](18, 0) NULL,
       [name] [nvarchar](50) NULL,
       [name_format] [nvarchar](50) NULL,
       [notes count] [numeric](18, 0) NULL,
       [online presence] [nvarchar](50) NULL,
       [pic] [nvarchar](50) NULL,
       [pic_big] [nvarchar](50) NULL,
       [pic_big_with_logo] [nvarchar](50) NULL,
       [pic_small] [nvarchar](50) NULL,
       [pic_small_with_logo] [nvarchar](50) NULL,
       [pic_square] [nvarchar](50) NULL,
       [pic_square_with_logo] [nvarchar](50) NULL,
       [pic_with_logo] [nvarchar](50) NULL,
       [political] [nvarchar](50) NULL,
       [profile_blurb] [nvarchar](50) NULL,
       [profile_update_time] [timestamp] NULL,
       [profile_url] [nvarchar](max) NULL,
       [proxied_email] [nvarchar](50) NULL,
```

```
[quotes] [nvarchar](50) NULL,
       [relationship status] [nvarchar](50) NULL,
       [religion] [nvarchar](50) NULL,
       [sex] [nvarchar](50) NULL,
       [significant_other_id] [numeric](18, 0) NULL,
       [sort first name] [nvarchar](50) NULL,
       [sort last name] [nvarchar](50) NULL,
       [subscriber count] [numeric](18, 0) NULL,
       [third_party_id] [numeric](18, 0) NULL,
       [timezone] [float] NULL,
       [tv] [nchar](10) NULL,
       [uid] [numeric](18, 0) NOT NULL,
       [verified] [bit] NULL,
       [viewer can send gift] [bit] NULL,
       [website] [nvarchar](max) NULL,
 CONSTRAINT [PK USER] PRIMARY KEY CLUSTERED
       [uid] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
GO
/***** Object: Table [dbo].[USER_MEMBER]
                                            Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
GO
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[USER_MEMBER](
       [id] [numeric](18, 0) NOT NULL,
       [uid] [numeric](18, 0) NULL,
       [mid] [int] NULL,
 CONSTRAINT [PK_USER_MEMBER] PRIMARY KEY CLUSTERED
       [id] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY = OFF,
ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
/***** Object: Table [dbo].[VIDEO]
                                      Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
G0
CREATE TABLE [dbo].[VIDEO](
       [album_id] [numeric](18, 0) NULL,
       [created time] [timestamp] NULL,
       [description] [nvarchar](50) NULL,
       [embed html] [nvarchar](50) NULL,
       [length] [float] NULL,
       [link] [nvarchar](max) NULL,
       [owner] [numeric](18, 0) NULL,
       [src] [nvarchar](max) NULL,
       [src_hq] [nvarchar](max) NULL,
       [thumbnail link] [nvarchar](max) NULL,
       [title] [nvarchar](50) NULL,
       [updated_time] [numeric](18, 0) NULL,
       [vid] [numeric](18, 0) NULL
) ON [PRIMARY] TEXTIMAGE_ON [PRIMARY]
```

```
/***** Object: Table [dbo].[VIDEO TAG] Script Date: 29.12.2014 12:34:42 ******/
SET ANSI NULLS ON
GO
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[VIDEO_TAG](
       [created time] [timestamp] NULL,
       [subject] [numeric](18, 0) NULL,
       [updated time] [numeric](18, 0) NULL,
       [vid] [numeric](18, 0) NULL
) ON [PRIMARY]
GO
ALTER TABLE [dbo].[Connections] WITH CHECK ADD CONSTRAINT [FK Connections Members]
FOREIGN KEY([MemberId])
REFERENCES [dbo].[Members] ([MemberId])
GO
ALTER TABLE [dbo].[Connections] CHECK CONSTRAINT [FK Connections Members]
GO
ALTER TABLE [dbo].[Cvs] WITH CHECK ADD CONSTRAINT [FK Cvs Members] FOREIGN
KEY([MemberId])
REFERENCES [dbo].[Members] ([MemberId])
ALTER TABLE [dbo].[Cvs] CHECK CONSTRAINT [FK Cvs Members]
GO
ALTER TABLE [dbo].[CvSections] WITH CHECK ADD CONSTRAINT [FK CvSections Cvs] FOREIGN
KEY([CvId])
REFERENCES [dbo].[Cvs] ([CvId])
ALTER TABLE [dbo].[CvSections] CHECK CONSTRAINT [FK CvSections Cvs]
GO
ALTER TABLE [dbo].[CvSections] WITH CHECK ADD CONSTRAINT
[FK_CvSections_RefCvSections] FOREIGN KEY([CvSectionId])
REFERENCES [dbo].[RefCvSections] ([CvSectionCode])
GO
ALTER TABLE [dbo].[CvSections] CHECK CONSTRAINT [FK CvSections RefCvSections]
ALTER TABLE [dbo].[FRIEND] WITH CHECK ADD CONSTRAINT [FK FRIEND USER] FOREIGN
KEY([uid1])
REFERENCES [dbo].[USER] ([uid])
ALTER TABLE [dbo].[FRIEND] CHECK CONSTRAINT [FK FRIEND USER]
ALTER TABLE [dbo].[FRIEND] WITH CHECK ADD CONSTRAINT [FK FRIEND USER1] FOREIGN
KEY([uid2])
REFERENCES [dbo].[USER] ([uid])
GO
ALTER TABLE [dbo].[FRIEND] CHECK CONSTRAINT [FK FRIEND USER1]
G<sub>0</sub>
ALTER TABLE [dbo].[Members] WITH CHECK ADD CONSTRAINT [FK Members Addresses] FOREIGN
KEY([AddressId])
REFERENCES [dbo].[Addresses] ([AddressId])
GO
ALTER TABLE [dbo].[Members] CHECK CONSTRAINT [FK Members Addresses]
GO
ALTER TABLE [dbo].[Members] WITH CHECK ADD CONSTRAINT [FK Members Organizations]
FOREIGN KEY([OrganizationId])
REFERENCES [dbo].[Organizations] ([OrganizationId])
GO
ALTER TABLE [dbo]. [Members] CHECK CONSTRAINT [FK_Members_Organizations]
GO.
```

```
ALTER TABLE [dbo].[Members] WITH CHECK ADD CONSTRAINT [FK Members ProfileSections]
FOREIGN KEY([ProfileSectionId])
REFERENCES [dbo].[ProfileSections] ([ProfilSectionId])
ALTER TABLE [dbo]. [Members] CHECK CONSTRAINT [FK_Members_ProfileSections]
ALTER TABLE [dbo].[Members] WITH CHECK ADD CONSTRAINT [FK Members Recommendations]
FOREIGN KEY([MemberId])
REFERENCES [dbo].[Recommendations] ([MemberRecommendingId])
ALTER TABLE [dbo].[Members] CHECK CONSTRAINT [FK_Members_Recommendations]
ALTER TABLE [dbo].[Members] WITH CHECK ADD CONSTRAINT [FK Members RefMaritalStatus]
FOREIGN KEY([MaritalStatusCode])
REFERENCES [dbo].[RefMaritalStatus] ([MaritalStatusCode])
ALTER TABLE [dbo].[Members] CHECK CONSTRAINT [FK Members RefMaritalStatus]
ALTER TABLE [dbo].[MembersGroups] WITH CHECK ADD CONSTRAINT
[FK MembersGroups Groups] FOREIGN KEY([GroupId])
REFERENCES [dbo].[Groups] ([GroupId])
ALTER TABLE [dbo].[MembersGroups] CHECK CONSTRAINT [FK_MembersGroups Groups]
ALTER TABLE [dbo].[MembersGroups] WITH CHECK ADD CONSTRAINT
[FK_MembersGroups_Members] FOREIGN KEY([MemberId])
REFERENCES [dbo].[Members] ([MemberId])
ALTER TABLE [dbo].[MembersGroups] CHECK CONSTRAINT [FK_MembersGroups_Members]
GO
ALTER TABLE [dbo].[MembersProfiles] WITH CHECK ADD CONSTRAINT
[FK MembersProfiles Members] FOREIGN KEY([MemberId])
REFERENCES [dbo].[Members] ([MemberId])
ALTER TABLE [dbo].[MembersProfiles] CHECK CONSTRAINT [FK_MembersProfiles_Members]
ALTER TABLE [dbo].[NOTIFICATION] WITH CHECK ADD CONSTRAINT [FK_NOTIFICATION_USER]
FOREIGN KEY([sender id])
REFERENCES [dbo].[USER] ([uid])
ALTER TABLE [dbo].[NOTIFICATION] CHECK CONSTRAINT [FK_NOTIFICATION_USER]
ALTER TABLE [dbo].[PeopleBeingFallowed] WITH CHECK ADD CONSTRAINT
[FK PeopleBeingFallowed Members] FOREIGN KEY([MemberId])
REFERENCES [dbo].[Members] ([MemberId])
ALTER TABLE [dbo].[PeopleBeingFallowed] CHECK CONSTRAINT
[FK PeopleBeingFallowed Members]
GO
ALTER TABLE [dbo].[ProfileSections] WITH CHECK ADD CONSTRAINT
[FK_ProfileSections_RefProfileSections] FOREIGN KEY([ProfilSectionCode])
REFERENCES [dbo].[RefProfileSections] ([ProfileSectionCode])
GO
ALTER TABLE [dbo].[ProfileSections] CHECK CONSTRAINT
[FK ProfileSections RefProfileSections]
ALTER TABLE [dbo].[USER_MEMBER] WITH CHECK ADD CONSTRAINT [FK_USER_MEMBER_Members]
FOREIGN KEY([mid])
REFERENCES [dbo].[Members] ([MemberId])
ALTER TABLE [dbo].[USER MEMBER] CHECK CONSTRAINT [FK USER MEMBER Members]
GO
```

```
ALTER TABLE [dbo].[USER MEMBER] WITH CHECK ADD CONSTRAINT [FK USER MEMBER USER]
FOREIGN KEY([uid])
REFERENCES [dbo].[USER] ([uid])
ALTER TABLE [dbo].[USER MEMBER] CHECK CONSTRAINT [FK USER MEMBER USER]
ALTER TABLE [dbo].[Members] WITH CHECK ADD CONSTRAINT [CK Members] CHECK
((datediff(year,[DateOfBirth],getdate())>(18)))
ALTER TABLE [dbo].[Members] CHECK CONSTRAINT [CK Members]
ALTER TABLE [dbo].[Members] WITH CHECK ADD CONSTRAINT [CK Members 1] CHECK
((len([FirstName])>(0) AND len([LastName])>(0)))
ALTER TABLE [dbo].[Members] CHECK CONSTRAINT [CK_Members_1]
ALTER TABLE [dbo].[Members] WITH CHECK ADD CONSTRAINT [CK Members 2] CHECK
((len([Password])>=(4) AND len([Password])<=(8)))</pre>
GO
ALTER TABLE [dbo].[Members] CHECK CONSTRAINT [CK Members 2]
/***** Object: Trigger [dbo].[TriggerforDeleteAction] Script Date: 29.12.2014
12:34:42 *****/
SET ANSI NULLS ON
GO
SET QUOTED IDENTIFIER ON
create trigger [dbo].[TriggerforDeleteAction]
on [dbo].[Addresses]
 after delete
select * from deleted
/***** Object: Trigger [dbo].[AfterUpdate] Script Date: 29.12.2014 12:34:42
*****/
SET ANSI NULLS ON
G0
SET QUOTED IDENTIFIER ON
CREATE trigger [dbo].[AfterUpdate]
on [dbo].[Cvs]
 instead of update
 print('Cv güncellendi')
 select * from Cvs
*****/
SET ANSI_NULLS ON
SET QUOTED_IDENTIFIER ON
CREATE trigger [dbo].[AfterInsert]
on [dbo].[Organizations]
 instead of insert
print('Üye eklendi.')
```

