

Free Diagram Documentation

Link to diagram: https://app.quickdatabasediagrams.com/#/d/OfPyoX Modify this code to update the DB schema diagram. To reset the sample schema, replace everything with two dots ('..' - without quotes).

order

Field	Description	Туре	Default	Other
row_id		int		PK
order_id		varchar(10)		
created_at		datetime		FK
item_id		varchar(10)		FK
quantity		int		
cust_id		int		FK
delivery		boolean		
add_id		int		FK

customers

Field	Description	Туре	Default	Other
cust_id		int		PK, FK
cust_firstname		varchar(50)		
cust_lastname		varchar(50)		

address

Field	Description	Туре	Default	Other
add_id		int		PK, FK
delivery_address1		varchar(200)		
delivery_address2		varchar(200)		NULLABLE
delivery_city		varchar(50)		
delivery_zipcode		varchar(20)		

item

Field	Description	Туре	Default	Other
item_id		varchar(10)		PK, FK
sku		varchar(20)		FK
item_name		varchar(50)		
item_cat		varchar(50)		
item_size		varchar(20)		
item_price		decimal(5,2)		

QuickDBD-Free Diagram Page 1 of 3



ingredient

Field	Description	Туре	Default	Other
ing_id		varchar(10)		FK
ing_name		varchar(200)		
ing_weight		int		
ing_meas		varchar(20)		
ing_price		decimal(5,2)		

recipe

Field	Description	Type Defau	ult Other
row_id		int	PK
recipe_id		varchar(20)	FK
ing_id		varchar(10)	FK
quantity		int	

inventory

Field	Description	Туре	Default	Other
inv_id		int		PK
item_id		varchar(10)		FK
quantity		int		

rota

Field	Description	Туре	Default	Other
row_id		in		PK
rota_id		varchar(20)		
date		datetime		FK
shift_id		varchar(20)		FK
staff_id		varchar(20)		FK

shift

Field	Description	Туре	Default	Other
shift_id		varchar(20)		PK, FK
days_of_week		varchar(10)		
start_time		time		
end_frame		time		

staff

QuickDBD-Free Diagram Page 2 of 3



Field	Description	Туре	Default	Other
staff_id		varchar(20)		PK
first_name		varchar(50)		
last_name		varchar(50)		
position		varchar(100)		
hourly_rate		decimal(5,2)		

QuickDBD-Free Diagram Page 3 of 3