Text file

Example 1

```
package textfile;

import java.io.FileWriter;
import java.io.IOException;

public class FileWriterMain {

   public static void main(String[] args) throws IOException {

      FileWriter writer = new FileWriter("output.txt");

      writer.write("Hello all....\n");
      writer.write("Welcome to Java File Handling");

      writer.close();

      System.out.println("Data written successfully.");
   }
}
```

Example 2

```
package textfile;

import java.io.FileReader;
import java.io.IOException;


public class FileReaderMain {

   public static void main(String[] args) throws IOException {

     // FileReader reader = new FileReader("input1.txt");
      FileReader reader = new FileReader("input.txt");
      int data;

      //read method return type
      while ((data = reader.read()) != -1) {
         System.out.print((char) data);
           //System.out.print(data);
      }

      reader.close();
   }

}
```

Example 3

```
package textfile;

import java.io.BufferedWriter;
import java.io.FileWriter;
import java.io.IOException;

public class BufferedWriterMain {

    public static void main(String[] args) throws IOException {

        FileWriter writer = new FileWriter("output.txt");

        BufferedWriter bw = new BufferedWriter(writer);

        bw.write("Hello Students");
        bw.newLine();
        bw.write("Welcome to Java");
        bw.newLine();
        bw.write("File Handling is easy");

        bw.close();

        System.out.println("Data written successfully.");
    }
}
```

Example 4

```
package textfile;

import java.io.BufferedReader;
import java.io.FileReader;
import java.io.IOException;

public class BufferedReaderMain {

    public static void main(String[] args) throws IOException {

        FileReader reader = new FileReader("input.txt");

        BufferedReader br = new BufferedReader(reader);

        String line;

        while ((line = br.readLine()) != null) {
            System.out.println(line);
        }
```

```
        br.close();
    }
}
```

Binary File

Example 1

```
package binaryfile;

import java.io.FileOutputStream;
import java.io.IOException;

public class A_FileOutputStreamMain {

    public static void main(String[] args) throws IOException {

        FileOutputStream output = new FileOutputStream("output.txt");

        String text = "Hello Students";

        byte[] data = text.getBytes();

        /*
         we are writing bytes,
         but the text editor   interprets those bytes as text characters
         when it displays the file.
         */
        output.write(data);

        output.close();

        System.out.println("Data written successfully.");

    }
}
```

Example 2

```
package binaryfile;

import java.io.FileInputStream;
import java.io.IOException;

public class B_FileInputStreamMain {

            public static void main(String[] args) throws IOException {
```

```
        FileInputStream input = new FileInputStream("output.txt");

        int data;
       //Bytes are converted into character
        while ((data = input.read()) != -1) {
           System.out.print((char) data);
           //System.out.print(data);
        }

        input.close();
    }
}
```

Example 3

```
package binaryfile;


import java.io.FileInputStream;
import java.io.IOException;

public class C_FileInputStreamImageMain {

    public static void main(String[] args) throws IOException {

            FileInputStream input = new FileInputStream("java_image.jpg");

        int data;
        //FileInputStream reads the Image file as bytes.
        //Java gives us the byte value as a decimal number by default.
        while ((data = input.read()) != -1) {
           System.out.println(data);
        }

        input.close();
    }
}
```

Example 4

```
package binaryfile;

import javax.swing.ImageIcon;
import javax.swing.JFrame;
import javax.swing.JLabel;
import java.io.FileInputStream;
import java.io.FileOutputStream;
import java.io.IOException;

import java.io.FileReader;
```

```
import java.io.FileWriter;
import java.io.IOException;
public class D_CopyingImageMain {

   public static void main(String[] args) throws IOException {

      FileInputStream input = new FileInputStream("java_image.jpg");

      FileOutputStream output = new FileOutputStream("copy.jpg");

      int data;

      while ((data = input.read()) != -1) {
         output.write(data);
      }

      input.close();

      output.close();

      System.out.println("Image copied successfully.");


      // Display the image

      /*
      JFrame frame = new JFrame("Java Image");

      ImageIcon image = new ImageIcon("copy.jpg");

      JLabel label = new JLabel(image);

      frame.add(label);

      frame.setSize(600, 500);
      frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
      frame.setVisible(true);

          */
   }
}
```

Example 5

```
package binaryfile;

import java.io.FileReader;
import java.io.FileWriter;
import java.io.IOException;
```

```
public class E_FileReaderWriterImageMain {

    public static void main(String args[]) throws IOException {

        FileReader input = new FileReader("java_image.jpg");

        FileWriter output = new FileWriter("copy.jpg");

        int data;

        while ((data = input.read()) != -1) {

            output.write(data);

        }

        input.close();

        output.close();

        System.out.println("Image copied successfully.");
    }
}
```