Sending files from local repo to remote repo

Trainer's Name: Ms. Shanmuga Priya

PART - I

```
git config --global user.name "Your Name"
git config --global user.email "your@email.com"
```

```
git config --global user.name "Priya"
git config --global user.email “abc@gmail.com"
```


Name
Date modified
Type
Size
git-commands
09-09-2026 09:38 PM
File folder
git-practice
09-09-2026 09:37 PM
File folder
(D:)
git-practice
Select folder
Cancel

Explorer
git-practice


View
git-practice
Go
Run
Terminal
Help
New Terminal
Ctrl+Shift+`
Split Terminal
Ctrl+Shift+5

Problems Output Debug Console Terminal Ports

```
PS D:\CAIT\sep-10th\git-practice> git init
Reinitialized existing Git repository in D:/CAIT/sep-10th/git-practice/.git/
```




Sort
View
Type
Size
File folder
Extra large icons
Large icons
Medium-sized icons
Small icons
List
Details
Tiles
Content
Details pane
Preview pane
Show
Navigation pane
Compact view
Item check boxes
Show or hide the files and folders that are marked as hidden.
Hidden items

git config --global user.name "Your Name"
git config --global user.email your-email@example.com

git config --global –list

user.name = entered username
user.email = entered email




```
PS D:\CAIT\sep-10th\git-practice> git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        hello.txt

nothing added to commit but untracked files present (use "git add" to track)
```

Problems Output Debug Console Terminal Ports

```
PS D:\CAIT\sep-10th\git-practice> git add hello.txt
PS D:\CAIT\sep-10th\git-practice>
```

```
PS D:\CAIT\sep-10th\git-practice> git add hello.txt
PS D:\CAIT\sep-10th\git-practice> git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   hello.txt
```

```
PS D:\CAIT\sep-10th\git-practice> git commit -m "Adding hello text file"
[main (root-commit) 09c3995] Adding hello text file
 1 file changed, 1 insertion(+)
 create mode 100644 hello.txt
PS D:\CAIT\sep-10th\git-practice>
```

```
PS D:\CAIT\sep-10th\git-practice> git commit -m "Add greet file"
[main adf0cef] Add greet file
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 greet.txt
PS D:\CAIT\sep-10th\git-practice>
```

Creating repository



1 **General**

Great repository names are short and memorable. How about fictional-guide?

Owner *

P-r-i-y-a-S /

Repository name *

first-example

first-example is available.

Description

0 / 350 characters

2 **Configuration**

Choose visibility *

Choose who can see and commit to this repository

Public

Add README

READMEs can be used as longer descriptions. About READMEs

Off



https://github.com/P-r-i-y-a-S/first-example.git

Problems Output Debug Console Terminal Ports

```
PS D:\CAIT\sep-10th\git-practice> git remote add origin https://github.com/P-r-i-y
-a-S/first-example.git
PS D:\CAIT\sep-10th\git-practice>
```

```
PS D:\CAIT\sep-10th\git-practice> git push -u origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (6/6), 479 bytes | 239.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/P-r-i-y-a-S/first-example.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
PS D:\CAIT\sep-10th\git-practice>
```

P-r-i-y-a-S

Type / to search

Overview | Repositories 6 | Projects | Packages | Stars



Popular repositories

Customize your pin

EcommerceApp — Public	test — Public — HTML
testrepo — Public	test3 — Public
cait — Public	first-example — Public

P-r-i-y-a-S

Type / to search

Overview | Repositories 6 | Projects | Packages | Stars



P-r-i-y-a-S

Edit profile

Joined yesterday

Find a repository... | Type | Language | Sort | New

first-example Public — Star

Updated 1 minute ago

cait Public — Star

Updated 1 hour ago

test3 Public — Star

Updated 15 hours ago

testrepo Public — Star

Updated 15 hours ago


first-example
Public
Pin
main
1 Branch
0 Tags
Go to file
T
Add file
Code
P-r-i-y-a-S Add greet file
adf0cef · 6 minutes ago
2 Commits
greet.txt
Add greet file
6 minutes ago
hello.txt
Adding hello text file
18 minutes ago
README


P-r-i-y-a-S / first-example
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Files
main
Go to file
T
greet.txt
hello.txt
first-example / hello.txt
P-r-i-y-a-S Adding hello text file
Code
Blame
1 lines (1 loc) · 12 Bytes
1 Hello github


Files
main
Go to file
T
greet.txt
hello.txt
first-example / greet.txt
P-r-i-y-a-S Add greet file
Code
Blame
0 lines (0 loc) · 0 Bytes


Explorer
git-practice
greet.txt
M
hello.txt
hello.txt
greet.txt M
greet.txt
1 Greet file content

git-practice

- greet.txt
- hello.txt

greet.txt

```
1   Greet file content
```

Problems Output Debug Console Terminal Ports

```
PS D:\CAIT\sep-10th\git-practice> git add greet.txt
PS D:\CAIT\sep-10th\git-practice> git commit -m "added content in greet"
[main 01eb031] added content in greet
 1 file changed, 1 insertion(+)
```


P-r-i-y-a-S / first-example
Type /
Open menu
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
Files
main
Go to file
T
greet.txt
hello.txt
first-example / greet.txt
P-r-i-y-a-S Add greet file
Code
Blame
0 lines (0 loc) · 0 Bytes

```
PS D:\CAIT\sep-10th\git-practice> git add greet.txt
PS D:\CAIT\sep-10th\git-practice> git commit -m "added content in greet"
[main 01eb031] added content in greet
 1 file changed, 1 insertion(+)
PS D:\CAIT\sep-10th\git-practice> git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 301 bytes | 301.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/P-r-i-y-a-S/first-example.git
   adf0cef..01eb031  main -> main
PS D:\CAIT\sep-10th\git-practice>
```

Files

main

Go to file T

greet.txt

hello.txt

first-example / greet.txt

P-r-i-y-a-S added content in greet

Code Blame 1 lines (1 loc) · 19 Bytes

```
1    Greet file content
```


P-r-i-y-a-S / first-example
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Setting
Files
main
Go to file
T
greet.txt
hello.txt
first-example / greet.txt
P-r-i-y-a-S added content in greet
Code
Blame
1 lines (1 loc) · 19 Bytes
1 Greet file content

```
PS D:\CAIT\sep-10th\git-practice> git branch
* main
PS D:\CAIT\sep-10th\git-practice>
```

```
PS D:\CAIT\sep-10th\git-practice> git remote -v
origin  https://github.com/P-r-i-y-a-S/first-example.git (fetch)
origin  https://github.com/P-r-i-y-a-S/first-example.git (push)
PS D:\CAIT\sep-10th\git-practice>
```

git push -u origin main

↑

set the connection like here after using the repo(mentioned in orgin) and and using the main branch of that repo.

NEXT PUSHES

git push

↑

Git already knows where to push

So git push -u origin main is normally for the first push, and after that git push is enough.

Git Clone
PART - II

P-r-i-y-a-S

Type / to search

Overview | Repositories 6 | Projects | Packages | Stars

Find a repository... | Type | Language | Sort | New

first-example Public

Star

Great repository names are short and memorable. How about crispy-spork?

Owner *

P-r-i-y-a-S /

Repository name *

bank-app

bank-app is available.

Description

0 / 350 characters

2 **Configuration**

Choose visibility *

Choose who can see and commit to this repository

Public

Add README

Off

Add license

Licenses explain how others can use your code. About licenses

No license

Create repository


P-r-i-y-a-S / bank-app
Type / to search
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
bank-app
Public
Pin
Watch 0
Fork 0
Star 0
Set up GitHub Copilot
Use GitHub's AI pair programmer to autocomplete suggestions as you code.
Get started with GitHub Copilot
Add collaborators to this repository
Search for people using their GitHub username or email address.
Invite collaborators
Quick setup — if you've done this kind of thing before
Set up in Desktop
or
HTTPS
SSH
https://github.com/P-r-i-y-a-S/bank-app.git
Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.

Quick setup — if you've done this kind of thing before

Set up in Desktop or HTTPS SSH https://github.com/P-r-i-y-a-S/bank-app.git

Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.

bank-app / account.txt in main

Edit Preview

```
1   This is my new account
```

Cancel changes | Commit changes...

Spaces 2 No wrap


Commit changes
Commit message
I have created new account file
Extended description
Add an optional extended description...
Cancel
Commit changes


bank-app
Public
Pin
Watch
main
1 Branch
0 Tags
Go to file
T
Add file
Code
P-r-i-y-a-S I have created new account file
0a2980b · now
1 Commit
account.txt
I have created new account file
now
README


Project-cloning
09-09-2026 10:29 PM
File folder
(D:)
Project-cloning
Select folder
Cancel

Project...
bank-app
account.txt
Problems
Output
Terminal
powershell
PS D:\CAIT\sep-10th\Project-cloning> git clone https://github.com/P-r-i-y-a-S/bank-app.git
Cloning into 'bank-app'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
PS D:\CAIT\sep-10th\Project-cloning>


Project-cloning
bank-app
account.txt
bank-app > account.txt
1 This is my new account
2




```
PS D:\CAIT\sep-10th\Project-cloning> git status
fatal: not a git repository (or any of the parent directories): .git
PS D:\CAIT\sep-10th\Project-cloning> cd bank-app
PS D:\CAIT\sep-10th\Project-cloning\bank-app> git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
PS D:\CAIT\sep-10th\Project-cloning\bank-app>
```


P-r-i-y-a-S / bank-app
Type / to search
ode
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
bank-app
Public
Pin
Watch 0
main
1 Branch
0 Tags
Go to file
T
Add file
Code
Create new file
Upload files
P-r-i-y-a-S I have created new account file
0a298
account.txt
I have created new account file
12 minutes ago
README
About
No des
provid
Act
0 st
0 w
0 fc
Releas
No relea


bank-app / Payment in main
Cancel changes
Commit changes...
Edit
Preview
Spaces
2
No wrap
1 Adding content in payment file
Commit changes
Commit message
Create Payment
Extended description
Add an optional extended description...
Commit directly to the main branch
Create a new branch for this commit and start a pull request Learn more about pull requests
Cancel
Commit changes

bank-app

Public

Pin

main | 1 Branch | 0 Tags | Go to file T | Add file | Code

P-r-i-y-a-S Create Payment 39b4973 · now 2 Commits

Payment	Create Payment	now
account.txt	I have created new account file	14 minutes ago

README

bank-app
account.txt
Payment

```
1  This is my new account
2
```

Problems Output Terminal ··· powershell

```
PS D:\CAIT\sep-10th\Project-cloning\bank-app> git fetch
PS D:\CAIT\sep-10th\Project-cloning\bank-app> git status
On branch main
Your branch is behind 'origin/main' by 1 commit, and can be fast-forwarded
.
  (use "git pull" to update your local branch)

nothing to commit, working tree clean
PS D:\CAIT\sep-10th\Project-cloning\bank-app> git pull
Updating 0a2980b..39b4973
Fast-forward
 Payment | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 Payment
PS D:\CAIT\sep-10th\Project-cloning\bank-app>
```

Outline
Timeline


Explorer
Project-cloning
bank-app
account.txt
Payment
M
account.txt
Payment M
bank-app > Payment
1 Adding content in payment file
2 Adding details in payment

Problems Output Terminal ··· powershell

```
PS D:\CAIT\sep-10th\Project-cloning\bank-app> git add Payment
PS D:\CAIT\sep-10th\Project-cloning\bank-app> git commit -m "Added details
 on payment file"
[main 6901085] Added details on payment file
 1 file changed, 1 insertion(+)
PS D:\CAIT\sep-10th\Project-cloning\bank-app> git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 334 bytes | 167.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/P-r-i-y-a-S/bank-app.git
   39b4973..6901085  main -> main
PS D:\CAIT\sep-10th\Project-cloning\bank-app>
```


P-r-i-y-a-S / bank-app
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Setting
Files
main
Go to file
T
Payment
account.txt
bank-app / Payment
P-r-i-y-a-S Added details on payment file
Code
Blame
2 lines (2 loc) · 57 Bytes
1 Adding content in payment file
2 Adding details in payment

Creating branch
PART - III


P-r-i-y-a-S / bank-app
Type / to sear
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
Files
main
Go to file
T
Payment
account.txt
bank-app / Payment
P-r-i-y-a-S Added details on payment file
Code
Blame
2 lines (2 loc) · 57 Bytes
1 Adding content in payment file
2 Adding details in payment


Files
main
Switch branches/tags
Find or create a branch...
Branches
Tags
main
default
View all branches
bank-app / Payment
P-r-i-y-a-S Added details
Code
Blame
2 lines (2
1 Adding content in
2 Adding details in


Files
main
Switch branches/tags
branch1
Branches
Tags
Create branch branch1 from main
View all branches
bank-app / Payment
P-r-i-y-a-S Added detai
Code
Blame
2 lines
1 Adding content
2 Adding details


main
Switch branches/tags
Find or create a branch...
Branches
Tags
main
default
branch1
View all branches
bank-app / account.txt
P-r-i-y-a-S I have created new account file
Code
Blame
1 lines (1 loc) · 24 Bytes
1 This is my new account

Files

main

Go to file T

Payment

account.txt

bank-app / Payment

P-r-i-y-a-S Added details on payment file

Code Blame 2 lines (2 loc) · 57 Bytes

```
1   Adding content in payment file
2   Adding details in payment
```


branch1
Go to file
T
Payment
account.txt


P-r-i-y-a-S I have created new account file
Code
Blame
1 lines (1 loc) · 24 Bytes
1 This is my new account

P-r-i-y-a-S Added details on payment file

6901085 · 20 minutes ago History

Code Blame 2 lines (2 loc) · 57 Bytes

Raw

```
1  Adding content in payment file
2  Adding details in payment
```

bank-app / Payment in branch1

Cancel changes | Commit changes...

Edit | Preview

Spaces 2 No wrap

```
1  Adding content in payment file
2  Adding details in payment , updated payment details
```


Commit changes
Commit message
Update Payment
Extended description
Add an optional extended description...
Commit directly to the branch1 branch
Create a new branch for this commit and start a pull request Learn more about pull requests
Cancel
Commit changes



bank-app / Payment

P-r-i-y-a-S Update Payment

Code | Blame | 2 lines (2 loc) · 85 Bytes

```
1  Adding content in payment file
2  Adding details in payment , updated payment details
```

Files

main

Go to file T

Payment

account.txt

bank-app / Payment

P-r-i-y-a-S Added details on payment file

Code Blame 2 lines (2 loc) · 57 Bytes

```
1  Adding content in payment file
2  Adding details in payment
```

Creating Branch
PART - IV

P-r-i-y-a-S / ecommerce

Type / to search

Code | Issues | Pull requests | Actions | Projects | Wiki | Security and quality | Insights | Settings

ecommerce

Public

Pin | Watch 0 | For

Set up GitHub Copilot

Use GitHub's AI pair programmer to autocomplete suggestions as you code.

Get started with GitHub Copilot

Add collaborators to this repository

Search for people using their GitHub username or email

Invite collaborators

Quick setup — if you've done this kind of thing before

Set up in Desktop or HTTPS SSH https://github.com/P-r-i-y-a-S/ecommerce.git

Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.

...or create a new repository on the command line

```
echo "# ecommerce" >> README.md
```

Creating a file login-feature under main branch




ecommerce
Public
Pin
Wat
main
1 Branch
0 Tags
Go to file
T
Add file
Code
P-r-i-y-a-S Create login-feature
login-feature
Create login-feature
README
Add a READM
Help people interested in this repository
Add a README
Local
Codespaces
Clone
HTTPS
SSH
GitHub CLI
https://github.com/P-r-i-y-a-S/ecommerce.git
Clone using the web URL.
Open in GitHub Copilot app
Open with GitHub Desktop
Download ZIP


Explorer
git-branch-vs-code

git-branch-v...
ecommerce
login-feature
Problems
Output
Debug Console
Terminal
Ports
powershell
PS D:\CAIT\sep-10th\git-branch-vs-code> git clone https://github.com/P-r-i-y-a-S/ecommerce.git
Cloning into 'ecommerce'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
PS D:\CAIT\sep-10th\git-branch-vs-code>


git-branch-vs-code
ecommerce
login-feature
Problems
Output
Debug Console
Terminal
Ports
PS D:\CAIT\sep-10th\git-branch-vs-code> git branch
fatal: not a git repository (or any of the parent directories): .git
PS D:\CAIT\sep-10th\git-branch-vs-code> cd ecommerce
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git branch
* main
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce>

git switch -c payment-feature

Create payment-feature branch + Switch to payment-feature branch

```
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git branch
* main
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git switch -c payment-feature
Switched to a new branch 'payment-feature'
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git branch
  main
* payment-feature
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce>
```

Problems Output Debug Console Terminal Ports powershell

```
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git branch
* main
  payment-feature
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce>
```

Problems Output Debug Console Terminal Ports powershell

```
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git branch
* main
  payment-feature
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce>
```

Problems Output Debug Console Terminal Ports powershell

```
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git branch
* main
  payment-feature
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git switch payment-feature
Switched to branch 'payment-feature'
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce>
```


git-branch-v...
ecommerce
login-feature
payment.txt
U
ecommerce > payment.txt
1 Added payment feature
Problems
Output
Debug Console
Terminal
Ports
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git branch
main
* payment-feature
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce>

Problems Output Debug Console Terminal Ports powershell

```
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git add payment.txt
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git commit -m "added payment feature"
[payment-feature 7ee6946] added payment feature
 1 file changed, 1 insertion(+)
 create mode 100644 payment.txt
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce>
```


Explorer
git-branch-vs-code
ecommerce
login-feature
payment.txt
payment.txt
ecommerce > payment.txt
1 Added payment feature
Problems
Output
Debug Console
Terminal
Ports
powershell
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git add payment.txt
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git commit -m "added payment feature"
[payment-feature 7ee6946] added payment feature
1 file changed, 1 insertion(+)
create mode 100644 payment.txt
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git branch
main
* payment-feature
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce>


git-branch-vs-code
ecommerce
login-feature
Outline
ecommerce > payment.txt
1 Added payment feature
Problems
Output
Debug Console
Terminal
Ports
powersh
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git add payment.txt
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git commit -m "added payment f
[payment-feature 7ee6946] added payment feature
1 file changed, 1 insertion(+)
create mode 100644 payment.txt
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git branch
main
* payment-feature
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce>


Explorer
git-branch-vs-code
ecommerce
login-feature
payment.txt
payment.txt
ecommerce > payment.txt
1 Added payment feature
Problems
Output
Debug Console
Terminal
Ports
powershe
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git add payment.txt
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git commit -m "added payment fe
[payment-feature 7ee6946] added payment feature
1 file changed, 1 insertion(+)
create mode 100644 payment.txt
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git branch
main
* payment-feature


git-branch-vs-code
ecommerce
login-feature
payment.txt
ecommerce > payment.txt
1 Added payment feature
Problems
Output
Debug Console
Terminal
Ports
powershell
main
* payment-feature
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git merge payment-feature
Updating 66118d9..7ee6946
Fast-forward
payment.txt | 1 +
1 file changed, 1 insertion(+)
create mode 100644 payment.txt
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce> git branch
* main
payment-feature
PS D:\CAIT\sep-10th\git-branch-vs-code\ecommerce>
Outline

Creating Pull Request to Merge
PART - V


P-r-i-y-a-S / bank-app
Type / to sear
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
Files
main
Go to file
T
Payment
account.txt
bank-app / Payment
P-r-i-y-a-S Added details on payment file
Code
Blame
2 lines (2 loc) · 57 Bytes
1 Adding content in payment file
2 Adding details in payment


Files
main
Switch branches/tags
Find or create a branch...
Branches
Tags
main
default
View all branches
bank-app / Payment
P-r-i-y-a-S Added details
Code
Blame
2 lines (2
1 Adding content in
2 Adding details in


Files
main
Switch branches/tags
branch1
Branches
Tags
Create branch branch1 from main
View all branches
bank-app / Payment
P-r-i-y-a-S Added detai
Code
Blame
2 lines
1 Adding content
2 Adding details


main
Switch branches/tags
Find or create a branch...
Branches
Tags
main
default
branch1
View all branches
P-r-i-y-a-S I have created new account file
Code
Blame
1 lines (1 loc) · 24 Bytes
1 This is my new account

Files

main

Go to file T

Payment

account.txt

bank-app / Payment

P-r-i-y-a-S Added details on payment file

Code Blame 2 lines (2 loc) · 57 Bytes

```
1   Adding content in payment file
2   Adding details in payment
```

branch1

Go to file T

Payment

account.txt

P-r-i-y-a-S I have created new account file

Code Blame 1 lines (1 loc) · 24 Bytes

```
1    This is my new account
```

branch1 Payment file



bank-app / Payment in branch1

Cancel changes | Commit changes...

Edit | Preview

Spaces | 2 | No wrap

```
1  Adding content in payment file
2  Adding details in payment , updated payment details
```


Commit changes
Commit message
Update Payment
Extended description
Add an optional extended description...
Commit directly to the branch1 branch
Create a new branch for this commit and start a pull request Learn more about pull requests
Cancel
Commit changes

Files

branch1

Go to file T

Payment

account.txt

bank-app / Payment

P-r-i-y-a-S Update Payment

Code Blame 2 lines (2 loc) · 85 Bytes

```
1   Adding content in payment file
2   Adding details in payment , updated payment details
```


Files
main
Go to file
T
Payment
account.txt
bank-app / Payment
P-r-i-y-a-S Added details on payment file
Code
Blame
2 lines (2 loc) · 57 Bytes
1 Adding content in payment file
2 Adding details in payment


P-r-i-y-a-S / bank-app
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
Label issues and pull requests for new contributors
Dismiss
Now, GitHub will help potential first-time contributors discover issues labeled with good first issue
branch1 had recent pushes 1 minute ago
Compare & pull request
Filters
is:pr is:open
Labels 10
Milestones 0
New pull request
Welcome to pull requests!

Compare changes

Compare changes across branches, commits, tags, and more below. If you need to, you can also compare acros

base: main ... compare: main

Choose different branches or forks above to discuss and review changes. Learn about pull requests

Compare and review just ab

Branches, tags, commit ranges, and time ranges. In the

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also compare across forks or learn more about diff comparisons.

base: main ← compare: branch1 ✓ **Able to merge.** These branches can be automatically merged.

Discuss and review the changes in this comparison with others. Learn about pull requests

Create pull request

1 commit 1 file changed 1 contributor

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also compare across forks. Learn more about diff comp

base: main ← compare: branch1 ✓ Able to merge. These branches can be automatically merged.

Add a title *

Update Payment

Add a description

Write | Preview

Add your description here...

Markdown is supported | Paste, drop, or click to add files

Create pull request

Remember, contributions to this repository should follow our GitHub Community Guidelines.

Issues | Pull requests 1 | Actions | Projects | Wiki | Security and quality | Insights | Settings

Label issues and pull requests for new contributors

Now, GitHub will help potential first-time contributors discover issues labeled with good first issue

Filters | is:pr is:open | Labels 10 | M

1 Open | 0 Closed | Author | Label | Projects | Milestones

Update Payment

#1 opened now by P-r-i-y-a-S Owner

ProTip! Find everything you created by searching author:P-r-i-y-a-S.


Issues
Pull requests 1
Actions
Projects
Wiki
Security and q
Update Payment #1
Open
P-r-i-y-a-S wants to merge 1 commit into main from branch1
Conversation 0
Commits 1
Checks 0
Files changed 1
P-r-i-y-a-S commented 1 minute ago
No description provided.
Update Payment
No conflicts with base branch
Merging can be performed automatically.
Merge pull request
You can also merge this with the command line. View command line



Add a comment

Pull request successfully merged and closed

You're all set — the `branch1` branch can be safely deleted.

Delete branch

None ye

Projects

None ye


P-r-i-y-a-S / bank-app
Type / to searc
Code
Issues
Pull requests 1
Actions
Projects
Wiki
Security and quality
Insights
Settings
Label issues and pull requests for new contributors
Now, GitHub will help potential first-time contributors discover issues labeled with good first issue
Filters
is:pr is:open
Labels 10
0 Open
1 Closed
Author
Label
Projects
Milestones
There aren't any open pull requests.

P-r-i-y-a-S / bank-app

Code | Issues | Pull requests 1 | Actions | Projects | Wiki | Security and quality | Insights | Setting

Files

main

Go to file T

Payment

account.txt

bank-app / Payment

P-r-i-y-a-S Update Payment

Code | Blame | 2 lines (2 loc) · 85 Bytes

```
1  Adding content in payment file
2  Adding details in payment , updated payment details
```

Merge Conflict
PART - VI

Mom – main branch daughter – branch1 and son – branch2

Real-life situation	Git concept
👩 Mom: “Let’s make Biryani for dinner today.”	main → Biryani
👧 Daughter: “Mom, you should make Chicken Biryani. This is what I want.”	branch1 → Chicken Biryani change
👧 Daughter: “Please save this change exactly as I said. Even if I ask tomorrow, this is still my choice.”	Commit → Saves the change as a version
👩 Mom: “Okay, I will take your choice into the main decision.”	branch1 → main merge
🍗 Current main decision	Chicken Biryani
👦 Son: “Mom, you should make Mushroom Biryani. This is what I want.”	branch2 → Mushroom Biryani change
👦 Son: “Please save my choice exactly as I said.”	Commit → Saves the change as a version
👩 Mom has already decided on Chicken Biryani	main already contains branch1's change
👩 Mom: “Okay, now I will add your Mushroom Biryani choice too.”	branch2 → main merge
😳 Mom: “But I already decided on Chicken Biryani, and now you are asking for Mushroom Biryani. Which one should I choose?”	Git(main) cannot automatically decide
💥	Merge Conflict


P-r-i-y-a-S / merge-conflict
Type / to search
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
merge-conflict
Public
Pin
Watch 0
Fork 0
Star 0
Set up GitHub Copilot
Use GitHub's AI pair programmer to autocomplete suggestions as you code.
Get started with GitHub Copilot
Add collaborators to this repository
Search for people using their GitHub username or email address.
Invite collaborators
Quick setup — if you've done this kind of thing before
Set up in Desktop
or
HTTPS
SSH
https://github.com/P-r-i-y-a-S/merge-conflict.git
Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.
...or create a new repository on the command line
echo "# merge-conflict" >> README.md
git init
git add README.md
git commit -m "first commit"


P-r-i-y-a-S / merge-conflict
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
merge-conflict / test.txt in main
Cancel changes
Commit changes...
Edit
Preview
Spaces
2
No wrap
1 food - biriyani


P-r-i-y-a-S / merge-conflict
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and c
main
merge-conflict / test.txt
Switch branches/tags
branch1
Branches
Tags
Create branch branch1 from main
View all branches



merge-conflict / test.txt

P-r-i-y-a-S Create test.txt

Code | Blame | 1 lines (1 loc) · 16 Bytes

```
1    food - biriyani
```


main
Switch branches/tags
branch2
Branches
Tags
Create branch branch2 from main
View all branches
P-r-i-y-a-S
Code
Blame
1
food


P-r-i-y-a-S / merge-conflict
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Setti
Files
branch2
Go to file
T
test.txt
merge-conflict / test.txt
P-r-i-y-a-S Create test.txt
Code
Blame
1 lines (1 loc) · 16 Bytes
1 food - biriyani


P-r-i-y-a-S / merge-conflict
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
Files
branch1
Go to file
T
test.txt
merge-conflict / test.txt in branch1
Cancel changes
Commit chang
Edit
Preview
Spaces
2
Soft wrap
1 food - Chicken biriyani
2


P-r-i-y-a-S / merge-conflict
Type / to search
ode
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
Label issues and pull requests for new contributors
Dismiss
Now, GitHub will help potential first-time contributors discover issues labeled with good first issue
branch1 had recent pushes 2 minutes ago
Compare & pull request
branch2 had recent pushes less than a minute ago
Compare & pull request
Filters
is:pr is:open
Labels 10
Milestones 0
New pull request
Welcome to pull requests!


P-r-i-y-a-S / merge-conflict
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
Comparing changes
Choose two branches to see what's changed or to start a new pull request. If you need to, you can also compare across forks or learn more about diff comparisons.
base: main
compare: branch1
Able to merge. These branches can be automatically merged.
Discuss and review the changes in this comparison with others. Learn about pull requests
Create pull request
1 commit
1 file changed
1 contributor
Commits on Sep 10, 2026
Update biriyani to Chicken biriyani
P-r-i-y-a-S authored 2 minutes ago
Verified
7b1a024
Showing 1 changed file with 1 addition and 1 deletion.
Split
Unified
2
test.txt
@@ -1 +1 @@
- food - biriyani
+ food - Chicken biriyani

Add a title *

Update biriyani to Chicken biriyani

Add a description

Write | Preview

Add your description here...

Markdown is supported | Paste, drop, or click to add files

Create pull request

Review
No revi
Assign
No one
Labels
None y
Project
None y
Milest
No mil
Develo
Use Cl
autom
Helpfu


P-r-i-y-a-S / merge-conflict
Type / to search
Code
Issues
Pull requests 1
Agents
Actions
Projects
Wiki
Security and quality
Insights
Settings
Label issues and pull requests for new contributors
Now, GitHub will help potential first-time contributors discover issues labeled with good first issue
branch2 had recent pushes 2 minutes ago
Filters
is:pr is:open
Labels 10
1 Open
0 Closed
Author
Label
Projects
Milestones
Update biriyani to Chicken biriyani
#1 opened now by P-r-i-y-a-S Owner


P-r-i-y-a-S / merge-conflict
Type /
Issues
Pull requests 1
Agents
Actions
Projects
Wiki
Security and quality
Insights
Update biriyani to Chicken biriyani #1
Open
P-r-i-y-a-S wants to merge 1 commit into main from branch1
Conversation 0
Commits 1
Checks 0
Files changed 1
P-r-i-y-a-S commented 1 minute ago
Owner
No description provided.
Update biriyani to Chicken biriyani
Verified
7b1a024
No conflicts with base branch
Merging can be performed automatically.
Merge pull request
You can also merge this with the command line. View command line instructions.

Pull request successfully merged and closed

You're all set — the `branch1` branch can be safely deleted.

Delete branch

P-r-i-y-a-S / merge-conflict

Code | Issues | Pull requests 1 | Agents | Actions | Projects | Wiki | Security and qualit

Files

main

Go to file T

test.txt

merge-conflict / test.txt

P-r-i-y-a-S Update biriyani to Chicken biriyani

Code | Blame | 1 lines (1 loc) · 24 Bytes

```
1    food - Chicken biriyani
```


main
Switch branches/tags
branch2
Branches
Tags
Create branch branch2 from main
View all branches
P-r-i-y-a-S
Code
Blame
1
food


P-r-i-y-a-S / merge-conflict
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Setti
Files
branch2
Go to file
T
test.txt
merge-conflict / test.txt
P-r-i-y-a-S Create test.txt
Code
Blame
1 lines (1 loc) · 16 Bytes
1 food - biriyani


P-r-i-y-a-S / merge-conflict
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
Files
branch2
Go to file
T
test.txt
merge-conflict / test.txt in branch2
Cancel changes
Commit changes...
Edit
Preview
Spaces
2
Soft wrap
1 food - mushroom biriyani
2


P-r-i-y-a-S / merge-conflict
Type / to search
Code
Issues
Pull requests 1
Agents
Actions
Projects
Wiki
Security and quality
Insights
Settings
Comparing changes
Choose two branches to see what's changed or to start a new pull request. If you need to, you can also compare across forks or learn more about diff comparisons.
base: main
compare: branch2
Can't automatically merge. Don't worry, you can still create the pull request.
Discuss and review the changes in this comparison with others. Learn about pull requests
Create pull request
1 commit
1 file changed
1 contributor
Commits on Sep 10, 2026
Change biriyani type from 'chicken' to 'mushroom'
P-r-i-y-a-S authored 3 minutes ago
Verified
80bfe3c
Showing 1 changed file with 1 addition and 1 deletion.
Split
Unified
2
test.txt


This branch has conflicts that must be resolved
Use the web editor or the command line to resolve conflicts before continuing.
test.txt
Resolve conflicts
Merge pull request
You can also merge this with the command line. View command line instructions.
Still in progress? Convert to draft
Label
None
Proje
None
Miles
No m
Devel


P-r-i-y-a-S / merge-conflict
Type / to search
Code
Issues
Pull requests 1
Agents
Actions
Projects
Wiki
Security and quality
Insights
Settings
Change biriyani type from 'chicken' to 'mushroom' #2
Resolving conflicts between branch2 and main and committing changes → branch2
1 conflicting file
test.txt
test.txt
test.txt
1 conflict
Prev
Accept current change | Accept incoming change | Accept both changes
1 <<<<<<< branch2 (Current change)
2 food - mushroom biriyani
3 =======
4 food - Chicken biriyani
5 >>>>>>> main (Incoming change)
6

test.txt 1 conflict Prev Next Mark as resolved

```
1    food - Chicken biriyani
2
```

Commit merge

✓ Resolved

P-r-i-y-a-S / merge-conflict

Type / to search

Code | Issues | Pull requests 1 | Agents | Actions | Projects | Wiki | Security and quality | Insights | Setting

Files

main

Go to file T

test.txt

merge-conflict / test.txt

P-r-i-y-a-S Update biriyani to Chicken biriyani

Code | Blame | 1 lines (1 loc) · 24 Bytes

```
1    food - Chicken biriyani
```

Real-life situation	Git concept
👩 Mom: “Let’s make Biryani for dinner today.”	main → Biryani
👧 Daughter: “Mom, you should make Chicken Biryani. This is what I want.”	branch1 → Chicken Biryani change
👧 Daughter: “Please save this change exactly as I said. Even if I ask tomorrow, this is still my choice.”	Commit → Saves the change as a version
👩 Mom: “Okay, I will take your choice into the main decision.”	branch1 → main merge
🍗 Current main decision	Chicken Biryani
👦 Son: “Mom, you should make Mushroom Biryani. This is what I want.”	branch2 → Mushroom Biryani change
👦 Son: “Please save my choice exactly as I said.”	Commit → Saves the change as a version
👩 Mom has already decided on Chicken Biryani	main already contains branch1's change
👩 Mom: “Okay, now I will add your Mushroom Biryani choice too.”	branch2 → main merge
😳 Mom: “But I already decided on Chicken Biryani, and now you are asking for Mushroom Biryani. Which one should I choose?”	Git cannot automatically decide
💥	Merge Conflict

Pull Conflict
PART - VII

1 **General**

Great repository names are short and memorable. How about jubilant-dollop?

Owner *

P-r-i-y-a-S /

Repository name *

pull-conflict

pull-conflict is available.

Description


P-r-i-y-a-S / pull-conflict
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
pull-conflict
Public
Pin
Watch 0
Fork 0
Star 0
Set up GitHub Copilot
Use GitHub's AI pair programmer to autocomplete suggestions as you code.
Get started with GitHub Copilot
Add collaborators to this repository
Search for people using their GitHub username or email address.
Invite collaborators
Quick setup — if you've done this kind of thing before
Set up in Desktop
or
HTTPS
SSH
https://github.com/P-r-i-y-a-S/pull-conflict.git
Get started by creating a new file or uploading an existing file. We recommend every repository include a README, LICENSE, and .gitignore.

File
Edit
Selection
View
pull-conflict-example
Explorer
pull-conflict-example

pull-conflict-example
pull-conflict
Problems
Output
Debug Console
Terminal
Ports
powershell
PS D:\CAIT\sep-10th\pull-conflict-example> git clone https://github.com/P-r-i-y-a-S/pull-conflict.g
it
Cloning into 'pull-conflict'...
warning: You appear to have cloned an empty repository.
PS D:\CAIT\sep-10th\pull-conflict-example>


pull-conflict-example
pull-conflict
payment.txt
U
pull-conflict > payment.txt
1 Payment feature
Problems
Output
Debug Console
Terminal
Ports
PS D:\CAIT\sep-10th\pull-conflict-example> git clone https://github
it
Cloning into 'pull-conflict'...
warning: You appear to have cloned an empty repository.
PS D:\CAIT\sep-10th\pull-conflict-example> cd pull-conflict
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict>
fwd-i-search: _

Problems Output Debug Console Terminal Ports powershell

```
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict> git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        payment.txt

nothing added to commit but untracked files present (use "git add" to track)
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict>
```


pull-conflict-example
pull-conflict
payment.txt
A
pull-conflict › payment.txt
1 Payment feature
Problems
Output
Debug Console
Terminal
Ports
powershell
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict> git status
On branch main
No commits yet
Untracked files:
(use "git add <file>..." to include in what will be committed)
payment.txt
nothing added to commit but untracked files present (use "git add" to track)
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict> git add payment.txt
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict>

CAIT
EDUSYS Pvt. Ltd.

pull-conflict-example

pull-conflict

payment.txt

pull-conflict > payment.txt

```
1   Payment feature
```

Problems Output Debug Console Terminal Ports powershell

```
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        payment.txt

nothing added to commit but untracked files present (use "git add" to track)
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict> git add payment.txt
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict> git commit -m "Added payment file
[main (root-commit) 7b71974] Added payment file
 1 file changed, 1 insertion(+)
 create mode 100644 payment.txt
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict>
```

Outline

Timeline

Explorer

pull-conflict-example

pull-conflict

payment.txt

payment.txt

pull-conflict > payment.txt

```
1  Payment feature
```

Problems Output Debug Console Terminal Ports powershell

```
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict> git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 238 bytes | 119.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/P-r-i-y-a-S/pull-conflict.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict>
```


P-r-i-y-a-S / pull-conflict
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
Files
main
Go to file
T
payment.txt
pull-conflict / payment.txt
P-r-i-y-a-S Added payment file
7
Code
Blame
1 lines (1 loc) · 15 Bytes
1 Payment feature

pull-conflict / payment.txt in main

Cancel changes | Commit changes...

Edit | Preview

Spaces 2 Soft wrap

```
1   Payment feature added in GitHub
```

pull-conflict / payment.txt

P-r-i-y-a-S Update payment.txt

Code | Blame | 1 lines (1 loc) · 32 Bytes

```
1    Payment feature added in GitHub
```


Explorer
pull-conflict-example
pull-conflict
payment.txt
payment.txt
pull-conflict > payment.txt
1 Payment feature


Explorer
pull-conflict-example
pull-conflict
payment.txt
M
payment.txt M
pull-conflict > payment.txt
1 Payment feature added in VS Code

Problems Output Debug Console Terminal Ports powershell

```
branch 'main' set up to track 'origin/main'.
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict> git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   payment.txt

no changes added to commit (use "git add" and/or "git commit -a")
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict>
```

Explorer
pull-co...
pull-conflict
payment.txt
payment.txt
pull-conflict > payment.txt
1 Payment feature added in VS Code
Problems
Output
Debug Console
Terminal
Ports
powershell
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict> git add payment.txt
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict> git commit -m "Update payment feature locally"
[main 88bdc48] Update payment feature locally
1 file changed, 1 insertion(+), 1 deletion(-)
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict>


Explorer
pull-conflict-example
pull-conflict
payment.txt
payment.txt
pull-conflict > payment.txt
1 Payment feature added in VS Code


P-r-i-y-a-S / pull-conflict
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
Files
main
Go to file
T
payment.txt
pull-conflict / payment.txt
P-r-i-y-a-S Update payment.txt
Code
Blame
1 lines (1 loc) · 32 Bytes
1 Payment feature added in GitHub

payment.txt ↓M, !

pull-conflict > payment.txt

Accept Current Change | Accept Incoming Change | Accept Both Changes | Compare Changes

```
1  <<<<<<< HEAD (Current Change)
2  Payment feature  added in VS Code
3  =======
4  Payment feature added in GitHub
5  >>>>>>> 5a54fab65969084ee78829e6dbb687aea1e6433e (Incoming Change)
6
```

Resolve in Merge Editor

Problems Output Debug Console Terminal Ports powershell

```
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict> git pull
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 927 bytes | 92.00 KiB/s, done.
From https://github.com/P-r-i-y-a-S/pull-conflict
   7b71974..5a54fab  main       -> origin/main
Auto-merging payment.txt
CONFLICT (content): Merge conflict in payment.txt
Automatic merge failed; fix conflicts and then commit the result.
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict>
```

Problems Output Debug Console Terminal Ports

```
  (use "git pull" if you want to integrate the remote branch with yours)

You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Unmerged paths:
  (use "git add <file>..." to mark resolution)
        both modified:   payment.txt

no changes added to commit (use "git add" and/or "git commit -a")
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict>
```


Explorer
pull-conflict-example
pull-conflict
payment.txt ↓M, !
payment.txt ↓M, !
pull-conflict > payment.txt
1
2 Payment feature added in VS Code
3
4
Problems Output Debug Console Terminal Ports
(use "git pull" if you want to integrate the remote branch with yo
You have unmerged paths.
(fix conflicts and run "git commit")
(use "git merge --abort" to abort the merge)
Unmerged paths:
(use "git add <file>..." to mark resolution)
both modified: payment.txt
no changes added to commit (use "git add" and/or "git commit -a")
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict>


Explorer
pull-co...
pull-conflict
payment.txt
payment.txt
pull-conflict > payment.txt
1
2 Payment feature added in VS Code
3
4
Problems
Output
Debug Console
Terminal
Ports
powershell
Unmerged paths:
(use "git add <file>..." to mark resolution)
both modified: payment.txt
no changes added to commit (use "git add" and/or "git commit -a")
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict> git add payment.txt
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict> git commit -m "Resolve payment conflict"
[main 2c95b9d] Resolve payment conflict
PS D:\CAIT\sep-10th\pull-conflict-example\pull-conflict> git push
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (6/6), 579 bytes | 144.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/P-r-i-y-a-S/pull-conflict.git
Outline
Timeline


github.com/P-r-i-y-a-S/pull-conflict/blob/main/payment.txt
Adobe Acrobat
Files
main
Go to file
T
payment.txt
pull-conflict / payment.txt
P-r-i-y-a-S Resolve payment conflict
Code
Blame
3 lines (1 loc) · 36 Bytes
1
2
Payment feature added in VS Code

THANK YOU