









p public class with proteced member q






p public class with private member q






p q

public class with public member




class with default access specifier



class with public access specifier

A



public class with default member

default member - private within that package

Example 1: System.out.println(s1.compareTo(s2))

String s1 = "apple"
String s2 = "apple"

s1	a	p	p	l	e
	97	112	112	108	101

s2	a	p	p	l	e
	97	112	112	108	101

Subtraction:
97 - 97 = 0
112 - 112 = 0
112 - 112 = 0
108 - 108 = 0
101 - 101 = 0

Since all characters are equal, s1.compareTo(s2) returns 0.
System.out.println(s1.compareTo(s2)) prints 0.

Example 2: System.out.println(s1.compareTo(s3))

String s1 = "apple"
String s3 = "orange"

s1	a	p	p	l	e
	97				

s3	o	r	a	n	g	e
	111					

Subtraction:
97 - 111 = -14

Since the result is non-zero, compareTo() stops here.

s1.compareTo(s3) returns -14.
System.out.println(s1.compareTo(s3)) prints -14.

Example 3: System.out.println(s1.compareTo(s4))

String s1 = "apple"
String s4 = "apply"

s1	a	p	p	l	e
	97	112	112	108	101

s4	a	p	p	l	y
	97	112	112	108	121

Subtraction:
97 - 97 = 0
112 - 112 = 0
112 - 112 = 0
108 - 108 = 0
101 - 121 = -20

s1.compareTo(s4) returns a negative value.
System.out.println(s1.compareTo(s4)) prints a negative value.

Example 4: System.out.println(s1.compareTo(s5))

String s1 = "apple"
String s5 = "ant"

s1	a	p	p	l	e
	97	112			

s5	a	n	t

97 110

Subtraction:
97 - 97 = 0
112 - 110 = 2

s1.compareTo(s5) returns 2.
System.out.println(s1.compareTo(s5)) prints 2.