



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company

Aqua-Aerobic® MBR Membrane Bioreactor System

Why MBR?



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company


- Project requires membrane-quality effluent in a small footprint
 - Available space is limited
 - Flow can be increased up to 2.5x through existing system

4,000 mg/l MLSS



1 MGD SBR Basin with UF Train

10,000 mg/l MLSS




1 MGD Bioreactor with UF Train

Aqua-Aerobic® MBR

Membrane Bundle





AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company



- Support braid imbedded in membrane
- No top header for debris to collect
- Air scour integral to bottom header

Aqua-Aerobic® MBR

Membrane Features




- Thin filtration layer results in low TMP
- Large bore means lower pressure drop
- UF membrane has no minimum MLSS
 - Greater turn-down



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company

Aqua-Aerobic® MBR

Fewer Basins and Pumps






AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company

Aqua-Aerobic® MBR

Fewer Basins and Pumps




- All treatment done in a single basin
- Internal recycle eliminates two pumps

Aqua-Aerobic® MBR

Less Power Usage at High Flows



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company




- F_{opt} requires half the air as F_{pk}

Aqua-Aerobic® MBR

Much Less Power Usage at Low Flows



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company




- The PLC synchronizes the membrane relaxation mode with the bioreactor anoxic mode
 - All pumps and blowers are off


Aqua-Aerobic® MBR

Less Sludging

Other Hollow
Fiber Membranes



Aqua Membranes Have No Top Header




AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company


Aqua-Aerobic® MBR

Less Sludging

Other Hollow
Fiber Membranes



Aqua Membranes Have Integral Air Scour



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company


Aqua-Aerobic® MBR

Less Sludging




AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company

Flat Sheet
Membranes



Aqua Membranes Can
Be Backflushed

Rejected
Biomass




Aqua-Aerobic® MBR

Installation at Riverhead, NY



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company

- Adapted existing system to BNR
 - Converted SBR basins to bioreactors
 - Converted equalization basins to membrane tanks
- 1.6 MGD equalized flow
- Lowers total nitrogen levels to less than 3 mg/l
- Phased approach allowed plant to meet flow/limits during transition





AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company

Aqua-Aerobic® MBR Membrane Bioreactor System
