



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company

AquaABF®

Automatic Backwash Filter

Traveling Bridge Filtration



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company



AquaABF[®] Filter



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company



Design Criteria

- ≤ 2 gpm/ft² at ADF
- ≤ 5 gpm/ft² at MDF
- 1.2 lbs TSS / ft²-day

AquaABF[®] Filter

Packaged Design



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company



AquaABF[®] Filter

Concrete Design




AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company



AquaABF[®] Schematic



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company




AquaABF® Filter

Filtering Mode



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company




AquaABF[®] Filter

Backwash Mode



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company




AquaABF[®] Filter

Cell Transition



AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company





AQUA-AEROBIC SYSTEMS, INC.
A Metawater Company

AquaABF®

Automatic Backwash Filter