

Solutions for *Elementary Mathematical Analysis*

You'll need to create a new file for the solution of each problem in the solutions subdirectory. Also, if you rename your main file, change TextbookExample in this document (two places) to your new name.

Contents

Table of Contents	iii
1 Solutions	1
1.1 Introduction	1
1.2 Functions	1
1.3 Limits	3
1.4 Parents	4
1.5 Transformations	5
1.6 Powers	7
1.7 Polynomials	9
1.8 Logarithms	9
1.9 Infinities	11
1.10 Circles	13
1.11 Identities	13
1.12 Triangles	14
1.13 Polar	14
1.14 Regressions	14
1.15 Probabilities	14
1.16 Sequences	14
1.17 Radices	14
1.18 Prerequisites	14
1.19 Matrices	16
1.20 Vectors	16
1.21 Conics	16
1.22 Solutions	16
1.23 Bibliography	16

Chapter 1

Solutions

1.1 Introduction

1.2 Functions

1.2.1 1.1 - Patterns All Around Us

L1 (0101LabPick)

Answer vary. Ex. “I am choosing to model ceiling tiles in my classroom, directly above my head.” or “I choose to count fence posts on the picket-fence in the hallway.”

L2 (0101LabMeasure)

Individual results will vary.

L3 (0101LabVar)

It makes the most sense for length to be dependent upon the number of items, not the other way around. We can freely choose the number of item we want to measure, so that is independent.

L4 (0101LabPlot)

Individual results will vary.

L5 (0101LabFunction)

$L(n) = m \cdot n$, where m is the length of 1 item.

L6 (0101LabDR)

The upper end is very situation-specific, the minimum means they should both begin: [0,...

L7 (0101LabExtra)

‘Intra’ means ‘within’ and ‘extra’ means ‘outside’. Interpolation is finding a new data point between existing ones. Extrapolating is going beyond existing data to project new possibilities, such as 100 items.

L8 (0101LabPoint)

Individual results with vary.

1.2.2 1.4 - Through the Looking Glass


L1 (0104LabTable)

e.g. 2^4 is positive, 2^3 is positive, $(-2)^4$ is positive, and $(-2)^3$ is negative.

L2 (0104LabSquared)


see next

L3 (0104LabEven)



L4 (0104LabCubed)

see next

L5 (0104LabOdd)**L6 (0104LabDescribe)**

Even graphs are symmetric across the x -axis, while odd graphs are symmetric across the origin.

L7 (0104LabSentences)

Even: $f(x) = f(-x)$. Odd: $f(x) = -f(-x)$.

L8 (0104LabBeauty)

Individual results vary. Often, evenly symmetrical objects appear more human, while odd and rotational symmetries appear impersonal. Human faces and bodies are even.

L9 (0104LabPoint)

Individual results vary.

1.2.3 Section 1.5 Exercises**P1 (0105Quad1)**

- a. $y \approx 1.09578x^2 - 2.69643x + 1.13637$
- b. $y \approx -1.48736x^2 + 5.86598x - 8.11229$

P2 (0105Quad2)

- a. $y \approx -0.57142x^2 + 2.2x + 1.94286$
- b. $y \approx -1.48736x^2 + 5.86598x - 8.11229$

P3 (0105Arch)

- a. $23.557x - 24.427$
- b. 1248 cm

P4 (0105ModelDay)

From day 28 to 314, hence 286 days.

P5 (0105Hourly)

- a. insert graphic
- b. $y \approx .4089x + 9.8601$
- c. 98.6%. It would seem so...
- d. $0.0124x^2 + .2473x + 10.1241$
- e. 99.8%. Yes, more so than the linear.
- f. Individual results will vary.

P6 (0105traffic)

- a. $y \approx -0.00746x^2 + 1.14821x + 4.80714$
- b. 47.9 ft

P7 (0105LM1)

- a. $\frac{2}{5}x + \frac{5}{2} = y$
- b. $0 = y$
- c. $\frac{23}{11}x - \frac{27}{22} = y$
- d. $\frac{9}{23}x - \frac{19}{5} = y$

P8 (0105LM2)

- a. $-\frac{5}{4}x - \frac{3}{4} = y$
- b. $x = y$
- c. $-4x + \frac{11}{3} = y$
- d. $-\frac{484}{225}x + \frac{7894}{5625} = y$

P9 (0105high)

NY $y \approx 25.61 \cdot \sin(.5090x - 2.0685) + 56.8797$

DC $y \approx 22.7410 \cdot \sin(.4946x - 1.9503) + 65.3889$

TX $y \approx 17.742 \cdot \sin(.5043x - 2.0110) + 79.1803$

They will never intersect.

P10 (0105sun)

- a. $y \approx 32.2267 \sin(.3993x - .5706) + 26.9744$
- b. 40.3

P11 (0105newton)

- a. insert graphic
- b. $r^2=99.98\%$
- c. $T(x) \approx 118.0705 \cdot .9511^x + 72.$
- d. It seems exceedingly close to the data.

1.3 Limits**1.3.1 2.1 - Removing the Hole****L1** (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

L9 (lab:L9)

No Solution File Found

L10 (lab:L10)

No Solution File Found

L11 (lab:L11)

No Solution File Found

1.3.2 Section 2.1 Exercises**P1** (0201Remove1)

- a. 5
- b. $\frac{1}{6}$
- c. 5
- d. $\frac{11}{12}$
- e. $-\frac{1}{9}$
- f. $-\frac{1}{2}$

P2 (0201Remove2)

- a. 3
- b. $\frac{3}{2}$
- c. 0
- d. $\frac{3}{7}$
- e. $-\frac{4}{5}$
- f. $\frac{1}{8}$

1.3.3 2.5 - Extremely Average**L1** (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

1.4 Parents

1.4.1 3.1 - In Pieces

L1 (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

1.4.2 Section 3.1 Exercises

P1 (0301ParaPerpA)

a. a) $y = -x - 1$ b) $y = x + 5$

b. a) $y = -\frac{5}{3}x + \frac{53}{24}$ b) $y = \frac{3}{5}x + \frac{9}{40}$

c. a) $x = 2$ b) $y = 5$

d. a) $y = 1$ b) $x = 2$

e. a) $y = -3x - 13.1$ b) $y = \frac{1}{3}x - 0.1$

P2 (0301ParaPerpB)

No Solution File Found

P3 (0301GrapherA)

a is parallel to c and b is perpendicular to them both

P4 (0301GrapherB)

No Solution File Found

P5 (0301GrapherC)

a is parallel to b and c is perpendicular to both

P6 (0301:GrapherD)

No Solution File Found

P7 (0301TFA)

False. Steepness is measured by the absolute value of the slope/derivative.

P8 (0301TFB)

False. They do not have opposite-reciprocal slope.

P9 (0301TFC)

True.

P10 (0301TFD)

True.

1.4.3 3.2 - Zoomed Straight

L1 (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 0

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 0

No Solution File Found

L8 0

No Solution File Found

L9 0

No Solution File Found

1.4.4 3.3 - Another Definition of Parabolas**L1** 0

No Solution File Found

L2 0

No Solution File Found

L3 0

No Solution File Found

L4 0

No Solution File Found

L5 0

No Solution File Found

L6 0

No Solution File Found

L7 0

No Solution File Found

L8 0

No Solution File Found

L9 0

No Solution File Found

L10 0

No Solution File Found

L11 0

No Solution File Found

1.4.5 3.4 - Classic Ladder Problem**L1** (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

L9 (lab:L9)

No Solution File Found

L10 (lab:L10)

No Solution File Found

1.5 Transformations**1.5.1 4.1 - I'm Batman****L1** (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

L9 (lab:L9)

No Solution File Found

L10 (lab:L10)

No Solution File Found

L11 (lab:L11)

No Solution File Found

1.5.2 Section 4.1 Exercises**P1 (0401ClassA)**

No Solution File Found

P2 (0401ClassB)

No Solution File Found

P3 (0401X)

No Solution File Found

P4 (0401Para)

No Solution File Found

P5 (0401Cube)

No Solution File Found

P6 (0401Sym)

No Solution File Found

P7 (0401Football)

No Solution File Found

P8 (0401Chain)

No Solution File Found

1.5.3 4.2 - x, y, ...t?**L1 (lab:L1)**

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

L9 (lab:L9)

No Solution File Found

1.5.4 4.4 - “Upside Down”**L1 (lab:L1)**

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

1.6 Powers**1.6.1 5.1 - Work Smarter, Not Harder****L1 (lab:L1)**

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

L9 (lab:L9)

No Solution File Found

L10 (lab:L10)

No Solution File Found

L11 (lab:L11)

No Solution File Found

1.6.2 Section 5.1 Exercises**P1 (0501xA)**

a. $-\frac{125}{114}$

b. $-\frac{3}{76}$

c. $-\frac{222}{725}$

d. $\frac{51}{125}$

e. $-\frac{220}{12201}$

P2 (0501xB)

a. $\frac{119}{925}$

b. $-\frac{149450}{1955239}$

c. $-\frac{161168}{95227}$

d. $\frac{2662}{1593}$

e. $-\frac{564}{295}$

1.6.3 5.2 - The Power of Powers**L1 (lab:L1)**

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

L9 (lab:L9)

No Solution File Found

L10 (lab:L10)

No Solution File Found

L11 (lab:L11)

No Solution File Found

L12 (lab:L12)

No Solution File Found

L13 (lab:L13)

No Solution File Found

L14 (lab:L14)

No Solution File Found

L15 (lab:L15)

No Solution File Found

L16 (lab:L16)

No Solution File Found

1.6.4 5.3 - With Great Power**L1 (lab:L1)**

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

L9 (lab:L9)

No Solution File Found

L10 (lab:L10)

No Solution File Found

L11 (lab:L11)

No Solution File Found

L12 (lab:L12)

No Solution File Found

L13 (lab:L13)

No Solution File Found

1.6.5 5.4 - Truth to Power**L1 (lab:L1)**

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

L9 (lab:L9)

No Solution File Found

1.7 Polynomials**1.7.1 6.1 - In the End****L1** (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

L9 (lab:L9)

No Solution File Found

L10 (lab:L10)

No Solution File Found

1.7.2 6.3 - Twists and Turns**L1** (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

L9 (lab:L9)

No Solution File Found

L10 (lab:L10)

No Solution File Found

1.8 Logarithms**1.8.1 7.1 - 3-in-1****L1** ()

No Solution File Found

L2 0

No Solution File Found

L3 0

No Solution File Found

L4 0

No Solution File Found

L5 0

No Solution File Found

L6 0

No Solution File Found

L7 0

No Solution File Found

L8 0

No Solution File Found

1.8.2 Section 7.1 Exercises**P1** (0701Identity)

- a. identity
- b. conditional
- c. identity
- d. conditional
- e. false

P2 (0701Graph)

- a. $y = x^3$
- b. ${}_y\Delta_x^3$
- c. Swap the position of x and y .

1.8.3 7.2 - Money Matters**L1** (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

L9 (lab:L9)

No Solution File Found

1.8.4 7.3 - Triangular Tables**L1** (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

1.8.5 Section 7.3 Exercises**P1** (0703All6)

- a. graphs
- b. yup
- c. infinite, infinite, infinite, two, infinite, two
- d. roots and powers, logs and exponents, the other two
- e. $9^y = x$ and $x^y = 9$

P2 (0703LogProofs)

No Solution File Found

P3 (0703SolveLogs)

- a. 3 or -2
- b. 999,999,999

P4 (0703SimplifyLogs)

No Solution File Found

P5 (0703DescribeDifference)Graphs up 2 vs left 2: ${}_5\Delta_x + 2$ vs ${}_5\Delta_{x+2}$ **P6** (0703DescribeCalclog)

No Solution File Found

1.8.6 7.4 - Log Infection**L1** (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

1.9 Infinities**1.9.1 8.1 - Magic Number****L1** (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

L9 (lab:L9)

No Solution File Found

L10 (lab:L10)

No Solution File Found

1.9.2 8.2 - It Don't Stop**L1** (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

1.9.3 Section 8.2 Exercises**P1 (0802Hotel)**

- a. have each of the existing guests move to their room number plus n
- b. many solutions. ex. have each existing guest move to 2 times his or her room number. The new guests can fill in the odds
- c. many solutions. ex. having numbered each bus with a prime number starting with 3 (call it P_n), and having numbered each person the bus with a number (call it m), assign each new guest a room number P_n^m . Have all the existing guests move from their room (call it q) to 2^q .
- d. many solution

P2 (0802BFF)

$1 + x + x^2 + x^3 + x^4 + x^5 + \dots$ Many answers, ex. by six terms it resembles the original from $-1/2$ to $1/2$. Even with vastly large numbers, it still only works from $(-1, 1)$.

P3 (0802Grandi)

No Solution File Found

P4 (0802Gabriel)

Infinite surface, finite area. The surface never stops, so the painting would never stop. But the area sums to a finite number.

P5 (0802Primes)

No Solution File Found

P6 (0802Power)

Make a table of booleans (T/F) for whether a number is included or not.

P7 (0802Aleph2)

Most functions and relations map the real numbers onto the real numbers. Like a power set, all possible combinations of the reals should yield a higher cardinality than the reals.

1.9.4 8.3 - Inverse of e**L1 (lab:L1)**

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

1.9.5 8.4 - Limits by Derivative**L1** (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

1.9.6 8.5 - To Infinity, and Beyond**L1** (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

1.10 Circles**1.11 Identities****1.11.1 10.3 - Cosine, cosine, sine, sine****L1** (lab:L1)

No Solution File Found

L2 (lab:L2)

No Solution File Found

L3 (lab:L3)

No Solution File Found

L4 (lab:L4)

No Solution File Found

L5 (lab:L5)

No Solution File Found

L6 (lab:L6)

No Solution File Found

L7 (lab:L7)

No Solution File Found

L8 (lab:L8)

No Solution File Found

L9 (lab:L9)

No Solution File Found

L10 (lab:L10)

No Solution File Found

L11 (lab:L11)

No Solution File Found

1.12 Triangles**1.13 Polar****1.14 Regressions****1.15 Probabilities****1.16 Sequences****1.17 Radices****1.17.1 Section 16.1 Exercises****P1 (probP1)**

No Solution File Found

P2 (probP2)

No Solution File Found

P3 (probP3)

No Solution File Found

1.18 Prerequisites**1.18.1 Section A.1 Exercises****P1 (AASet1)**

- (i) x : x is an even natural numbers less than 12
- (ii) x : x is a prime numbers less than 12
- (iii) x : x is a month whose name starts with letter J
- (iv) x : x is a vowel in English alphabets
- (v) x : x is a day of the week whose name starts with letter T
- (vi) x : x is a perfect square natural number up to 25
- (vii) x : x is a natural number up to 30 and divisible by 5

P2 (AASet2)

- (i) $A = x \mid x$ is an odd number less than 10.
- (ii) $B = x \mid x$ is a perfect square natural number between 15 and 65
- (iii) $C = x \mid x$ is a vowel in English small alphabet.
- (iv) $D = x \mid x$ is a color in rainbow.
- (v) $E = x \mid x$ is a month having 31 days.

1.18.2 Section A.2 Exercises**P1 (probP1)**

No Solution File Found

P2 (probP2)

No Solution File Found

P3 (probP3)

No Solution File Found

P4 (probP4)

No Solution File Found

P5 (probP5)

No Solution File Found

P6 (probP6)

No Solution File Found

1.18.3 Section A.3 Exercises**P1 (probP1)**

No Solution File Found

P2 (probP2)

No Solution File Found

P3 (probP3)

No Solution File Found

P4 (probP4)

No Solution File Found

P5 (probP5)

No Solution File Found

P6 (probP6)

No Solution File Found

P7 (probP7)

No Solution File Found

P8 (probP8)

No Solution File Found

P9 (probP9)

No Solution File Found

P10 (probP10)

No Solution File Found

P11 (probP11)

No Solution File Found

1.18.4 Section A.4 Exercises**P1 (probP1)**

No Solution File Found

P2 (probP2)

No Solution File Found

P3 (probP3)

No Solution File Found

P4 (probP4)

No Solution File Found

P5 (probP5)

No Solution File Found

P6 (probP6)

No Solution File Found

1.18.5 Section A.6 Exercises**P1 (AA06CubeDifference)**

There are three prisms left over, when a cube is taken out of a larger cube. Their dimensions are $(a-b)(a)(a)$, $(a-b)(a)(b)$, and $(a-b)(b)(b)$. This can be factored into $a^3 - b^3 = (a-b)(a^2 + ab + b^2)$.

P2 (AA06CubeSum)

Because the difference of cubes is $a^3 - b^3 = (a-b)(a^2 + ab + b^2)$, we might guess that the sum of cubes would be mostly opposite, $(a+b)(a^2 - ab - b^2)$, but that produces $a^3 - 2ab^2 - b^3$. The correct formula is $a^3 + b^3 = (a+b)(a^2 - ab + b^2)$.

P3 (AA06CS)

$$\begin{aligned}
 x^2 + bx + c &= 0 \\
 x^2 + bx &= -c \\
 x^2 + bx + \frac{b^2}{4} &= \frac{b^2}{4} - c \\
 \left(x + \frac{b}{2}\right)^2 &= \frac{b^2 - 4c}{4} \\
 x + \frac{b}{2} &= \pm \frac{\sqrt{b^2 - 4c}}{2} \\
 x &= \frac{-b \pm \sqrt{b^2 - 4c}}{2}
 \end{aligned}$$

P4 (AA06QF)

$$\begin{aligned}
 ax^2 + bx + c &= 0 \\
 a\left(x^2 + \frac{b}{a}x\right) &= -c \\
 x^2 + bx + \frac{b^2}{4} &= \frac{b^2}{4} - \frac{c}{a} \\
 \left(x + \frac{b}{2}\right)^2 &= \frac{b^2 - 4ac}{4a} \\
 x + \frac{b}{2} &= \pm \frac{\sqrt{b^2 - 4ac}}{2} \\
 x &= \frac{-b \pm \sqrt{b^2 - 4ac}}{2}
 \end{aligned}$$

P5 (AA06Root)

Because $504 = 2^3 \cdot 3^2 \cdot 7$, we can “take out” one of each pair. That is $2 \cdot 3\sqrt{2 \cdot 7}$ or $6\sqrt{14}$.

P6 (AA06Factor)

- 15,5
- 9,-5
- 8,-10
- 7,-9

P7 (AA06Split)

a. $(2r - 11)(2r + 7)$

b. $(2x - 13)(2x + 5)$

c. $(3k - 4)(3k + 10)$

d. $2(2y - 5)(2y + 1)$

P8 (AA06Hard)

a. $\frac{-5 \pm 4\sqrt{30}}{5}$

b. $2 \pm i\sqrt{2}$

c. $10 \pm \sqrt{29}$

P9 (AA06Disc)

Because the term $b^2 - 4ac$ is under the radical, there are three cases. If it is a perfect square, then there will be two rational solutions. If it is otherwise positive, there will be two irrational solutions. If it is negative, there will be two imaginary solutions.

L2 0

No Solution File Found

L3 0

No Solution File Found

L4 0

No Solution File Found

L5 0

No Solution File Found

L6 0

No Solution File Found

L7 0

No Solution File Found

L8 0

No Solution File Found

1.19 Matrices**L9 0**

No Solution File Found

1.20 Vectors**L10 0**

No Solution File Found

1.21 Conics**1.21.1 D.1 - Mirror, Mirror, in R3****L1 0**

No Solution File Found

1.22 Solutions**1.23 Bibliography**