

# Deep Learning vs Machine Learning

*A Conceptual Guide with Analogies and Examples*

## 1. What is Artificial Intelligence?


**Artificial Intelligence (AI)** is the broad goal of making machines perform tasks that normally require human intelligence—such as recognising images, understanding language, making decisions or learning from experience.

AI is the goal.

Machine Learning is one way to reach that goal.

Deep Learning is a more specialised way within Machine Learning.

**Flow diagram: Big picture (AI → ML → DL)**



Meaning:

- **AI** is the broad goal.
- **ML** is learning from data.
- **DL** is ML using **deep neural networks** (many layers).

## 2. What is Machine Learning?

**Machine Learning (ML)** is a field where computers learn patterns from data instead of being explicitly programmed with rules.

### Core Idea

Instead of writing:

“If condition A and B are true, then output C”

We let the system:

1. Look at data
2. Learn patterns
3. Make predictions on new data

### Example


Suppose we want to predict house prices.

- Inputs (features): Size, location, number of rooms
- Output: Price

An ML algorithm learns the relationship between inputs and outputs from historical data.

### Important Characteristic

**Humans design the features** (what information the model sees).



## 3. What is Deep Learning?

**Deep Learning (DL)** is a subset of machine learning that uses **deep neural networks**—networks with many layers.

These layers allow the system to:


- Learn **simple patterns first**
- Combine them into **more complex patterns**
- Eventually understand high-level concepts

## Why “deep”?

Because the model contains **many layers of learning**, not just one or two.

## Key Difference

Deep learning learns features automatically from raw data.



## 4. Analogy: Learning to Recognise Animals

### Machine Learning

- You tell the system:
  - Ear shape
  - Tail length
  - Fur colour
- The model uses these hand-picked clues to decide “cat” or “dog”.

### Deep Learning

- You show the system thousands of pictures.

- It figures out:
  - edges → shapes → facial patterns → animal type
- No manual feature design is needed.

## 5. Analogy: Cooking

| Machine Learning                             | Deep Learning                      |
|----------------------------------------------|------------------------------------|
| Given chopped vegetables and measured spices | Given raw vegetables               |
| Human decides preparation                    | Model learns preparation           |
| Learns how to cook                           | Learns how to prep <b>and</b> cook |

## 6. Example: Image Classification

### Machine Learning Approach

1. Human extracts features:
  - Colour distribution
  - Texture
  - Edge counts
2. Algorithm (e.g., decision tree, SVM) classifies images.

**Limitation:** Quality depends heavily on feature engineering.

### Deep Learning Approach

1. Input: raw pixels
2. Neural network layers learn:
  - Edges
  - Shapes
  - Object parts
  - Complete objects
3. Output: Class label

**Advantage:** End-to-end learning from pixels to prediction.

## Cat vs Dog Image — Flow diagrams

### Traditional ML approach:

Image → Hand-crafted features (edges/colour/texture) → Classifier (SVM/Tree) → Cat/Dog

### Deep Learning approach (CNN intuition):

Image → Convolution layers (learn edges) → Deeper layers (learn shapes/parts) → Fully connected → Cat/Dog

## 7. Example: Spam Detection

### Machine Learning


- Features:
  - Number of links
  - Specific keywords
  - Sender reputation
- Model: Logistic regression or random forest


### Deep Learning

- Input: full email text
- Model learns:
  - Language patterns
  - Tone
  - Context
- Better at catching subtle spam messages

## 8. Key Differences at a Glance

| Aspect           | Machine Learning             | Deep Learning        |
|------------------|------------------------------|----------------------|
| Feature design   | Manual (human-engineered)    | Automatic            |
| Data requirement | Works with small/medium data | Needs large datasets |
| Computation      | Relatively low               | High (GPUs/TPUs)     |
| Best for         | Structured/tabular data      | Images, audio, text  |
| Interpretability | Easier to explain            | Harder to interpret  |





## 9. When to Use What?

### Use Machine Learning When:

- Data is limited
- Data is structured (tables, spreadsheets)
- Interpretability is important
- Resources are limited

### Use Deep Learning When:

- Data is large
- Input is unstructured (images, speech, text)
- Task is complex (vision, NLP)
- Accuracy is more important than explainability

## 10. Summary

- **Machine Learning:** Learns from features designed by humans.
- **Deep Learning:** Learns features and decisions automatically.
- Deep learning is powerful, but not always necessary.
- Choosing between them depends on **data size, data type and problem complexity**.

## Tools

For **Machine Learning (ML)** and **Deep Learning (DL)** you'll usually pick libraries based on the kind of data (tabular vs images/text), your language (Python is most common) and whether you want training or just inference.

### Machine Learning (Classic ML)

Best when your data is **tabular/structured** (CSV/Excel-style) or you want simpler models.

- **scikit-learn**  
The go-to for classic ML: regression, classification, clustering, pipelines, preprocessing, model selection, metrics.
- **XGBoost**  
Often top performance on tabular data (gradient-boosted trees).
- **LightGBM**  
Very fast and strong for large tabular datasets
- **CatBoost**  
Great when you have lots of categorical features (handles them nicely)
- **statsmodels**  
More statistical/interpretability focused (p-values, confidence intervals)
- (Support tools you'll use alongside ML)
  - **pandas** for data handling
  - **NumPy** for numerical arrays
  - **Matplotlib** for plots

**Typical ML stack:** pandas + scikit-learn + (XGBoost/LightGBM/CatBoost)

### Deep Learning

Best for **images, audio, text, video** and large datasets; also common when using GPUs

- **PyTorch**  
Very popular for research and custom models; flexible and "Pythonic"
- **TensorFlow + Keras**  
Strong ecosystem, production tooling; Keras is the high-level API
- **JAX**  
Great performance and composability; used a lot in research

**Typical DL stack:** PyTorch (or TensorFlow/Keras) + GPU + pretrained models