



Pre-Requisite:


1. Login https://console.groq.com/home with gmail
2. Goto “Playground’ and select the desired model
3. For example, in case of ‘Text to speech” requirement, select that corresponding model listed here “Orpheus English”, select that and click ‘Terms and conditions”.
4. Goto API keys , give suitable name and submit, copy the key and keep it safe.
5. Paste it in postman-Parent request









Sent Mail - divu.diwa@gmail.
GroqCloud
Testleaf
Assignments - Oct26 GenAI
New Tab
Ask Gemini
console.groq.com/playground?model=canopylabs/orpheus-v1-english
groq
Playground
Text to Speech
View code
You can use the following code to start integrating your current prompt and settings into your application.
curl
Copy
curl -X POST "https://api.groq.com/openai/v1/audio/speech" \
-H "Content-Type: application/json" \
-H "Authorization: Bearer ${GROQ_API_KEY}" \
-d '{
"model": "canopylabs/orpheus-v1-english",
"voice": "autumn",
"input": "",
"response_format": "wav"
}' \
--output out.wav
Your API Key can be found here
You should use environment variables or a secret management tool to expose your key to your applications.


Sent Mail - divu.diwa@gmail.
API Keys - GroqCloud
Testleaf
Assignments - Oct26 GenAI
New Tab
Ask Gemini
console.groq.com/keys
groq
API Keys
Manage your project API keys. Remember to keep your API keys safe to prevent unauthorized access.
Create API Key
Create API Key
Display Name
mykey
A display name for the key. Maximum 50 characters.
Expiration
No expiration
This key will not expire.
Submit


Save Groq
Divya's Workspace
Search
Invite
Upgrade
COLLECTIONS
GenAI-Aug-HomeAssignment
POST S01-Text to Audio
POST S02- MultiLingual
POST S03-GenerateAPITestcasesFromSwaggerCode
GenAI-Oct
POST S01-GenerateTestcasesfromUserStories
POST S02-Generate Selenium Code --Classroom Session...
POST S03-Control Output Token
POST S04 - Test Temparature Creativity
POST S05-Controlled Creativity-Classroom Session
POST S06-Transcriptions
POST S07- Weak Prompt Injection Defense Testing
POST S08- Strong Prompt Injection Defense Testing-Not ...
POST S09- TextFromImage-base64
My Collection
GET Get data
POST Post data
GET Groq
ENVIRONMENTS
DOCUMENTS
SPECS
MOCKS
DATASETS
TOOLSETS
FLOWS
GenAI-Aug-HomeAssignment
Publish docs
Run
Share
Overview
Authorization
Scripts
Variables
Runs
Auth type
Bearer Token
Token
The authorization header will be automatically generated when you send the request. Learn more about authorization
Ready to go
Need help with the next steps?
View Next Steps
Open Folder
Terminal
Console
Import Complete
Fix API key for Text to A...
/debug-request My request "S01-Text to Audio" is failing with a 401 Unauthorized error because the API key is invalid. Please help me configure the
Todos (0/3)
Set collection Bearer auth token to {{vault:groq_api_key_00s9}}
Remove stale manual Authorization header from S01-Text to Audio
Resend the request to verify the 401 is resolved
the collection (S02 and S03) that inherit the same auth.
Tool call rejected: Request not found
S01-Text to Audio
Approve
Reject
Allow agent to update this request?
Headers
Current state
Key
Value
Authorization
Bearer $GRO...
Describe what you need. Press @ for context, / for Skills.
Auto
Globals
Vault
Tools


Save Groq
Divya's Workspace
Search
Invite
Upgrade
COLLECTIONS
GenAI-Aug-HomeAssignment
POST S01-Text to Audio
POST S02- MultiLingual
POST S03-GenerateAPITestcasesFromSwaggerCode
GenAI-Oct
POST S01-GenerateTestcasesfromUserStories
POST S02-Generate Selenium Code --Classroom Session...
POST S03-Control Output Token
POST S04 - Test Temparature Creativity
POST S05-Controlled Creativity-Classroom Session
POST S06-Transcriptions
POST S07- Weak Prompt Injection Defense Testing
POST S08- Strong Prompt Injection Defense Testing-Not ...
POST S09- TextFromImage-base64
My Collection
GET Get data
POST Post data
GET Groq
ENVIRONMENTS
DOCUMENTS
SPECS
MOCKS
DATASETS
TOOLSETS
FLOWS
GenAI-Aug-HomeAssignment > S01-Text to Audio
Save
Share
POST
https://api.groq.com/openai/v1/audio/speech
Send
Docs
Params
Authorization
Headers 12
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
{
"model": "canopylabs/orpheus-v1-english",
"input": "[Cheerful] vanakkam. I am a language model created by Groq. I am here to help you with any questions you may have. How can I assist you today?",
"voice": "diana",
"response_format": "wav"
}
Body
Cookies 1
Headers 21
Test Results
200 OK
1.52 s
402.04 KB
Save Response
Hex
Preview
Visualize
0:08 / 0:08
Ready to go
Open Folder
Terminal
Console
Import Complete
Fix API key for Text to A...
/debug-request My request "S01-Text to Audio" is failing with a 401 Unauthorized error because the API key is invalid. Please help me configure the
Todos (0/3)
Set collection Bearer auth token to {{vault:groq_api_key_00s9}}
Remove stale manual Authorization header from S01-Text to Audio
Resend the request to verify the 401 is resolved
the collection (S02 and S03) that inherit the same auth.
Tool call rejected: Request not found
S01-Text to Audio
Approve
Reject
Allow agent to update this request?
Headers
Current state
Key
Value
Authorization
Bearer $GRO...
Describe what you need. Press @ for context, / for Skills.
Auto
Globals
Vault
Tools


Save Groq
Divya's Workspace
Search
Invite
Upgrade
COLLECTIONS
GenAI-Aug-HomeAssignment
POST S01-Text to Audio
POST S02- MultiLingual
POST S03-GenerateAPITestcasesFromSwaggerCode
GenAI-Oct
POST S01-GenerateTestcasesfromUserStories
POST S02-Generate Selenium Code --Classroom Session...
POST S03-Control Output Token
POST S04 - Test Temparature Creativity
POST S05-Controlled Creativity-Classroom Session
POST S06-Transcriptions
POST S07- Weak Prompt Injection Defense Testing
POST S08- Strong Prompt Injection Defense Testing-Not ...
POST S09- TextFromImage-base64
My Collection
GET Get data
POST Post data
GET Groq
ENVIRONMENTS
DOCUMENTS
SPECS
MOCKS
DATASETS
TOOLSETS
FLOWS
GenAI-Aug-HomeAssignment > S02- MultiLingual
Save
Share
POST
https://api.groq.com/openai/v1/chat/completions
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
{
"model": "openai/gpt-oss-120b",
"messages": [
{
"role": "system",
"content": "You are an API Specialist. Always respond in the same language as the user."
},
{
"role": "user",
"content": "மிகவும் நன்றி! இந்த API-ஐ எப்படி பயன்படுத்துவது என்று சொல்லுங்கள்."
}
]
}
Body
Cookies 1
Headers 21
Test Results
200 OK
4.35 s
4.67 KB
Save Response
{} JSON
Preview
Visualize
"role": "assistant",
"content": "**API-ஐ பயன்படுத்தும் விதம் – முழுமையான வழிகாட்டி (தமிழில்)**
API அடிப்படை தகவல்\n| உருப்படி | விவரம் |\n|---|---|\n| **Base URL** |
`https://api.example.com/v1` |\n| **Authentication** | Bearer Token (OAuth 2.0) |\n|
Content-Type | `application/json` |\n| **Response Format** | JSON |\n| **Rate
Limit** | 1000 கோரிக்கைகள்/நாள் (IP-அடிப்படையில்) |\n\n---\n\n## 2. அங்கீகாரம்
(Authentication)\n\n1. **அணுகல் டோக்கன் (Access Token) பெறுதல்** \n - **Endpoint:**
`POST /auth/token` \n - **Headers:** `Content-Type: application/json` \n -
Body: \n\n ```json\n {\n "client_id": \"YOUR_CLIENT_ID\",\n
\"client_secret\": \"YOUR_CLIENT_SECRET\",\n \"grant_type\":
\"client_credentials\"\n }\n ```\n\n - **வெற்றி பதில்:** \n\n
```json\n {\n \"access_token\": \"eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...\",
\n \"expires_in\": 3600,\n \"token_type\": \"Bearer\"\n }\n
```\n\n2. **ஒவ்வொரு கோரிக்கையிலும்** `Authorization: Bearer <access_token>` என்ற
Fix API key for Text to A...
/debug-request My request "S01-Text to Audio" is failing with a 401 Unauthorized error because the API key is invalid. Please help me configure the
Todos (0/3)
Set collection Bearer auth token to {{vault:groq_api_key_00s9}}
Remove stale manual Authorization header from S01-Text to Audio
Resend the request to verify the 401 is resolved
the collection (S02 and S03) that inherit the same auth.
Tool call rejected: Request not found
S01-Text to Audio
Approve
Reject
Allow agent to update this request?
Headers
Current state
Key
Value
Authorization
Bearer $GRO...
Describe what you need. Press @ for context, / for Skills.
Auto
Open Folder
Terminal
Console
Import Complete
Ready to go
Globals
Vault
Tools


Save Groq
Divya's Workspace
Search
Invite
Upgrade
COLLECTIONS
GenAI-Aug-HomeAssignment
POST S01-Text to Audio
POST S02- MultiLingual
POST S03-GenerateAPITestcasesFromSwaggerCode
GenAI-Oct
POST S01-GenerateTestcasesfromUserStories
POST S02-Generate Selenium Code --Classroom Session...
POST S03-Control Output Token
POST S04 - Test Temparature Creativity
POST S05-Controlled Creativity-Classroom Session
POST S06-Transcriptions
POST S07- Weak Prompt Injection Defense Testing
POST S08- Strong Prompt Injection Defense Testing-Not ...
POST S09- TextFromImage-base64
My Collection
GET Get data
POST Post data
GET Groq
ENVIRONMENTS
DOCUMENTS
SPECS
MOCKS
DATASETS
TOOLSETS
FLOWS
GenAI-Aug-HomeAssignment > S03-GenerateAPITestcasesFromSwaggerCode
Save
Share
POST
https://api.groq.com/openai/v1/chat/completions
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
{
"model": "openai/gpt-oss-120b",
"messages": [
{
"role": "system",
"content": "You are a Senior API Test Automation Architect with strong expertise in Java, Rest Assured, TestNG, Maven, and API schema-driven test generation."
},
{
"role": "user",
"content": "I — INSTRUCTION\nGenerate Rest Assured Java code for Swagger Petstore APIs.
\n\nMANDATORY RULES:\n1) Generate ONLY Java Rest Assured code.\n2) Do NOT include explanations, markdown, or extra text.\n3) Use TestNG as the test runner.\n4) Use meaningful class, method,
Body
Cookies 1
Headers 20
Test Results
200 OK
3.15 s
2.48 KB
Save Response
{} JSON
Preview
Visualize
"index": 0,
"message": {
"role": "assistant",
"content": "import io.restassured.RestAssured;\nimport io.restassured.http.ContentType;
\nimport io.restassured.response.Response;\nimport org.testng.Assert;\nimport org.testng.annotations.BeforeClass;\nimport org.testng.annotations.Test;\n\nimport java.util.HashMap;\nimport java.util.Map;\nimport java.util.Random;\n\npublic class PetApiTest {\n\n private static final String BASE_URI = \"https://petstore.swagger.io/v2\";\n private static long petId;\n private static final String INITIAL_PET_NAME = \"TestPet\";\n private static final String UPDATED_PET_NAME = \"UpdatedTestPet\";\n\n @BeforeClass\n public void setUp() {\n RestAssured.baseURI = BASE_URI;\n }\n\n @Test\n public void createPet() {\n petId = new Random().nextLong() & Long.MAX_VALUE; // ensure positive\n Map<String, Object> category = new HashMap<>();\n category.put(\"id\", 0);\n category.
Fix API key for Text to A...
/debug-request My request "S01-Text to Audio" is failing with a 401 Unauthorized error because the API key is invalid. Please help me configure the
Todos (0/3)
Set collection Bearer auth token to {{vault:groq_api_key_00s9}}
Remove stale manual Authorization header from S01-Text to Audio
Resend the request to verify the 401 is resolved
the collection (S02 and S03) that inherit the same auth.
Tool call rejected: Request not found
S01-Text to Audio
Approve
Reject
Allow agent to update this request?
Headers
Current state
Key
Value
Authorization
Bearer $GRO...
Describe what you need. Press @ for context, / for Skills.
Auto
Open Folder
Terminal
Console
Import Complete
Ready to go
Globals
Vault
Tools