pukRhelpers: A Personal Toolbox of R Helpers

Small utilities for ArcGIS services, UGRC data, KML and sf that I reused across projects

Pukar Bhandari

pukar.bhandari@outlook.com

2025-05-23

Table of contents

1 Install 1
2 What is in it 1

`pukRhelpers` is where the small functions I kept copying between projects ended up. It is a personal toolbox, not a polished library, and I only update it when my own work needs something. The package has continuous checks and test coverage set up, and documentation at ar-puuk.github.io/pukRhelpers.

Docs GitHub

1 Install

```
pak::pak("ar-puuk/pukRhelpers")
install.packages("pukRhelpers", repos = "https://ar-puuk.r-universe.dev")
```

Line 1

Straight from GitHub. `remotes::install_github()` and `devtools::install_github()` work too.

Line 2

Or from my personal R-universe.

2 What is in it

Function	What it does
`load_esri()`	Load and query an ESRI Feature Service layer

Function	What it does
`arc_read_encode()`	`arcgislayers::arc_read()` with coded-value encoding built in, so no stray helper objects are left in the environment
`load_ugrc_data()`, `load_ugrc_vars()`	Load a dataset, or list the datasets, from Utah's SGID
`load_kml_sf()`	Convert KML to an `sf` object with attributes preserved
`st_aggregate()`	Aggregate `sf` objects
`geo_split_lines()`, `st_split_lines()`	Split lines by a maximum length
`convert_fgb_to_gdb()`	Convert FlatGeobuf files to geodatabase layers
`convert_xml_html()`, `extract_html_table()`	XML to HTML via XSLT, and pull a table out of an HTML page by its anchor
`load_packages()`	Load, installing first if needed

Several of these build on other people's gists and are credited to them in the function documentation and the README.

The code is on GitHub under GPL-3.