

Classification: [Restricted](#)

Classification: [Restricted](#)



API Integration

< SimahPro Direct >

Version <0.2>

31- August - 2021

IT Development

Revision History

Version	Date	Description	Author(s)
0.1	11/04/2021	Draft	Abuzieneh
0.2	31/08/2021		

Contents

REVISION HISTORY	2
1. INTRODUCTION.....	2
WELCOME TO SIMAHPRO DIRECT, YOUR NEW CHANNEL TO EXPLORE ALL THE BENEFITS SIMAH CAN OFFER TO IT MEMBERS	2
2. INTEGRATION.....	3
3. AUTHENTICATION	3
4. MEMBER REFERENCE NUMBER MAPPING.....	4
5. SERVICES	4
6. REQUEST	4
7. RESPONSE	5
8. SECURITY	7
9. ERROR MESSAGES.....	7

1. Introduction

Welcome to Simahpro direct, your new channel to explore all the benefits Simah can offer to it members

<https://spapiuat.simah.com/swagger/index.html>

2. Integration

For members to be able to establish a connection between their system and Simah API, member has to provide a public static IP to be whitelisted by Simah.

The connection would be consumed over SSL version 3.0

Members should obtain **user name, password and URL** for required environment in order to setup a connection with Simah. Operation department at Simah will provide these information.

3. Authentication

The service authentication is based on OAuth 2.0 JWT token. In order to issue token please initiate the below request in your corresponding programming language. The response will contain the JWT token if the authentication is valid, otherwise the account will be blocked for 15 minutes after 3 failed attempts.

In case of successful response the subsequent requests Simah services will require the token to be passed as a bearer authentication mechanism.

CURL Request:

POST /api/v1/Identity/login

```
{  
  "username": [username]  
  "password": [password]  
}
```

CURL Response

```
{  
  "isSuccess": true,  
  "data": {  
    "token": "{token}"  
  },  
  "message": null  
}
```

Token will be valid for a certain period of time. Once expired, error number **401** will be returned and member needs to reissue the token

4. Member Reference Number mapping

Member reference number, as its name suggests, will be the member reference for their usage tracking in the future.

Members have two options:

- 1- Not to send reference number and rely on Simah default reference number which has the following format

2	0	0	1	1	1	E	Q	0	1	0	1	2	1	1	5	3	3	1	2	3	4
Application Code		Member Code			Service Code		Date (ddmmyy)					Time (hhmm)				Random Number					

- 2- To send their own reference number using any format they finds fit for them.

Allowed format: any number with a minimum length of 1 and max length of 42 digit, only “_” allowed as special character.

If member choose to go with option 2, Simah will still prefix the reference number with the following code 20+[4 digit member code] + [2 digit service code] when returning the response to the customer

For example, if member “Alpha” with member code = 777 tries to do enquires then

Service	Reference simah receives from member in request	Reference simah return to member in response
enquiry	MemberReferenceNumber	200xxxEQMemberReferenceNumber
enquiry	112233445566	200777EQ112233445566

5. Services

Please retrieve <https://spapiuat.simah.com/swagger/index.html> for list of services

6. Request

A sample request schema can be found under each type of request e.g. For Review enquiry:

POST /api/v2/enquiry/consumer/affordability/save Perform an affordability on the customer

Parameters Try it out

Name	Description
model	Data input required for checking affordability

(body)

Example Value | Model

AffordabilityModel 

```
accept*
  boolean
  Consent for requesting affordability

affordabilityInfo*
  AffordabilityInfo > {...}

incomeComputationMetrics*
  IncomeComputationMetrics > {...}

customerDeclarationOfExpenses
  > [...]

referenceNumber
  string
  maxLength: 34
  minLength: 0
  pattern: ^[1-9a-zA-Z]{1}[0-9a-zA-Z_]{0,40}[0-9a-zA-Z]{1}$
  Unique Reference number for the request
  integer($int32)
  maximum: 2
  minimum: 1
  This indicate the Enquiry Output format. 1- Binary Format 2-JSON Format.

responseType*
  integer($int32)
  If the requirement is to do an affordability if there is an existing previous enquiry = 1
  If the requirement is to do both the consumer and affordability in one enquiry = 2
  If there is not previous = 3

requestType*
  integer($int32)
  If the requirement is to do an affordability if there is an existing previous enquiry = 1
  If the requirement is to do both the consumer and affordability in one enquiry = 2
  If there is not previous = 3

}
```

7. Response

A sample response schema can be found under each type of request under the 200 code response e.g. For Review enquiry and the description for the properties are available by browsing the model:

Responses Response content type **text/plain**

Code	Description
200	successful operation Example Value Model <pre>{ "message": "string", "isSuccess": true, "data": { "reportDate": "string", "reportDetails": { "reportDate": "string", "enquiryType": "string", "productType": "string", "enquiryNumber": "string", "numberOfApplicants": "string", "accountType": "string", "referenceNumber": "string", "amount": "string", "memberType": { "id": 0, "code": "string", "nameAr": "string", "name": "string" }, "status": { "id": 0, "code": "string", "nameAr": "string", "name": "string" } }, "providedDemographicsInfo": {</pre>

200

successful operation

Example Value | Model

```

AffordabilityResponse {
  message: string
  isSuccess: boolean
  data: AffordabilityApplicationResponse {
    reportDate: string
    reportDetails: ConsumerReportDetailView > {...}
    providedDemographicsInfo: ProvidedDemographicsInfoView > {...}
    availableDemographicsInfo: AvailableDemographicsInfoView > {...}
    prevEnquiries: > [...]
    creditInstrumentDetails: > [...]
    primaryDefaults: > [...]
    guarantorDefaults: > [...]
    bouncedCheques: > [...]
    publicNotices: > [...]
    judgements: > [...]
    memberNarratives: > [...]
    personalNarratives: > [...]
    addresses: > [...]
    contacts: > [...]
    employers: > [...]
    summaryInfo: SummaryView > {...}
  }
}

```

Activate
Get to Full

Lookups:

In order to do

Lookup Name	Link
ID Types	/api/v1/Lookup/lookup/getidtypes Get all lookup values for the id types
Products	/api/v1/Lookup/lookup/getallproducts Get all lookup values for the products that are assigned to the member
Employer Types	/api/v1/Lookup/lookup/getemployertypes Get all lookup values for the Employer types.
Nationalities	/api/v1/Lookup/lookup/nationalities Get all lookup values for the nationalities
Marital Status	/api/v1/Lookup/lookup/maritalstatus Get all lookup values for the marital status
Applicant Types	/api/v1/Lookup/lookup/applicanttypes Get all lookup values for the applicant types
Contact Types	/api/v1/Lookup/lookup/contacttypes Get all lookup values for the contact types
Country Codes	/api/v1/Lookup/lookup/countrycodes Get all lookup values for the country codes

Address Types	/api/v1/Lookup/lookup/addresstypes Get all lookup values for the address types
Cities	/api/v1/Lookup/lookup/cities Get all lookup values for the cities
Business Types	/api/v1/Lookup/lookup/businesses Get all lookup values for the business types
Processing Types	/api/v1/Lookup/lookup/processingtypes Get all lookup values for the business types
Reason Codes	/api/v1/Lookup/lookup/reasoncodes Get all lookup values for the business types
Employer Statuses	/api/v1/Lookup/lookup/employerstatuses Get all lookup values for the employer status types
Declaration Types	/api/v1/Lookup/lookup/declarationtypes Get all lookup values for the declaration types
Home Ownerships	/api/v1/Lookup/lookup/homeownerships Get all lookup values for the home ownerships
Residence Cities	/api/v1/Lookup/lookup/residencecities Get all lookup values for the residence cities

8. Security

The payload data traffic is encrypted using TLS encryption with rate limiting to prevent denial of service attacks. The principle of least privilege is applied across the API to grant only the minimum required privileges.

The API uses strong authentication and authorization mechanism with authorization mechanism of OAuth 2.0 and OpenID Connect.

9. Error Messages

Code	Description
ABR for < Credit Report Enhancements >	

GEN_000	Please Call SIMAH for support
GEN_006	Unable to Process the Request. Please try again after sometime
GEN_007	You don't have access to this service
CS_ENQ_002	CR/ID entered is not valid
CS_ENQ_003	The report is not obtainable at the moment, please try another time or try other reports
C_NQ_001	The report generated successfully
C_NQ_002	There was an error in generating report
C_NQ_003	Product supplied is invalid
C_NQ_004	The Id type is invalid
C_NQ_005	Marital Status is invalid
C_NQ_006	Nationality is invalid
C_NQ_007	Address type is invalid
C_NQ_008	City is invalid
C_NQ_009	Contact type is invalid
C_NQ_010	Occupation sector is invalid
C_NQ_011	Occupation address type is invalid
C_NQ_012	Occupation city is invalid
C_NQ_013	Consent is required
C_NQ_014	Duplicate applicants found
C_NQ_017	Sector supplied is invalid
C_NQ_018	City supplied is invalid
C_NQ_019	Member authentication is invalid
C_NQ_020	Saving customer failed
C_NQ_022	The Legal type is invalid
C_NQ_028	Country is invalid
C_NQ_041	Member ID not known to bureau
C_NQ_040	Member/User not authorised to Service/Action
C_NQ_039	Non-Arabic characters in Arabic Tag
C_NQ_044	Date of birth month is not between 1 and 12
C_NQ_045	Consumer is less than 10 years old
C_NQ_046	Date of birth is not a valid date
C_NQ_047	Gender not valid code
C_NQ_048	ID Type not valid code
C_NQ_049	Invalid ID Number
C_NQ_050	Combination of the ID Type and Nationality not valid
C_NQ_052	ID type and ID number supplied does not exist in the system
C_NQ_053	Invalid ID Number supplied
S_NQ_002	Invalid employer type
S_NQ_001	Invalid applicant type
S_NQ_003	Id Expiry Date should be in future
S_NQ_004	Cr Number is mandatory in case of self-employment
S_NQ_005	Area Code is required if contact type is not mobile
S_NQ_006	Invalid mobile number
S_NQ_007	Invalid Phone number
S_NQ_008	Invalid Country Code
S_NQ_009	Extension and Area code should be greater than 0
S_NQ_010	Extension min length=1 & MaxLength=5

Classification: [Restricted](#)

Classification: [Restricted](#)

S_NQ_011	Invalid reason code
----------	---------------------