


Ejercicio 3_3

Realizado por Araceli Macía Barrado


- Crear un repositorio "Award" añadiendo:
 - las tripletas de Award.n3 al grafo por defecto
 - Las tripletas de Graph1.n3 a un grafo nombrado con URI (context): <http://example.org/film/g1>
 - Las tripletas de Graph2.n3 a un grafo nombrado con URI (context): <http://example.org/film/g2>
 - Recordar que:
 - "Context" sirve para indicar a que grafo vamos a cargar las tripletas:
 - si no especificamos nada en "context" → grafo por defecto
 - Añadiendo la URI en el campo "Base URI" y marcando el check "use base URI as context identifier" → se crea un grafo nombrado, que tiene como nombre la URI introducida.
 - Y probamos que se ha cargado bien obteniendo estos resultados:
 - Award.n3
 - Number of Statements 11
 - Number of Labeled Contexts 0
 - Graph1.n3
 - Number of Statements 23
 - Number of Labeled Contexts 1
 - Graph2.n3
 - Number of Statements 30
 - Number of Labeled Contexts 2

Pantallazo del resumen del repositorio una vez cargados los datos:


Después de cargar Award.n3



Después de cargar Graph1.n3



Después de cargar Graph2.n3



Pantallazos de Export

OpenRDF Workbench - Export Repository - Mozilla Firefox

OpenRDF Workbench... x

localhost:8080/openrdf-workbench/reposito Search

Sesame server

Repositories

- New repository
- Delete repository

Explore

- Summary
- Namespaces
- Contexts
- Types
- Explore
- Query
- Saved Queries
- Export

Modify

- SPARQL Update
- Add
- Remove
- Clear

System

- Information

Current Selections:

Sesame server: <http://localhost:8080/openrdf-sesame> [change](#)

Repository: Award (Award) [change](#)

User (optional): - none - [change](#)

Export Repository

Download format: TriG Download

Results per page: All

Subject	Predicate	Object	Context
ex4:aw1	dc:title	"Oscar 2014"	
ex4:aw1	dc:date	2015-02-22	
ex4:aw1	ex4:bestPicture	"Boyhood"	
ex4:aw2	dc:title	"BAFTA 2014"	
ex4:aw2	dc:date	2015-02-08	
ex4:aw3	dc:title	"Venecia 2014"	
ex4:aw3	dc:date	2014-08-17	
ex4:aw4	dc:title	"Oscar 1997"	
ex4:aw4	dc:date	1997-03-24	
ex4:aw4	ex4:bestActor	"Geoffrey Rush"@es	
ex4:aw4	ex4:bestPicture	"The English Patient"	
g1:a	foaf:name	"Birdman"	<http://example.org/film/g1>

OpenRDF Workbench - Export Repository - Mozilla Firefox

OpenRDF Workbench... x

localhost:8080/openrdf-workbench/reposito Search

ex4:aw4	ex4:bestPicture	"The English Patient"	
g1:a	foaf:name	"Birdman"	<http://example.org/film/g1>
g1:a	g1:duration	"118"	<http://example.org/film/g1>
g1:a	g1:country	"United State"	<http://example.org/film/g1>
g1:a	g1:music	"Antonio Sánchez"	<http://example.org/film/g1>
g1:b	foaf:name	"Boyhood"	<http://example.org/film/g1>
g1:b	g1:duration	"166"	<http://example.org/film/g1>
g1:b	g1:country	"United State"	<http://example.org/film/g1>
g1:b	g1:music	"Various"	<http://example.org/film/g1>
g1:c	foaf:name	"The Theory of Everything"	<http://example.org/film/g1>
g1:c	g1:duration	"123"	<http://example.org/film/g1>
g1:c	g1:country	"United Kingdon"	<http://example.org/film/g1>
g1:c	g1:music	"Johann Johansson"	<http://example.org/film/g1>
g2:a	g2:originalTitle	"The Theory of Everything"	<http://example.org/film/g2>
g2:a	g2:runningTime	"123"	<http://example.org/film/g2>
g2:a	g2:director	"James Marsh"	<http://example.org/film/g2>
g2:a	g2:production	"Working Title Films"	<http://example.org/film/g2>
g2:b	g2:originalTitle	"Boyhood"	<http://example.org/film/g2>
g2:b	g2:runningTime	"166"	<http://example.org/film/g2>
g2:b	g2:director	"Richard Linklater"	<http://example.org/film/g2>

Copyright © Aduna 1997-2011
Aduna - Semantic Power