B

BioChange Vet Companion
AI companion for regenerative veterinary dentistry

Veterinarian Web Interface

Layout & flow specification for design: Login, Chat page, Chat widget

v1.0 · 20 Oct 2026 · Design hand-off

1. Purpose of this document

This is a layout and flow brief for the designer. It describes **what each screen contains, how it behaves and how screens connect**. It is not a visual design: colours, typography, iconography, illustration and motion are for the designer to propose. The wireframes show structure only. The returned design will be implemented in the existing Next.js application, so the screens, states and copy below mirror what the product already does today, plus a small number of clearly marked proposals (**NEW**).

2. The product in one paragraph

The Companion is an AI assistant for veterinarians who use BioChange products (ReGum Vet, MicroFoam, VetFoam, vitaloc). It answers product, clinical-evidence and procedure questions **only from approved BioChange sources and always shows its citations**. It also helps the vet record a case, schedule follow-ups, give structured feedback, and escalate to BioChange Medical Support when approved information is not enough. It supports the vet's clinical judgement and never replaces it.

3. Who uses it

- **Invited veterinarians only** (no public sign-up). Often between procedures, on a clinic desktop, a tablet or a phone with one hand free.
- They are time-pressed, professional and sceptical of AI. **Trust is the main design problem**: cited sources, clear boundaries, no surprises.
- Long, structured answers (lists, bold, short headings) are normal. The interface must make them easy to scan.

4. Scope

In scope (this document)	Out of scope (not needed from the designer)
S1 Login (+ link-sent, error and confirm states) **S2** Dedicated chat page (desktop, tablet, mobile) **S3** Floating chat widget (bottom-right pop-up, desktop and mobile) **S4** Supporting screens and states the chat depends on	Admin interface (knowledge sources, agent policy, users and clinics, analytics, audit) BioChange staff sign-in with authenticator code Clinical data dashboard Cases, Today, Inventory, Orders pages (the chat only links to them)

5. How to read the wireframes

- Grey bars are placeholder text. Teal is the current brand colour. A dashed outline means optional or conditional.
- **Magenta numbered circles** match the annotation table under each wireframe. Letters are used on the component sheet.
- Text shown in quotes is the **real copy used by the product today**. The designer may suggest better copy, but please flag changes so they can be approved.
- Items marked **NEW** do not exist yet. They are proposals to consider, and each can be dropped without breaking the rest.


6. Current visual baseline (starting point, free to change)

Token	Value	Used for
Brand teal / dark / soft	#0F6E6E / #0B5555 / #E3F1F0	Primary buttons, user bubbles, links, citation chips
Ink / muted / line / canvas	#16232E / #5B6B78 / #DFE5EA / #F4F6F8	Text, secondary text, borders, page background
Warning / danger / success	#A15C07 on #FDF3E2 / #B42318 on #FDECEA / #1D7A46 on #E6F4EC	Fallback answers and confirm-close, errors, success messages
Type and shape	Inter (system fallback), 14 px body, rounded corners 8–16 px, white cards with 1 px borders	Whole app

If the BioChange marketing website has a different brand system, the designer should align to the website and tell us which tokens change.

User flow

Three ways in, one place to work. The widget and the dedicated page share the same conversation, so a vet can start in the widget and continue on the full page.



Flows to prototype

Flow	Steps
F1 First sign-in or return visit	Login (S1) → enter email → *Email me a sign-in link* → in-place success message (S1b) → open email → link opens the Confirm page (S1c) → *Continue* → lands on the chat page or back in the widget, wherever the vet started.
F2 Ask a question	Type or pick a suggested prompt → working indicator → answer with citation chips → tap a chip or *View source* to open the exact passage in a new tab (X1) → keep chatting.
F3 Record a case from chat	Vet describes a case → agent asks for confirmation in text → *Case saved* card with *Open case*. Closing a case, or recording an order, always needs a button press on a warning/confirm card.
F4 No approved answer	Agent states it lacks approved information → offers escalation → vet confirms → question goes to BioChange Medical Support → status visible under *Medical Support*.
F5 Widget to full page	Widget header *Expand* → opens the dedicated page on the same conversation. Closing the widget never ends the conversation.


Rules that shape the design

- **Invite-only, passwordless.** No sign-up, no 'forgot password'. The email link is valid for 15 minutes and is single-use.
- **Neutral messages.** The sign-in form never says whether an email exists. The success text is always the same.
- **Sessions expire** after inactivity. The chat must handle being signed out mid-conversation without losing the vet's unsent text (see S3-D).
- **Nothing irreversible happens silently.** Closing a case and recording an order each need an explicit button on a confirm card.

S1 Login

Route: /login · Used by veterinarians (staff have a separate form, not designed here)

A single, calm card on a neutral background. The only job of this screen is to get an invited vet into the Companion in one step, without a password.



#	Element	Content and behaviour
1	**Brand block**	Logo, product name **“BioChange Vet Companion”** and tagline “Clinical and product companion for regenerative veterinary dentistry”. Centred above the card.
2	**Email field**	Label “Email”. Type email, autofocus, browser autofill enabled. Inline validation on blur. Enter submits the form.
3	**Primary button**	**“Email me a sign-in link”**, full width. Loading state “Sending…” with the button disabled.
4	**Google button**	**“Continue with Google”** with the Google mark. Secondary style, below an “or” divider. **Conditional**: only shown when Google sign-in is enabled for the environment, so the layout must also work without it.
5	**Helper text**	“For invited veterinary professionals and BioChange staff.” **NEW:** add “Need access? Contact BioChange” as a mailto link.
6	**Demo banner**	Full-width warning strip: “Demo environment: sample accounts and data. Do not enter real client or patient information.” Shown only on demo or staging. Pushes the page down; not part of the card.
7	**Staff link**	Low-emphasis text link “BioChange staff” that reveals the staff form (email + password). Only its position is needed; do not design the staff form.


Layout notes

- Card is about 384 px wide on desktop, centred horizontally and slightly above the vertical middle. On mobile the card border disappears and content is full-bleed with 16 px side padding.
- Touch targets at least 44 px high on mobile. The email keyboard must open on tap.
- No marketing imagery needed. A subtle brand background or illustration outside the card is welcome if it stays quiet.
- The same sign-in form is reused inside the chat widget (S3-C), so design it as a component that works at 384 px and at 340 px.


S1 Login: states

Six states to design. States 1–5 use the same card; state 6 is a separate, minimal page reached from the email link.


1 Default




2 Sending




3 Link sent (success, in place)




4 Error: not invited (Google path)



5 Error: Google sign-in failed



6 Confirm page (after email link)



State	Behaviour
1 Default	Empty email. Button enabled only when the field contains something that looks like an email (or always enabled, with validation on submit; designer's choice).
2 Sending	Button disabled with “Sending…”. Field read-only.
3 Link sent	Green message appears in place, above the field: “If this email belongs to an invited account, a sign-in link is on its way. It expires in 15 minutes.” **NEW:** the button becomes “Resend link”, available after 30 seconds.
4 Not invited	Red message at the top of the card: “This account is not registered for BioChange. Contact BioChange for an invitation.” Shown after a Google attempt with an unknown account.
5 Google failed	Red message: “Google sign-in could not be completed. Please try again or use an email link.”
6 Confirm page	The email link opens this page. Message: “Press continue to finish signing in on this device.” with one **Continue** button (this extra click stops email scanners from using up the link). Error variant: red message with a “Back to sign in” link when the link is expired or already used.


Also needed (small)

- **Sign-in email template** (NEW to design): logo, one sentence, one button, 15-minute expiry note, “If you didn't request this, ignore this email.” Plain-text fallback. Same template family for the follow-up reminder email.
- Page title and favicon for the tab, and a short loading state after pressing Continue.

S2 Dedicated chat page: desktop

Route: /chat (new conversation) and /chat/{id} (existing) · Breakpoint ≥ 1280 px: three columns


The vet's main workspace. Left: navigation and history. Centre: the conversation. Right: context that the agent is currently using (active case, cited sources).



#	Element	Content and behaviour
1	**Brand block**	Logo, “BioChange” and “Vet Companion”. Links to the home page.
2	**New conversation**	Primary button **“+ New conversation”**. Opens an empty chat (welcome state, see S2 mobile A).
3	**Navigation**	Today, Cases, Medical Support, Profile & memory. Active item highlighted. Cases only for clinic roles. Inventory, Orders and Education appear only if those modules are enabled.
4	**Recent conversations**	Latest conversations by title (first message or case, truncated with ellipsis). Active one highlighted. **NEW:** “See all” link to X3.
5	**User block**	Name, role label, “Sign out” and “All devices” (signs out everywhere).
6	**Conversation header** NEW	Title, linked-case chip and an overflow menu (rename, delete, copy link). Does not exist today; gives the page an anchor and a place to show the active case on narrower screens.
7	**Message thread**	Vet messages right-aligned in brand colour. Agent messages left-aligned on white with rich text (lists, bold, short headings). Content column max 768 px, centred. Newest message scrolls into view.
8	**Citations**	Inline chips [S1], [S2] in the text. Below the answer, only the sources actually cited: chip, title, section, page, authority-level badge (IFU / Regulatory, Protocol, Peer-reviewed, Training, Case study, Distributor, Commercial) and a **View source** link that opens the exact passage in a new tab.
9	**Action cards**	Inline cards under the answer: Case saved, Close case (needs confirmation), Draft order (needs confirmation). See the component sheet.
10	**Working indicator**	Pulsing dot with “Checking approved sources and your records…” while the agent works. Answers arrive as a whole message today; the design should also tolerate streaming later.
11	**Composer**	Multi-line field, grows to 6 lines. **Enter** sends, **Shift+Enter** new line. Send disabled when empty or while sending. 8,000 character limit with a counter near the limit. Placeholder “Ask about a case, a product or the evidence…”.
12	**Safety line**	Always visible: “Supports, never replaces, your clinical judgement. Product guidance comes only from approved BioChange sources.”
13	**Context panel**	Collapsible right panel: **Active case** (tooth, patient ID, status, condition, pocket depth, product, next follow-up; links to the case), **Clinic inventory** (only when that module is on), **Sources used** (every source cited in this conversation, with level). Empty states: “No case linked to this conversation.” and “Cited sources will appear here.”

S2 Dedicated chat page: tablet and mobile

Same content, fewer columns. The conversation always has priority; navigation and context move into a drawer and a bottom sheet.



A Empty / welcome **B Conversation** **C Navigation drawer** **D Context bottom sheet**

Breakpoint	Layout
≥ 1280 px	Three columns: sidebar 256 px, conversation, context panel 320 px (collapsible).
1024 – 1279 px	Sidebar + conversation. Context panel hidden; the case chip in the header opens it as a right-hand drawer.
768 – 1023 px (tablet)	Sidebar collapses to an icon rail or drawer. Conversation fills the width, max 768 px content column. Composer docked at the bottom.
< 768 px (phone)	Single column. Top bar with menu, title and “new conversation”. Navigation in a left drawer (C). Context in a bottom sheet (D) opened from the case chip. Composer docked above the keyboard with safe-area padding.

#	Element	Content and behaviour
A	**Empty / welcome**	Greeting “Hello {first name}. What are you working on?”, sub-line “Product questions, a case in progress, follow-ups and feedback.”, and four suggested prompts (tap fills the composer, it does not auto-send): “I have a 7mm pocket on 204 and I'm doing an open flap.” · “I'd like to give feedback on how ReGum handled in my last case.” · “Is there evidence that ReGum improves periodontal regeneration?” · “Which cases are due for follow-up?”
B	**Conversation**	Case chip under the top bar opens D. On phones, the source list under each answer is collapsed into a **“Sources (n)”** row that expands in place. Citation chips stay inline and open the source on tap.
C	**Navigation drawer**	Same content as the desktop sidebar (items 1–5 above). Closes on selection or on tapping the dimmed area.
D	**Context bottom sheet**	Active case, inventory (conditional) and sources used. Drag handle, swipe down to close.

Long-answer behaviour

- Agent answers can be long (steps, warnings, tables of options). Keep line length at 60–80 characters on desktop, and give lists and bold text clear hierarchy.
- Warnings from the IFU deserve to be recognisable inside the text (for example a subtle tinted block), but the agent's output is Markdown, so the style must work from plain Markdown elements.
- While the vet scrolls up in a long thread, do not force-scroll to the bottom when a new message arrives; show a “New message ↓” pill instead.

S2 / S3 Message components

These components are shared by the chat page and the widget. Please design each one once, with a compact variant for the widget.

a **User message**

I have a 7mm pocket on 204 and I'm doing an open flap.

b **Agent answer with inline citation chips**

S1

Sources cited in the answer (only cited ones are listed):

S1 ReGum Vet IFU · §Procedure · p.4 IFU / Regulatory View source

c **System line**

— Case closed; remaining follow-ups cancelled —

d **Fallback / error answer (warning tone, no clinical content)**

Try again

e **Working indicator**

Checking approved sources and your records…

f **Citation chip hover / long-press preview**

S1

ReGum Vet IFU — Procedure

g **Case saved (confirmation)**

Case saved: Tooth 204 · 7 mm pocket
Follow-up scheduled in 90 days
Open case

h **Close case: needs the vet's confirmation (warning tone)**

CLOSE CASE – NEEDS YOUR CONFIRMATION
Tooth 204 · 7 mm pocket
Outcome: healing as expected
Close case Open case
Remaining follow-ups will be cancelled.

i **Draft order (only if the Orders module is enabled)**

DRAFT ORDER – NOT YET RECORDED
2 × ReGum Vet 1 ml
Confirm & record order Edit in Orders
Does not purchase anything automatically.

j **Escalate to Medical Support (NEW – proposed card)**

I don't have approved information on this.
Send the question to BioChange Medical Support?
Send to Medical Support Not now
After sending: status line "Sent – you'll get an email when answered"

k **Answer actions (NEW – proposed, hover)**

Copy Helpful Not helpful
Optional. Low emphasis, below each agent answer.


Ref	Notes for the designer
a, b	Citations are the heart of trust. Chips must be legible at small size, have a clear hover/focus state and be reachable by keyboard. Unknown labels the model invents are never rendered as chips (plain text).
c	Centred small muted line for events such as "Case closed". Not a bubble.
d	When the AI service fails, the user gets a fixed, safe message (never clinical content). Warning tone, not alarming red, with a Try again action.
g, h, i	Action cards. **g** informs; **h** and **i** ask for a deliberate press. Once confirmed they switch to a success line ("Case closed." / "Order recorded.") and the buttons disappear. Card **i** exists only when the Orders module is enabled.
j NEW	Today the escalation offer is plain text in the answer. A dedicated card makes the next step obvious and gives us a status line afterwards.
k NEW	Copy, and thumbs up/down feedback on answers. Optional; useful for improving the knowledge base.

S3 Chat widget: bottom pop-up


Embedded on the BioChange website · Fixed bottom-right, 24 px from the edges

A compact version of the same chat that floats over any page of the website. Same account, same conversation, same agent; just a smaller frame and fewer extras.

Closed (launcher)



Open (desktop, ~380 × 620 px, not to scale)




#	Element	Content and behaviour
1	**Launcher**	Pill with icon and label “Ask the Companion”. Collapses to an icon-only circle on small screens or after the first visit. Optional unread dot when an answer arrived while the panel was closed. Subtle entrance animation once per session, none when the visitor prefers reduced motion.
2	**Header**	Logo, “BioChange Companion” and the reassurance line “Approved sources only”.
3	**Header actions**	Right to left: **Close** (×, hides the panel), **Minimize** (–, back to the launcher), **New conversation** (+) and **Expand** (opens the full page S2 on this conversation). Icons need tooltips and accessible names.
4	**Messages**	Same bubbles as S2, in a compact scale. The panel opens on the latest conversation, or on the welcome state with the four suggested prompts for a new one.
5	**Sources**	Collapsed by default into **“Sources (n)”** that expands in place. Citation chips inline still open the source in a new tab.
6	**Action cards**	Compact variants of the cards (component sheet g, h, i). “Open case” opens the case page in a new tab so the website page stays in place.
7	**Composer + safety line**	Same behaviour as S2. The safety line may shrink to one line: “Supports, never replaces, your clinical judgement.” with a “Sources & limits” link to the full text.

Behaviour

- **Size:** about 380 px wide and up to 620 px high (max 80% of the viewport height). Rounded corners, soft shadow, above the cookie banner and other site chrome. If the site has a cookie banner, the launcher sits above it until it is dismissed.
- **Persistence:** open/closed state and the current conversation survive navigation between site pages. Closing or minimizing never discards anything.
- **Focus and keyboard:** opening moves focus to the composer; **Esc** minimizes and returns focus to the launcher; focus stays inside the panel while it is open.
- **No context panel in the widget.** The linked case appears as a chip under the header; tapping it shows a small popover with the case summary and an “Open case” link.
- **Not shown** on the login screen or the dedicated chat page, to avoid two chats on one page.

S3 Chat widget: mobile and special states

On phones the widget becomes a full-screen sheet, so the keyboard and the thread have enough room.



A Mobile: launcher (FAB) | B Mobile: full-screen sheet | C Logged out: inline sign-in | D Session expired

#	Element	Content and behaviour
A	**Mobile launcher**	Icon-only floating button, 48 px, bottom-right, respecting safe areas and not covering key site actions. Unread dot when relevant.
B	**Full-screen sheet**	Opens from the bottom (200 ms, none with reduced motion). Header: back/minimize (‹), logo + title, an expand icon and new conversation (+). The page behind does not scroll. The composer rises above the on-screen keyboard.
C	**Logged out**	A visitor who is not signed in sees the launcher but, when opening it, gets the inline sign-in (same component as S1, email and optional Google) instead of a chat. Message: “Sign in to use the Companion”. After the email link is confirmed the vet returns to the same page with the widget open.
D	**Session expired**	If the session ends mid-conversation, keep the thread and the unsent draft visible, disable the composer, and show a warning banner: “You were signed out for security. Sign in again to continue. Your unsent message is kept.” with a Sign in button.


Open decision for the client: who sees the launcher?

Recommended default: the launcher is shown to everyone, and logged-out visitors get the sign-in view (C). The alternative is to show the launcher only to signed-in vets, which is simpler but hides the product from invited vets who have not yet signed in on that device.


S4 Supporting screens and states

Things the chat depends on that are easy to forget. X1–X3 are drawn below; the rest are listed with their requirements.


X1 Source viewer (opened from “View source”)



X2 Send failed / timeout (inline)



X3 All conversations (optional)



Screen / state	Why it matters	Requirements
X1 Source viewer	Citations are only credible if the vet can verify them in one click.	Document title, authority-level badge, version, effective date, market, page and section. The exact passage is highlighted with surrounding context. “Back to conversation”. Opens in a new tab from the page, and in a full-screen layer from the widget on mobile.
X2 Errors in the thread	Network and timeout failures are realistic in clinics.	Failed message keeps its text and shows “Not sent – Retry”. Timeout copy: “The request took too long. Please check the conversation before resending.” Also offline, rate-limit and over-length states.
X3 All conversations	Sidebar shows only the latest conversations.	Searchable list with title, date and linked case. Optional (NEW). Needed only if the sidebar cannot hold enough history.
Medical Support status	Closes the loop after an escalation.	The existing Medical Support page lists the vet's questions with status chips (open, answered). Restyle it consistently with S2; add a link from the escalation card j.
Loading and empty	Avoids layout jumps.	Skeletons for the conversation list and an opened conversation; empty sidebar state “No conversations yet”.
Global error screen	Exists today.	“Something went wrong loading this page. Your work has been saved. This is usually temporary.” with Try again and Go to home; reference code in small text.
Privacy reminder NEW	The product avoids personal data about owners and patients.	A one-line reminder near the composer or in the welcome state: “Avoid names or contact details of animal owners.” Wording to be approved by BioChange.
Profile & memory	The agent remembers preferences.	Existing page. Only a style refresh is needed so that it matches the new system.

Design guidance

Tone and feel

- Clinical, calm, trustworthy. Closer to a professional reference tool than to a consumer chatbot: no cartoon avatar, no playful animation. Warmth through spacing and typography, not decoration.
- The agent has no persona picture. If an identifier is needed beside its messages, use the BioChange mark.

Accessibility and quality bar

- WCAG 2.2 AA: contrast of text and chips (check the teal on tinted backgrounds), visible focus rings, no information by colour alone, 44 px touch targets.
- Fully keyboard-operable; screen readers announce new agent messages (live region) and the working indicator.
- Respect *prefers-reduced-motion*. Support browser zoom to 200% and text scaling without clipped controls.
- Light theme is required. Dark theme is optional and can be a later phase.

Language and direction

The interface copy in this document is English. Please **design with right-to-left (Hebrew) in mind**: mirrored layout, logical padding and icons that do not depend on direction. Confirm with BioChange whether a Hebrew UI is required in the first release (see open questions).

Deliverables requested from the designer

Item	Detail
Figma file with a component library	Buttons, fields, chips/badges, bubbles, cards (case, close case, draft order, escalation), banners, tooltip, bottom sheet, drawer. All states: default, hover, focus, active, disabled, loading, error.
S1 Login	Desktop and mobile; states 1–6; sign-in email template.
S2 Chat page	Desktop (3 columns), tablet, mobile. Welcome, active conversation, long answer, loading, error, session expired. Navigation drawer and context sheet.
S3 Widget	Launcher (pill and icon-only, with and without unread dot), open panel, mobile full-screen, logged-out, session expired, minimized.
S4 Supporting	Source viewer, inline error states, all conversations (if kept), global error.
Prototype	Clickable flow F1–F5, including the widget-to-page expansion.
Specs and assets	Design tokens (colours, type scale, spacing, radii, shadows, motion), icon set as SVG, launcher artwork, export-ready logos, redlines for widget sizes and z-index/offsets.

Open questions

Decisions that change the design. A recommended default is given for each, so the designer can start without waiting.

#	Question	Recommended default
1	Is the first release in English only, or also Hebrew (RTL)?	Design RTL-ready from the start; ship English first.
2	Should the widget appear on every page of the website, or only on selected pages (product pages, professional area)?	Selected pages, configurable by URL rules.
3	Who sees the launcher: everyone, or signed-in vets only?	Everyone; logged-out visitors get the inline sign-in.
4	Where does the dedicated page live and how is it linked from the main website navigation?	Own sub-path or sub-domain, with a “Vet Companion” link in the professional menu.
5	Does the website have a brand system (colours, fonts) that the app must adopt?	Yes: align to the website and report any token changes.
6	Do vets need to attach photos, X-rays or files in the chat?	Not in v1. Files stay in the Cases area.
7	Keep the proposed additions (NEW): header and menu, answer feedback, escalation card, resend link, all-conversations page, privacy reminder?	Keep header, escalation card and resend link; treat the rest as optional.