

ADVERSE DRUG REACTION (ADR) REPORTING FORM

Yellow Card / MedWatch style | Fictional training case, educational use only | Report 1 of 12

Case ID	SYN-PV-007	Report type	Initial, spontaneous
Source	Synthetic intake case pack	Report date	Unknown (not provided)

A. PATIENT DETAILS

Patient initials	Unknown (not provided) (mandatory field: recorded as unknown)	Age	63 years
Sex	Male	Weight / height	Unknown (not provided)
Pregnancy / lactation	Unknown (not provided)	Allergies	Unknown (not provided)
Relevant medical history	Unknown (not provided)	Lab / test results	Unknown (not provided)

B. SUSPECT DRUG

Suspect drug	Omeprazole	Route	Oral
Dose / frequency	500 mg twice daily	Indication	Hypertension
Treatment start date	Unknown (not provided)	Treatment stop date	Unknown (not provided); treatment was stopped per reporter
Time to onset	16 day(s) after treatment began	Batch / brand	Unknown (not provided)
Action taken	Drug withdrawn	Dechallenge	Negative
Rechallenge	Negative	Listed in reference (expectedness)	Known

C. ADVERSE REACTION

Reaction / event	Headache	Reaction start date	Unknown (not provided); onset day 16 after start
Outcome	Recovered / resolved	Reaction duration	Unknown (not provided)
Seriousness criteria	☐ Hospitalisation / prolonged ☒ Other medically important condition ☐ Non-serious ☐ Death ☐ Life-threatening ☐ Disability ☐ Congenital anomaly (none of these reported)		

D. CONCOMITANT MEDICINES

Concomitant medicines	Paracetamol	Dose / dates	Unknown (not provided)
-----------------------	-------------	--------------	------------------------

E. REPORTER

Qualification	Consumer (non-healthcare professional)	Name / contact	Unknown (not provided)
---------------	--	----------------	------------------------

F. CASE NARRATIVE

A 63-year-old male patient received Omeprazole 500 mg twice daily by the oral route for hypertension. Headache was reported 16 day(s) after treatment began. The reporter (consumer) stated that treatment was stopped. Dechallenge: negative. Rechallenge: negative. Outcome at follow-up: recovered / resolved. Seriousness: medically important. Concomitant medicines: paracetamol. Medical history, calendar dates, patient initials and batch number were not provided and are recorded as unknown.

G. MINIMUM VALIDITY CHECKLIST (reporting template)

Field	Required for valid case	Entry	Source evidence
Identifiable patient	Yes	Yes: age 63, sex Male; initials not provided	Age, Sex columns
Identifiable reporter	Yes	Yes: Consumer (qualification known; name not provided)	Reporter column
Suspect product	Yes	Yes: Omeprazole, 500 mg twice daily, oral	SuspectProduct, Dose, Route
Adverse event	Yes	Yes: Headache	Reaction column
Chronology	No	Onset 16 day(s) after start; dates unknown	OnsetDays column
Seriousness	No	Medically important	Seriousness column
Outcome	No	Recovered / resolved	Narrative (reporter statement)

Result: all four minimum criteria are met, so this is a valid case.

H. ASSESSOR CAUSALITY (WHO-UMC) AND DATA QUERIES

Causality	Unlikely	Rationale	Dechallenge and rechallenge both negative. Paracetamol may be treatment of the headache (protopathic bias). Dose 500 mg BD implausible; indication queried.
Queries to reporter	Dose is outside the usual adult range: verify with reporter; indication does not fit the suspect drug: verify; follow-up on outcome as needed.	Assessor signature / date	Unknown (not provided)

Fictional training case. Not for clinical care or regulatory submission.

Page 1

ADVERSE DRUG REACTION (ADR) REPORTING FORM

Yellow Card / MedWatch style | Fictional training case, educational use only | Report 2 of 12

Case ID	SYN-PV-008	Report type	Initial, spontaneous
Source	Synthetic intake case pack	Report date	Unknown (not provided)

A. PATIENT DETAILS

Patient initials	Unknown (not provided) (mandatory field: recorded as unknown)	Age	36 years
Sex	Male	Weight / height	Unknown (not provided)
Pregnancy / lactation	Unknown (not provided)	Allergies	Unknown (not provided)
Relevant medical history	Unknown (not provided)	Lab / test results	Unknown (not provided)

B. SUSPECT DRUG

Suspect drug	Losartan	Route	Oral
Dose / frequency	5 mg once daily	Indication	Infection
Treatment start date	Unknown (not provided)	Treatment stop date	Unknown (not provided); treatment was stopped per reporter
Time to onset	2 day(s) after treatment began	Batch / brand	Unknown (not provided)
Action taken	Drug withdrawn	Dechallenge	Negative
Rechallenge	Not done	Listed in reference (expectedness)	Unexpected

C. ADVERSE REACTION

Reaction / event	Fatigue	Reaction start date	Unknown (not provided); onset day 2 after start
Outcome	Recovering / resolving	Reaction duration	Unknown (not provided)
Seriousness criteria	☐ Hospitalisation / prolonged ☐ Other medically important condition ☒ Non-serious ☐ Death ☐ Life-threatening ☐ Disability ☐ Congenital anomaly (none of these reported)		

D. CONCOMITANT MEDICINES

Concomitant medicines	Paracetamol	Dose / dates	Unknown (not provided)
-----------------------	-------------	--------------	------------------------

E. REPORTER

Qualification	Pharmacist (healthcare professional)	Name / contact	Unknown (not provided)
---------------	--------------------------------------	----------------	------------------------

F. CASE NARRATIVE

A 36-year-old male patient received Losartan 5 mg once daily by the oral route for infection. Fatigue was reported 2 day(s) after treatment began. The reporter (pharmacist) stated that treatment was stopped. Dechallenge: negative. Rechallenge: not done. Outcome at follow-up: recovering / resolving. Seriousness: not serious. Concomitant medicines: paracetamol. Medical history, calendar dates, patient initials and batch number were not provided and are recorded as unknown.

G. MINIMUM VALIDITY CHECKLIST (reporting template)

Field	Required for valid case	Entry	Source evidence
Identifiable patient	Yes	Yes: age 36, sex Male; initials not provided	Age, Sex columns
Identifiable reporter	Yes	Yes: Pharmacist (qualification known; name not provided)	Reporter column
Suspect product	Yes	Yes: Losartan, 5 mg once daily, oral	SuspectProduct, Dose, Route
Adverse event	Yes	Yes: Fatigue	Reaction column
Chronology	No	Onset 2 day(s) after start; dates unknown	OnsetDays column
Seriousness	No	Not serious	Seriousness column
Outcome	No	Recovering / resolving	Narrative (reporter statement)

Result: all four minimum criteria are met, so this is a valid case.

H. ASSESSOR CAUSALITY (WHO-UMC) AND DATA QUERIES

Causality	Unlikely	Rationale	Reaction UNEXPECTED per dataset. Onset 2 d, negative dechallenge, underlying infection a plausible alternative. Signal-watch despite low causality. Dose queried.
Queries to reporter	Dose is outside the usual adult range: verify with reporter; indication does not fit the suspect drug: verify; dechallenge/rechallenge details to be confirmed.	Assessor signature / date	Unknown (not provided)

Fictional training case. Not for clinical care or regulatory submission.

Page 2

ADVERSE DRUG REACTION (ADR) REPORTING FORM

Yellow Card / MedWatch style | Fictional training case, educational use only | Report 3 of 12

Case ID	SYN-PV-009	Report type	Initial, spontaneous
Source	Synthetic intake case pack	Report date	Unknown (not provided)

A. PATIENT DETAILS

Patient initials	Unknown (not provided) (mandatory field: recorded as unknown)	Age	78 years
Sex	Unknown	Weight / height	Unknown (not provided)
Pregnancy / lactation	Unknown (not provided)	Allergies	Unknown (not provided)
Relevant medical history	Unknown (not provided)	Lab / test results	Unknown (not provided)

B. SUSPECT DRUG

Suspect drug	Amoxicillin	Route	Oral
Dose / frequency	5 mg once daily	Indication	Anxiety
Treatment start date	Unknown (not provided)	Treatment stop date	Unknown (not provided); treatment was stopped per reporter
Time to onset	7 day(s) after treatment began	Batch / brand	Unknown (not provided)
Action taken	Drug withdrawn	Dechallenge	Positive
Rechallenge	Not done	Listed in reference (expectedness)	Known

C. ADVERSE REACTION

Reaction / event	Rash	Reaction start date	Unknown (not provided); onset day 7 after start
Outcome	Recovering / resolving	Reaction duration	Unknown (not provided)
Seriousness criteria	☐ Hospitalisation / prolonged ☒ Other medically important condition ☐ Non-serious ☐ Death ☐ Life-threatening ☐ Disability ☐ Congenital anomaly (none of these reported)		

D. CONCOMITANT MEDICINES

Concomitant medicines	Vitamin D	Dose / dates	Unknown (not provided)
-----------------------	-----------	--------------	------------------------

E. REPORTER

Qualification	Physician (healthcare professional)	Name / contact	Unknown (not provided)
---------------	-------------------------------------	----------------	------------------------

F. CASE NARRATIVE

A 78-year-old patient of unknown sex received Amoxicillin 5 mg once daily by the oral route for anxiety. Rash was reported 7 day(s) after treatment began. The reporter (physician) stated that treatment was stopped. Dechallenge: positive. Rechallenge: not done. Outcome at follow-up: recovering / resolving. Seriousness: medically important. Concomitant medicines: vitamin d. Medical history, calendar dates, patient initials and batch number were not provided and are recorded as unknown.

G. MINIMUM VALIDITY CHECKLIST (reporting template)

Field	Required for valid case	Entry	Source evidence
Identifiable patient	Yes	Yes: age 78, sex Unknown; initials not provided	Age, Sex columns
Identifiable reporter	Yes	Yes: Physician (qualification known; name not provided)	Reporter column
Suspect product	Yes	Yes: Amoxicillin, 5 mg once daily, oral	SuspectProduct, Dose, Route
Adverse event	Yes	Yes: Rash	Reaction column
Chronology	No	Onset 7 day(s) after start; dates unknown	OnsetDays column
Seriousness	No	Medically important	Seriousness column
Outcome	No	Recovering / resolving	Narrative (reporter statement)

Result: all four minimum criteria are met, so this is a valid case.

H. ASSESSOR CAUSALITY (WHO-UMC) AND DATA QUERIES

Causality	Probable	Rationale	Plausible onset (7 d), known effect, positive dechallenge, improving. Patient is 78. Indication (anxiety) and dose queried.
Queries to reporter	Dose is outside the usual adult range: verify with reporter; indication does not fit the suspect drug: verify; dechallenge/rechallenge details to be confirmed.	Assessor signature / date	Unknown (not provided)

Fictional training case. Not for clinical care or regulatory submission.

Page 3

ADVERSE DRUG REACTION (ADR) REPORTING FORM

Yellow Card / MedWatch style | Fictional training case, educational use only | Report 4 of 12

Case ID	SYN-PV-010	Report type	Initial, spontaneous
Source	Synthetic intake case pack	Report date	Unknown (not provided)

A. PATIENT DETAILS

Patient initials	Unknown (not provided) (mandatory field: recorded as unknown)	Age	57 years
Sex	Female	Weight / height	Unknown (not provided)
Pregnancy / lactation	Unknown (not provided)	Allergies	Unknown (not provided)
Relevant medical history	Unknown (not provided)	Lab / test results	Unknown (not provided)

B. SUSPECT DRUG

Suspect drug	Atorvastatin	Route	Oral
Dose / frequency	5 mg once daily	Indication	Infection
Treatment start date	Unknown (not provided)	Treatment stop date	Unknown (not provided); treatment was stopped per reporter
Time to onset	21 day(s) after treatment began	Batch / brand	Unknown (not provided)
Action taken	Drug withdrawn	Dechallenge	Unknown
Rechallenge	Negative	Listed in reference (expectedness)	Known

C. ADVERSE REACTION

Reaction / event	Myalgia	Reaction start date	Unknown (not provided); onset day 21 after start
Outcome	Recovered / resolved	Reaction duration	Unknown (not provided)
Seriousness criteria	[X] Hospitalisation / prolonged [] Other medically important condition [] Non-serious [] Death [] Life-threatening [] Disability [] Congenital anomaly (none of these reported)		

D. CONCOMITANT MEDICINES

Concomitant medicines	Paracetamol	Dose / dates	Unknown (not provided)
-----------------------	-------------	--------------	------------------------

E. REPORTER

Qualification	Pharmacist (healthcare professional)	Name / contact	Unknown (not provided)
---------------	--------------------------------------	----------------	------------------------

F. CASE NARRATIVE

A 57-year-old female patient received Atorvastatin 5 mg once daily by the oral route for infection. Myalgia was reported 21 day(s) after treatment began. The reporter (pharmacist) stated that treatment was stopped. Dechallenge: unknown. Rechallenge: negative. Outcome at follow-up: recovered / resolved. Seriousness: hospitalisation. Concomitant medicines: paracetamol. Medical history, calendar dates, patient initials and batch number were not provided and are recorded as unknown.

G. MINIMUM VALIDITY CHECKLIST (reporting template)

Field	Required for valid case	Entry	Source evidence
Identifiable patient	Yes	Yes: age 57, sex Female; initials not provided	Age, Sex columns
Identifiable reporter	Yes	Yes: Pharmacist (qualification known; name not provided)	Reporter column
Suspect product	Yes	Yes: Atorvastatin, 5 mg once daily, oral	SuspectProduct, Dose, Route
Adverse event	Yes	Yes: Myalgia	Reaction column
Chronology	No	Onset 21 day(s) after start; dates unknown	OnsetDays column
Seriousness	No	Hospitalisation	Seriousness column
Outcome	No	Recovered / resolved	Narrative (reporter statement)

Result: all four minimum criteria are met, so this is a valid case.

H. ASSESSOR CAUSALITY (WHO-UMC) AND DATA QUERIES

Causality	Unlikely	Rationale	Rechallenge negative; dechallenge unknown; underlying infection a plausible alternative. Serious (hospitalisation) so keep under review. Dose queried.
Queries to reporter	Dose is outside the usual adult range: verify with reporter; indication does not fit the suspect drug: verify; dechallenge/rechallenge details to be confirmed.	Assessor signature / date	Unknown (not provided)

Fictional training case. Not for clinical care or regulatory submission.

Page 4

ADVERSE DRUG REACTION (ADR) REPORTING FORM

Yellow Card / MedWatch style | Fictional training case, educational use only | Report 5 of 12

Case ID	SYN-PV-011	Report type	Initial, spontaneous
Source	Synthetic intake case pack	Report date	Unknown (not provided)

A. PATIENT DETAILS

Patient initials	Unknown (not provided) (mandatory field: recorded as unknown)	Age	23 years
Sex	Unknown	Weight / height	Unknown (not provided)
Pregnancy / lactation	Unknown (not provided)	Allergies	Unknown (not provided)
Relevant medical history	Unknown (not provided)	Lab / test results	Unknown (not provided)

B. SUSPECT DRUG

Suspect drug	Metformin	Route	Oral
Dose / frequency	5 mg once daily	Indication	Hypertension
Treatment start date	Unknown (not provided)	Treatment stop date	Unknown (not provided); treatment was stopped per reporter
Time to onset	19 day(s) after treatment began	Batch / brand	Unknown (not provided)
Action taken	Drug withdrawn	Dechallenge	Unknown
Rechallenge	Positive	Listed in reference (expectedness)	Known

C. ADVERSE REACTION

Reaction / event	Nausea	Reaction start date	Unknown (not provided); onset day 19 after start
Outcome	Recovering / resolving	Reaction duration	Unknown (not provided)
Seriousness criteria	☐ Hospitalisation / prolonged ☒ Other medically important condition ☐ Non-serious ☐ Death ☐ Life-threatening ☐ Disability ☐ Congenital anomaly (none of these reported)		

D. CONCOMITANT MEDICINES

Concomitant medicines	None reported	Dose / dates	Not applicable
-----------------------	---------------	--------------	----------------

E. REPORTER

Qualification	Consumer (non-healthcare professional)	Name / contact	Unknown (not provided)
---------------	--	----------------	------------------------

F. CASE NARRATIVE

A 23-year-old patient of unknown sex received Metformin 5 mg once daily by the oral route for hypertension. Nausea was reported 19 day(s) after treatment began. The reporter (consumer) stated that treatment was stopped. Dechallenge: unknown. Rechallenge: positive. Outcome at follow-up: recovering / resolving. Seriousness: medically important. Concomitant medicines: none reported. Medical history, calendar dates, patient initials and batch number were not provided and are recorded as unknown.

G. MINIMUM VALIDITY CHECKLIST (reporting template)

Field	Required for valid case	Entry	Source evidence
Identifiable patient	Yes	Yes: age 23, sex Unknown; initials not provided	Age, Sex columns
Identifiable reporter	Yes	Yes: Consumer (qualification known; name not provided)	Reporter column
Suspect product	Yes	Yes: Metformin, 5 mg once daily, oral	SuspectProduct, Dose, Route
Adverse event	Yes	Yes: Nausea	Reaction column
Chronology	No	Onset 19 day(s) after start; dates unknown	OnsetDays column
Seriousness	No	Medically important	Seriousness column
Outcome	No	Recovering / resolving	Narrative (reporter statement)

Result: all four minimum criteria are met, so this is a valid case.

H. ASSESSOR CAUSALITY (WHO-UMC) AND DATA QUERIES

Causality	Probable	Rationale	Positive rechallenge with plausible, known effect; dechallenge unknown. Onset 19 d is late for metformin GI effects. Indication and dose queried.
Queries to reporter	Dose is outside the usual adult range: verify with reporter; indication does not fit the suspect drug: verify; dechallenge/rechallenge details to be confirmed.	Assessor signature / date	Unknown (not provided)

Fictional training case. Not for clinical care or regulatory submission.

Page 5

ADVERSE DRUG REACTION (ADR) REPORTING FORM

Yellow Card / MedWatch style | Fictional training case, educational use only | Report 6 of 12

Case ID	SYN-PV-012	Report type	Initial, spontaneous
Source	Synthetic intake case pack	Report date	Unknown (not provided)

A. PATIENT DETAILS

Patient initials	Unknown (not provided) (mandatory field: recorded as unknown)	Age	24 years
Sex	Female	Weight / height	Unknown (not provided)
Pregnancy / lactation	Unknown (not provided)	Allergies	Unknown (not provided)
Relevant medical history	Unknown (not provided)	Lab / test results	Unknown (not provided)

B. SUSPECT DRUG

Suspect drug	Amlodipine	Route	Oral
Dose / frequency	5 mg once daily	Indication	Hypertension
Treatment start date	Unknown (not provided)	Treatment stop date	Unknown (not provided); treatment was stopped per reporter
Time to onset	4 day(s) after treatment began	Batch / brand	Unknown (not provided)
Action taken	Drug withdrawn	Dechallenge	Unknown
Rechallenge	Positive	Listed in reference (expectedness)	Known

C. ADVERSE REACTION

Reaction / event	Peripheral oedema	Reaction start date	Unknown (not provided); onset day 4 after start
Outcome	Not recovered / not resolved	Reaction duration	Unknown (not provided)
Seriousness criteria	☐ Hospitalisation / prolonged ☒ Other medically important condition ☐ Non-serious ☐ Death ☐ Life-threatening ☐ Disability ☐ Congenital anomaly (none of these reported)		

D. CONCOMITANT MEDICINES

Concomitant medicines	None reported	Dose / dates	Not applicable
-----------------------	---------------	--------------	----------------

E. REPORTER

Qualification	Pharmacist (healthcare professional)	Name / contact	Unknown (not provided)
---------------	--------------------------------------	----------------	------------------------

F. CASE NARRATIVE

A 24-year-old female patient received Amlodipine 5 mg once daily by the oral route for hypertension. Peripheral oedema was reported 4 day(s) after treatment began. The reporter (pharmacist) stated that treatment was stopped. Dechallenge: unknown. Rechallenge: positive. Outcome at follow-up: not recovered / not resolved. Seriousness: medically important. Concomitant medicines: none reported. Medical history, calendar dates, patient initials and batch number were not provided and are recorded as unknown.

G. MINIMUM VALIDITY CHECKLIST (reporting template)

Field	Required for valid case	Entry	Source evidence
Identifiable patient	Yes	Yes: age 24, sex Female; initials not provided	Age, Sex columns
Identifiable reporter	Yes	Yes: Pharmacist (qualification known; name not provided)	Reporter column
Suspect product	Yes	Yes: Amlodipine, 5 mg once daily, oral	SuspectProduct, Dose, Route
Adverse event	Yes	Yes: Peripheral oedema	Reaction column
Chronology	No	Onset 4 day(s) after start; dates unknown	OnsetDays column
Seriousness	No	Medically important	Seriousness column
Outcome	No	Not recovered / not resolved	Narrative (reporter statement)

Result: all four minimum criteria are met, so this is a valid case.

H. ASSESSOR CAUSALITY (WHO-UMC) AND DATA QUERIES

Causality	Probable	Rationale	Positive rechallenge, known effect, indication consistent. Not recovered after stopping and dechallenge unknown. Early onset (4 d) is plausible.
Queries to reporter	Dechallenge/rechallenge details to be confirmed.	Assessor signature / date	Unknown (not provided)

Fictional training case. Not for clinical care or regulatory submission.

Page 6

ADVERSE DRUG REACTION (ADR) REPORTING FORM

Yellow Card / MedWatch style | Fictional training case, educational use only | Report 7 of 12

Case ID	SYN-PV-013	Report type	Initial, spontaneous
Source	Synthetic intake case pack	Report date	Unknown (not provided)

A. PATIENT DETAILS

Patient initials	Unknown (not provided) (mandatory field: recorded as unknown)	Age	75 years
Sex	Female	Weight / height	Unknown (not provided)
Pregnancy / lactation	Unknown (not provided)	Allergies	Unknown (not provided)
Relevant medical history	Unknown (not provided)	Lab / test results	Unknown (not provided)

B. SUSPECT DRUG

Suspect drug	Ciprofloxacin	Route	Oral
Dose / frequency	500 mg twice daily	Indication	Diabetes
Treatment start date	Unknown (not provided)	Treatment stop date	Unknown (not provided); treatment was stopped per reporter
Time to onset	5 day(s) after treatment began	Batch / brand	Unknown (not provided)
Action taken	Drug withdrawn	Dechallenge	Negative
Rechallenge	Positive	Listed in reference (expectedness)	Known

C. ADVERSE REACTION

Reaction / event	Tendon pain	Reaction start date	Unknown (not provided); onset day 5 after start
Outcome	Not recovered / not resolved	Reaction duration	Unknown (not provided)
Seriousness criteria	☐ Hospitalisation / prolonged ☒ Other medically important condition ☐ Non-serious ☐ Death ☐ Life-threatening ☐ Disability ☐ Congenital anomaly (none of these reported)		

D. CONCOMITANT MEDICINES

Concomitant medicines	Vitamin D	Dose / dates	Unknown (not provided)
-----------------------	-----------	--------------	------------------------

E. REPORTER

Qualification	Physician (healthcare professional)	Name / contact	Unknown (not provided)
---------------	-------------------------------------	----------------	------------------------

F. CASE NARRATIVE

A 75-year-old female patient received Ciprofloxacin 500 mg twice daily by the oral route for diabetes. Tendon pain was reported 5 day(s) after treatment began. The reporter (physician) stated that treatment was stopped. Dechallenge: negative. Rechallenge: positive. Outcome at follow-up: not recovered / not resolved. Seriousness: medically important. Concomitant medicines: vitamin d. Medical history, calendar dates, patient initials and batch number were not provided and are recorded as unknown.

G. MINIMUM VALIDITY CHECKLIST (reporting template)

Field	Required for valid case	Entry	Source evidence
Identifiable patient	Yes	Yes: age 75, sex Female; initials not provided	Age, Sex columns
Identifiable reporter	Yes	Yes: Physician (qualification known; name not provided)	Reporter column
Suspect product	Yes	Yes: Ciprofloxacin, 500 mg twice daily, oral	SuspectProduct, Dose, Route
Adverse event	Yes	Yes: Tendon pain	Reaction column
Chronology	No	Onset 5 day(s) after start; dates unknown	OnsetDays column
Seriousness	No	Medically important	Seriousness column
Outcome	No	Not recovered / not resolved	Narrative (reporter statement)

Result: all four minimum criteria are met, so this is a valid case.

H. ASSESSOR CAUSALITY (WHO-UMC) AND DATA QUERIES

Causality	Probable	Rationale	Known fluoroquinolone tendinopathy; age 75 is a recognised risk factor; positive rechallenge. Negative dechallenge is explained by slow tendon recovery.
Queries to reporter	Indication does not fit the suspect drug: verify; follow-up on outcome as needed.	Assessor signature / date	Unknown (not provided)

Fictional training case. Not for clinical care or regulatory submission.

Page 7

ADVERSE DRUG REACTION (ADR) REPORTING FORM

Yellow Card / MedWatch style | Fictional training case, educational use only | Report 8 of 12

Case ID	SYN-PV-014	Report type	Initial, spontaneous
Source	Synthetic intake case pack	Report date	Unknown (not provided)

A. PATIENT DETAILS

Patient initials	Unknown (not provided) (mandatory field: recorded as unknown)	Age	75 years
Sex	Female	Weight / height	Unknown (not provided)
Pregnancy / lactation	Unknown (not provided)	Allergies	Unknown (not provided)
Relevant medical history	Unknown (not provided)	Lab / test results	Unknown (not provided)

B. SUSPECT DRUG

Suspect drug	Sertraline	Route	Oral
Dose / frequency	5 mg once daily	Indication	Diabetes
Treatment start date	Unknown (not provided)	Treatment stop date	Unknown (not provided); treatment was stopped per reporter
Time to onset	9 day(s) after treatment began	Batch / brand	Unknown (not provided)
Action taken	Drug withdrawn	Dechallenge	Negative
Rechallenge	Negative	Listed in reference (expectedness)	Known

C. ADVERSE REACTION

Reaction / event	Dizziness	Reaction start date	Unknown (not provided); onset day 9 after start
Outcome	Recovering / resolving	Reaction duration	Unknown (not provided)
Seriousness criteria	☒ Hospitalisation / prolonged ☐ Other medically important condition ☐ Non-serious ☐ Death ☐ Life-threatening ☐ Disability ☐ Congenital anomaly (none of these reported)		

D. CONCOMITANT MEDICINES

Concomitant medicines	Paracetamol	Dose / dates	Unknown (not provided)
-----------------------	-------------	--------------	------------------------

E. REPORTER

Qualification	Physician (healthcare professional)	Name / contact	Unknown (not provided)
---------------	-------------------------------------	----------------	------------------------

F. CASE NARRATIVE

A 75-year-old female patient received Sertraline 5 mg once daily by the oral route for diabetes. Dizziness was reported 9 day(s) after treatment began. The reporter (physician) stated that treatment was stopped. Dechallenge: negative. Rechallenge: negative. Outcome at follow-up: recovering / resolving. Seriousness: hospitalisation. Concomitant medicines: paracetamol. Medical history, calendar dates, patient initials and batch number were not provided and are recorded as unknown.

G. MINIMUM VALIDITY CHECKLIST (reporting template)

Field	Required for valid case	Entry	Source evidence
Identifiable patient	Yes	Yes: age 75, sex Female; initials not provided	Age, Sex columns
Identifiable reporter	Yes	Yes: Physician (qualification known; name not provided)	Reporter column
Suspect product	Yes	Yes: Sertraline, 5 mg once daily, oral	SuspectProduct, Dose, Route
Adverse event	Yes	Yes: Dizziness	Reaction column
Chronology	No	Onset 9 day(s) after start; dates unknown	OnsetDays column
Seriousness	No	Hospitalisation	Seriousness column
Outcome	No	Recovering / resolving	Narrative (reporter statement)

Result: all four minimum criteria are met, so this is a valid case.

H. ASSESSOR CAUSALITY (WHO-UMC) AND DATA QUERIES

Causality	Unlikely	Rationale	Dechallenge and rechallenge both negative; diabetes (e.g. glycaemic changes) an alternative explanation at age 75. Hospitalisation noted. Indication and dose queried.
Queries to reporter	Dose is outside the usual adult range: verify with reporter; indication does not fit the suspect drug: verify; follow-up on outcome as needed.	Assessor signature / date	Unknown (not provided)

Fictional training case. Not for clinical care or regulatory submission.

Page 8

ADVERSE DRUG REACTION (ADR) REPORTING FORM

Yellow Card / MedWatch style | Fictional training case, educational use only | Report 9 of 12

Case ID	SYN-PV-015	Report type	Initial, spontaneous
Source	Synthetic intake case pack	Report date	Unknown (not provided)

A. PATIENT DETAILS

Patient initials	Unknown (not provided) (mandatory field: recorded as unknown)	Age	33 years
Sex	Male	Weight / height	Unknown (not provided)
Pregnancy / lactation	Unknown (not provided)	Allergies	Unknown (not provided)
Relevant medical history	Unknown (not provided)	Lab / test results	Unknown (not provided)

B. SUSPECT DRUG

Suspect drug	Omeprazole	Route	Oral
Dose / frequency	20 mg once daily	Indication	Hypertension
Treatment start date	Unknown (not provided)	Treatment stop date	Unknown (not provided); treatment was stopped per reporter
Time to onset	16 day(s) after treatment began	Batch / brand	Unknown (not provided)
Action taken	Drug withdrawn	Dechallenge	Unknown
Rechallenge	Positive	Listed in reference (expectedness)	Known

C. ADVERSE REACTION

Reaction / event	Headache	Reaction start date	Unknown (not provided); onset day 16 after start
Outcome	Recovered / resolved	Reaction duration	Unknown (not provided)
Seriousness criteria	[X] Hospitalisation / prolonged [] Other medically important condition [] Non-serious [] Death [] Life-threatening [] Disability [] Congenital anomaly (none of these reported)		

D. CONCOMITANT MEDICINES

Concomitant medicines	None reported	Dose / dates	Not applicable
-----------------------	---------------	--------------	----------------

E. REPORTER

Qualification	Physician (healthcare professional)	Name / contact	Unknown (not provided)
---------------	-------------------------------------	----------------	------------------------

F. CASE NARRATIVE

A 33-year-old male patient received Omeprazole 20 mg once daily by the oral route for hypertension. Headache was reported 16 day(s) after treatment began. The reporter (physician) stated that treatment was stopped. Dechallenge: unknown. Rechallenge: positive. Outcome at follow-up: recovered / resolved. Seriousness: hospitalisation. Concomitant medicines: none reported. Medical history, calendar dates, patient initials and batch number were not provided and are recorded as unknown.

G. MINIMUM VALIDITY CHECKLIST (reporting template)

Field	Required for valid case	Entry	Source evidence
Identifiable patient	Yes	Yes: age 33, sex Male; initials not provided	Age, Sex columns
Identifiable reporter	Yes	Yes: Physician (qualification known; name not provided)	Reporter column
Suspect product	Yes	Yes: Omeprazole, 20 mg once daily, oral	SuspectProduct, Dose, Route
Adverse event	Yes	Yes: Headache	Reaction column
Chronology	No	Onset 16 day(s) after start; dates unknown	OnsetDays column
Seriousness	No	Hospitalisation	Seriousness column
Outcome	No	Recovered / resolved	Narrative (reporter statement)

Result: all four minimum criteria are met, so this is a valid case.

H. ASSESSOR CAUSALITY (WHO-UMC) AND DATA QUERIES

Causality	Probable	Rationale	Positive rechallenge, known effect, patient recovered, no alternative cause. Serious (hospitalisation) so medical review advised. Indication queried.
Queries to reporter	Indication does not fit the suspect drug: verify; dechallenge/rechallenge details to be confirmed.	Assessor signature / date	Unknown (not provided)

Fictional training case. Not for clinical care or regulatory submission.

Page 9

ADVERSE DRUG REACTION (ADR) REPORTING FORM

Yellow Card / MedWatch style | Fictional training case, educational use only | Report 10 of 12

Case ID	SYN-PV-016	Report type	Initial, spontaneous
Source	Synthetic intake case pack	Report date	Unknown (not provided)

A. PATIENT DETAILS

Patient initials	Unknown (not provided) (mandatory field: recorded as unknown)	Age	66 years
Sex	Unknown	Weight / height	Unknown (not provided)
Pregnancy / lactation	Unknown (not provided)	Allergies	Unknown (not provided)
Relevant medical history	Unknown (not provided)	Lab / test results	Unknown (not provided)

B. SUSPECT DRUG

Suspect drug	Losartan	Route	Oral
Dose / frequency	20 mg once daily	Indication	Diabetes
Treatment start date	Unknown (not provided)	Treatment stop date	Unknown (not provided); treatment was stopped per reporter
Time to onset	10 day(s) after treatment began	Batch / brand	Unknown (not provided)
Action taken	Drug withdrawn	Dechallenge	Positive
Rechallenge	Negative	Listed in reference (expectedness)	Unexpected

C. ADVERSE REACTION

Reaction / event	Fatigue	Reaction start date	Unknown (not provided); onset day 10 after start
Outcome	Not recovered / not resolved	Reaction duration	Unknown (not provided)
Seriousness criteria	☐ Hospitalisation / prolonged ☐ Other medically important condition ☒ Non-serious ☐ Death ☐ Life-threatening ☐ Disability ☐ Congenital anomaly (none of these reported)		

D. CONCOMITANT MEDICINES

Concomitant medicines	None reported	Dose / dates	Not applicable
-----------------------	---------------	--------------	----------------

E. REPORTER

Qualification	Physician (healthcare professional)	Name / contact	Unknown (not provided)
---------------	-------------------------------------	----------------	------------------------

F. CASE NARRATIVE

A 66-year-old patient of unknown sex received Losartan 20 mg once daily by the oral route for diabetes. Fatigue was reported 10 day(s) after treatment began. The reporter (physician) stated that treatment was stopped. Dechallenge: positive. Rechallenge: negative. Outcome at follow-up: not recovered / not resolved. Seriousness: not serious. Concomitant medicines: none reported. Medical history, calendar dates, patient initials and batch number were not provided and are recorded as unknown.

G. MINIMUM VALIDITY CHECKLIST (reporting template)

Field	Required for valid case	Entry	Source evidence
Identifiable patient	Yes	Yes: age 66, sex Unknown; initials not provided	Age, Sex columns
Identifiable reporter	Yes	Yes: Physician (qualification known; name not provided)	Reporter column
Suspect product	Yes	Yes: Losartan, 20 mg once daily, oral	SuspectProduct, Dose, Route
Adverse event	Yes	Yes: Fatigue	Reaction column
Chronology	No	Onset 10 day(s) after start; dates unknown	OnsetDays column
Seriousness	No	Not serious	Seriousness column
Outcome	No	Not recovered / not resolved	Narrative (reporter statement)

Result: all four minimum criteria are met, so this is a valid case.

H. ASSESSOR CAUSALITY (WHO-UMC) AND DATA QUERIES

Causality	Possible	Rationale	Reaction UNEXPECTED per dataset. Positive dechallenge but negative rechallenge: conflicting. Not recovered; diabetes an alternative. Dose queried.
Queries to reporter	Dose is outside the usual adult range: verify with reporter; follow-up on outcome as needed.	Assessor signature / date	Unknown (not provided)

Fictional training case. Not for clinical care or regulatory submission.

Page 10

ADVERSE DRUG REACTION (ADR) REPORTING FORM

Yellow Card / MedWatch style | Fictional training case, educational use only | Report 11 of 12

Case ID	SYN-PV-017	Report type	Initial, spontaneous
Source	Synthetic intake case pack	Report date	Unknown (not provided)

A. PATIENT DETAILS

Patient initials	Unknown (not provided) (mandatory field: recorded as unknown)	Age	57 years
Sex	Unknown	Weight / height	Unknown (not provided)
Pregnancy / lactation	Unknown (not provided)	Allergies	Unknown (not provided)
Relevant medical history	Unknown (not provided)	Lab / test results	Unknown (not provided)

B. SUSPECT DRUG

Suspect drug	Amoxicillin	Route	Oral
Dose / frequency	5 mg once daily	Indication	Hypertension
Treatment start date	Unknown (not provided)	Treatment stop date	Unknown (not provided); treatment was stopped per reporter
Time to onset	21 day(s) after treatment began	Batch / brand	Unknown (not provided)
Action taken	Drug withdrawn	Dechallenge	Unknown
Rechallenge	Positive	Listed in reference (expectedness)	Known

C. ADVERSE REACTION

Reaction / event	Rash	Reaction start date	Unknown (not provided); onset day 21 after start
Outcome	Recovering / resolving	Reaction duration	Unknown (not provided)
Seriousness criteria	☐ Hospitalisation / prolonged ☒ Other medically important condition ☐ Non-serious ☐ Death ☐ Life-threatening ☐ Disability ☐ Congenital anomaly (none of these reported)		

D. CONCOMITANT MEDICINES

Concomitant medicines	Vitamin D	Dose / dates	Unknown (not provided)
-----------------------	-----------	--------------	------------------------

E. REPORTER

Qualification	Physician (healthcare professional)	Name / contact	Unknown (not provided)
---------------	-------------------------------------	----------------	------------------------

F. CASE NARRATIVE

A 57-year-old patient of unknown sex received Amoxicillin 5 mg once daily by the oral route for hypertension. Rash was reported 21 day(s) after treatment began. The reporter (physician) stated that treatment was stopped. Dechallenge: unknown. Rechallenge: positive. Outcome at follow-up: recovering / resolving. Seriousness: medically important. Concomitant medicines: vitamin d. Medical history, calendar dates, patient initials and batch number were not provided and are recorded as unknown.

G. MINIMUM VALIDITY CHECKLIST (reporting template)

Field	Required for valid case	Entry	Source evidence
Identifiable patient	Yes	Yes: age 57, sex Unknown; initials not provided	Age, Sex columns
Identifiable reporter	Yes	Yes: Physician (qualification known; name not provided)	Reporter column
Suspect product	Yes	Yes: Amoxicillin, 5 mg once daily, oral	SuspectProduct, Dose, Route
Adverse event	Yes	Yes: Rash	Reaction column
Chronology	No	Onset 21 day(s) after start; dates unknown	OnsetDays column
Seriousness	No	Medically important	Seriousness column
Outcome	No	Recovering / resolving	Narrative (reporter statement)

Result: all four minimum criteria are met, so this is a valid case.

H. ASSESSOR CAUSALITY (WHO-UMC) AND DATA QUERIES

Causality	Probable	Rationale	Positive rechallenge with known effect; dechallenge unknown. Onset 21 d is late for a rash. Indication and dose queried.
Queries to reporter	Dose is outside the usual adult range: verify with reporter; indication does not fit the suspect drug: verify; dechallenge/rechallenge details to be confirmed.	Assessor signature / date	Unknown (not provided)

Fictional training case. Not for clinical care or regulatory submission.

Page 11

ADVERSE DRUG REACTION (ADR) REPORTING FORM

Yellow Card / MedWatch style | Fictional training case, educational use only | Report 12 of 12

Case ID	SYN-PV-018	Report type	Initial, spontaneous
Source	Synthetic intake case pack	Report date	Unknown (not provided)

A. PATIENT DETAILS

Patient initials	Unknown (not provided) (mandatory field: recorded as unknown)	Age	56 years
Sex	Female	Weight / height	Unknown (not provided)
Pregnancy / lactation	Unknown (not provided)	Allergies	Unknown (not provided)
Relevant medical history	Unknown (not provided)	Lab / test results	Unknown (not provided)

B. SUSPECT DRUG

Suspect drug	Atorvastatin	Route	Oral
Dose / frequency	500 mg twice daily	Indication	Anxiety
Treatment start date	Unknown (not provided)	Treatment stop date	Unknown (not provided); treatment was stopped per reporter
Time to onset	17 day(s) after treatment began	Batch / brand	Unknown (not provided)
Action taken	Drug withdrawn	Dechallenge	Unknown
Rechallenge	Positive	Listed in reference (expectedness)	Known

C. ADVERSE REACTION

Reaction / event	Myalgia	Reaction start date	Unknown (not provided); onset day 17 after start
Outcome	Not recovered / not resolved	Reaction duration	Unknown (not provided)
Seriousness criteria	☒ Hospitalisation / prolonged ☐ Other medically important condition ☐ Non-serious ☐ Death ☐ Life-threatening ☐ Disability ☐ Congenital anomaly (none of these reported)		

D. CONCOMITANT MEDICINES

Concomitant medicines	None reported	Dose / dates	Not applicable
-----------------------	---------------	--------------	----------------

E. REPORTER

Qualification	Physician (healthcare professional)	Name / contact	Unknown (not provided)
---------------	-------------------------------------	----------------	------------------------

F. CASE NARRATIVE

A 56-year-old female patient received Atorvastatin 500 mg twice daily by the oral route for anxiety. Myalgia was reported 17 day(s) after treatment began. The reporter (physician) stated that treatment was stopped. Dechallenge: unknown. Rechallenge: positive. Outcome at follow-up: not recovered / not resolved. Seriousness: hospitalisation. Concomitant medicines: none reported. Medical history, calendar dates, patient initials and batch number were not provided and are recorded as unknown.

G. MINIMUM VALIDITY CHECKLIST (reporting template)

Field	Required for valid case	Entry	Source evidence
Identifiable patient	Yes	Yes: age 56, sex Female; initials not provided	Age, Sex columns
Identifiable reporter	Yes	Yes: Physician (qualification known; name not provided)	Reporter column
Suspect product	Yes	Yes: Atorvastatin, 500 mg twice daily, oral	SuspectProduct, Dose, Route
Adverse event	Yes	Yes: Myalgia	Reaction column
Chronology	No	Onset 17 day(s) after start; dates unknown	OnsetDays column
Seriousness	No	Hospitalisation	Seriousness column
Outcome	No	Not recovered / not resolved	Narrative (reporter statement)

Result: all four minimum criteria are met, so this is a valid case.

H. ASSESSOR CAUSALITY (WHO-UMC) AND DATA QUERIES

Causality	Probable	Rationale	Positive rechallenge, known effect, not recovered, hospitalisation. Dose 500 mg BD is far above usual: possible overdose or data-entry error; urgent verification.
Queries to reporter	Dose is outside the usual adult range: verify with reporter; indication does not fit the suspect drug: verify; dechallenge/rechallenge details to be confirmed.	Assessor signature / date	Unknown (not provided)

Fictional training case. Not for clinical care or regulatory submission.

Page 12