JAVA Mini Project for Additional Leaning

CSE1007-JAVA PROGRAMMING

SLOT: G2+TG2



Submitted To:

Prof. Elango NM

Submitted By:

Aradhya Mathur

17BIT0146

https://coursera.org/share/21269aa41fb271a9de5d80c4dd63e3ab Verify at coursera.org/verify/CPQQB9VMMPVT



CUSTOMER-SERVICE DASHBOARD

Launch.java

javafx.scene.Parent;

javafx.scene.layout.VBox;

import javafx.scene.layout.BorderPane; import javafx.scene.layout.HBox; import

```
package app.main;
import javafx.application.Application;
import javafx.fxml.FXMLLoader; import
javafx.scene.Parent;
import javafx.scene.Scene; import
javafx.stage.Stage; import
javafx.stage.StageStyle;
public class Launch extends Application {
  public static Stage stage = null;
  @Override
  public void start(Stage stage) throws Exception {
    Parent root = FXMLLoader.load(getClass().getResource("/app/views/Main.fxml")); Scene scene =
    new Scene(root);
    stage.setScene(scene);
    stage.initStyle(StageStyle.UNDECORATED); this.stage
    = stage;
    stage.show();
  }
   * @param args the command line arguments
  public static void main(String[] args) {
    launch(args);
  }
ContentAreaController.java
package app.controllers;
import java.io.IOException; import
java.net.URL;
import
          java.util.ResourceBundle;
import
          javafx.event.ActionEvent;
import javafx.fxml.FXML;
import javafx.fxml.FXMLLoader;
import javafx.fxml.Initializable;
import javafx.scene.Node; import
```

```
public class ContentAreaController implements Initializable {
  @FXML
  private VBox content_area;
  @FXML
  private HBox menubar;
  * Initializes the controller class.
  */
  boolean flag = true;
  @Override
  public void initialize(URL url, ResourceBundle rb) {
    // TODO
  }
  @FXML
  private void open_sidebar(ActionEvent event) throws IOException {
    BorderPane border_pane = (BorderPane) ((Node) event.getSource()).getScene().getRoot(); if (flag ==
    true) {
      Parent sidebar = FXMLLoader.load(getClass().getResource("/app/views/Sidebar.fxml"));
      border_pane.setLeft(sidebar);
      flag = false;
    } else {
      border_pane.setLeft(null); flag =
      true;
    }
  }
}
```

MainController.java

```
import app.main.Launch; import java.io.IOException; import java.net.URL; import java.util.ResourceBundle; import java.util.logging.Level; import java.util.logging.Logger; import javafx.event.EventHandler; import javafx.fxml.FXML; import javafx.fxml.FXMLLoader; import javafx.fxml.Initializable; import javafx.scene.Parent; import javafx.scene.input.MouseEvent; import javafx.scene.layout.BorderPane;
```

```
* @author Aradhya
public class MainController implements Initializable {
  private double xOffset = 0;
  private double yOffset = 0;
  @FXML
  private BorderPane border_pane;
  @Override
  public void initialize(URL url, ResourceBundle rb) {
    makeStageDrageable();
    try {
 Parent contentarea = FXMLLoader.load(getClass().getResource("/app/views/ContentArea.fxml"));
      border pane.setCenter(contentarea);
    } catch (IOException ex) { Logger.getLogger(MainController.class.getName()).log(Level.SEVERE,
      null, ex);
    }
  }
  private void makeStageDrageable() { border_pane.setOnMousePressed(new
    EventHandler<MouseEvent>() {
       @Override
      public void handle(MouseEvent event) { xOffset =
         event.getSceneX();
         yOffset = event.getSceneY();
      }
    });
    border_pane.setOnMouseDragged(new EventHandler<MouseEvent>() {
       @Override
        public void handle(MouseEvent event) {
         Launch.stage.setX(event.getScreenX() - xOffset);
         Launch.stage.setY(event.getScreenY() - yOffset);
         Launch.stage.setOpacity(0.7f);
      }
    border_pane.setOnDragDone((e) -> {
      Launch.stage.setOpacity(1.0f);
    });
    border_pane.setOnMouseReleased((e) -> {
      Launch.stage.setOpacity(1.0f);
    });
  }
}
```

SidebarController.java

```
import java.net.URL;
import java.util.ResourceBundle; import
javafx.fxml.FXML;
import javafx.fxml.Initializable; import
javafx.scene.layout.VBox;

public class SidebarController implements Initializable {

@FXML
private VBox sidebar;

@Override
public void initialize(URL url, ResourceBundle rb) {

}
```

ContentArea.fxml

```
<?xml version="1.0" encoding="UTF-8"?>
<?import com.jfoenix.controls.JFXButton?>
<?import de.jensd.fx.glyphs.fontawesome.FontAwesomelcon?>
<?import javafx.geometry.Insets?>
<?import javafx.scene.control.Label?>
<?import javafx.scene.control.ProgressIndicator?>
<?import javafx.scene.control.TextField?>
<?import javafx.scene.effect.DropShadow?>
<?import javafx.scene.layout.HBox?>
<?import javafx.scene.layout.Pane?>
<?import javafx.scene.layout.VBox?>
<?import javafx.scene.text.Font?>
                   fx:id="content area"
                                                     prefHeight="580.0"
                                                                                      prefWidth="774.0"
stylesheets="@../css/stylehseet.css"
                                                              xmlns="http://javafx.com/javafx/8.0.141"
xmlns:fx="http://javafx.com/fxml/1" fx:controller="app.controllers.ContentAreaController">
  <children>
   <HBox fx:id="menubar"
                                alignment="CENTER_LEFT"
                                                             maxHeight="-Infinity"
                                                                                     minHeight="-Infinity"
minWidth="-Infinity" prefHeight="55.0" prefWidth="774.0" style="-fx-background-color: #fff; -fx- border-color:
#cccccc; -fx-border-width: 0px 0px 1px 0px;" stylesheets="@../css/stylehseet.css">
```

```
<JFXButton
                             alignment="CENTER"
                                                      contentDisplay="CENTER"
                                                                                   maxHeight="-Infinity"
maxWidth="-Infinity" minHeight="-Infinity" minWidth="-Infinity" onAction="#open sidebar" prefHeight="50.0"
prefWidth="50.0" ripplerFill="WHITE" styleClass="menu-bar-btns">
        <graphic>
         <FontAwesomeIcon iconName="TH_LIST" size="2em" styleClass="menu-bar-btns-icon" />
        </graphic>
       </JFXButton>
                                                   alignment="CENTER LEFT"
                                       <HBox
                                                                                   maxHeight="-Infinity"
maxWidth="1.7976931348623157E308"
                                                  minHeight="-Infinity"
                                                                                 minWidth="-Infinity"
prefHeight="50.0"
                              prefWidth="300.0"
                                                              styleClass="menu-bar-search-field-box"
HBox.hgrow="ALWAYS">
       <children>
         <FontAwesomeIcon iconName="SEARCH" size="2em" styleClass="menu-bar-btns-icon" />
            <TextField maxHeight="-Infinity" maxWidth="1.7976931348623157E308" minHeight="- Infinity"
minWidth="-Infinity" promptText="Search for a job, task or resume" style="-fx-background- color: transparent;"
styleClass="menu-bar-search-field" HBox.hgrow="ALWAYS">
           <font>
            <Font name="Calibri" size="16.0" />
           </font>
         </TextField>
       </children>
       <HBox.margin>
         <Insets />
        </HBox.margin>
       <padding>
         <Insets left="20.0" />
       </padding>
      </HBox>
      <HBox alignment="CENTER RIGHT" layoutX="10.0" layoutY="10.0" HBox.hgrow="ALWAYS">
       <children>
                <JFXButton
                              alignment="CENTER"
                                                      contentDisplay="CENTER"
                                                                                   maxHeight="-Infinity"
                           minHeight="-Infinity"
maxWidth="-Infinity"
                                                        minWidth="-Infinity"
                                                                                    prefHeight="50.0"
prefWidth="50.0" ripplerFill="WHITE" styleClass="menu-bar-btns">
           <graphic>
            <FontAwesomeIcon iconName="USER" size="2em" styleClass="menu-bar-btns-icon" />
           </graphic>
          </JFXButton>
                    <JFXButton
                                   alignment="CENTER"
                                                           contentDisplay="CENTER"
                                                                                        layoutX="442.0"
layoutY="11.0" maxHeight="-Infinity" maxWidth="-Infinity" minHeight="-Infinity" minWidth="- Infinity"
prefHeight="50.0" prefWidth="50.0" ripplerFill="WHITE" styleClass="menu-bar-btns">
           <graphic>
                 <FontAwesomeIcon iconName="LIST_ALT" size="2em" styleClass="menu-bar-btns-
icon"/>
           </graphic>
          </JFXButton>
                    <JFXButton alignment="CENTER" contentDisplay="CENTER" layoutX="482.0"</pre>
```

<children>

```
layoutY="11.0" maxHeight="-Infinity" maxWidth="-Infinity" minHeight="-Infinity" minWidth="- Infinity"
prefHeight="50.0" prefWidth="50.0" ripplerFill="WHITE" styleClass="menu-bar-btns">
           <graphic>
             <FontAwesomeIcon iconName="TH" size="2em" styleClass="menu-bar-btns-icon" />
           </graphic>
           </JFXButton>
        </children>
      </HBox>
     </children>
    <VBox.margin>
       <Insets bottom="2.0" />
    </VBox.margin>
   </HBox>
            <HBox alignment="CENTER LEFT" prefHeight="100.0" prefWidth="774.0" style="-fx- background-</p>
color: #fff;">
      <children>
        <VBox alignment="CENTER_LEFT">
           <HBox.margin>
             <Insets left="10.0" />
           </HBox.margin>
           <children>
             <Label styleClass="lbl2" text="Customer Service Representative" textFill="#757373">
                 <Font name="Calibri Bold" size="28.0" />
               </font>
             </Label>
             <HBox>
               <children>
                 <Label styleClass="lbl2" text="San Francisco, CA" textFill="#757373">
                   <font>
                     <Font name="Calibri Bold" size="16.0" />
                   </font>
                   <graphic>
                                                     <FontAwesomeIcon glyphStyle="-fx-fill:#757373"
iconName="MAP_MARKER" />
                   </graphic>
                 </Label>
                    <Label layoutX="10.0" layoutY="10.0" styleClass="lbl3" text="Preview this post"</pre>
textFill="#00a1ff" underline="true">
                   <font>
                      <Font name="Calibri Bold" size="16.0" />
                   </font>
                   <HBox.margin>
                     <Insets left="20.0" />
                   </HBox.margin>
                  </Label>
               </children>
             </HBox>
           </children>
```

```
</VBox>
        <HBox alignment="CENTER_RIGHT" HBox.hgrow="ALWAYS">
          <children>
                     <JFXButton
                                   maxHeight="-Infinity"
                                                            maxWidth="-Infinity"
                                                                                    minHeight="-Infinity"
minWidth="-Infinity" prefHeight="35.0" prefWidth="100.0" styleClass="content-area-circle-btns" text="Open">
              <font>
                 <Font name="System Bold" size="12.0" />
              </font>
               <graphic>
                   <FontAwesomeIcon iconName="CIRCLE" size="1.2em" styleClass="content-area-
circle-btns-icon" />
              </graphic>
              <HBox.margin>
                 <Insets right="10.0" />
              </HBox.margin>
             </JFXButton>
               <JFXButton contentDisplay="CENTER" layoutX="10.0" layoutY="18.0" maxHeight="- Infinity"</pre>
maxWidth="-Infinity" minHeight="-Infinity" minWidth="-Infinity" prefHeight="35.0" prefWidth="35.0"
styleClass="content-area-circle-btns">
              <font>
                 <Font name="System Bold" size="12.0" />
              </font>
               <graphic>
                   <FontAwesomeIcon iconName="BOOKMARK" size="1.2em" styleClass="content- area-
circle-btns-icon" />
              </graphic>
              <HBox.margin>
                 <Insets right="10.0" />
              </HBox.margin>
             </JFXButton>
              <JFXButton contentDisplay="CENTER" layoutX="110.0" layoutY="18.0" maxHeight="- Infinity"</p>
maxWidth="-Infinity" minHeight="-Infinity" minWidth="-Infinity" prefHeight="35.0" prefWidth="35.0"
styleClass="content-area-circle-btns">
               <font>
                 <Font name="System Bold" size="12.0" />
               </font>
               <graphic>
                      <FontAwesomeIcon iconName="EDIT" size="1.2em" styleClass="content-area-
circle-btns-icon" />
              </graphic>
              <HBox.margin>
                 <Insets right="10.0" />
              </HBox.margin>
             </JFXButton>
              <JFXButton contentDisplay="CENTER" layoutX="110.0" layoutY="18.0" maxHeight="- Infinity"</p>
maxWidth="-Infinity" minHeight="-Infinity" minWidth="-Infinity" prefHeight="35.0" prefWidth="35.0"
styleClass="content-area-circle-btns">
              <font>
```



```
<graphic>
                  <FontAwesomeIcon iconName="RECYCLE" size="1.2em" styleClass="content-area-circle-</p>
btns-icon" />
               </graphic>
               <HBox.margin>
                 <Insets right="10.0" />
               </HBox.margin>
              </JFXButton>
           </children>
           <HBox.margin>
              <Insets left="20.0" />
           </HBox.margin>
         </HBox>
      </children>
      <VBox.margin>
        <Insets />
      </VBox.margin>
      <padding>
        <Insets bottom="10.0" top="10.0" />
      </padding>
    </HBox>
    <HBox alignment="CENTER" prefHeight="300.0" prefWidth="774.0" VBox.vgrow="ALWAYS">
      <children>
        <Pane maxHeight="-Infinity" maxWidth="-Infinity" prefHeight="150.0" prefWidth="150.0">
           <children>
                             <ProgressIndicator layoutX="11.0" layoutY="8.0" prefHeight="134.0"</pre>
prefWidth="129.0" />
             <Label layoutX="36.0" layoutY="75.0" styleClass="lbl3" text="Applicants">
               <font>
                 <Font name="Calibri Bold" size="18.0" />
               </font>
             </Label>
             <Label layoutX="50.0" layoutY="53.0" styleClass="lbl3" text="32,989">
               <font>
                 <Font name="Calibri Bold" size="18.0" />
               </font>
             </Label>
           </children>
              <Pane layoutX="212.0" layoutY="135.0" maxHeight="-Infinity" maxWidth="-Infinity"
prefHeight="150.0" prefWidth="150.0">
        <children>
                             <ProgressIndicator layoutX="11.0" layoutY="8.0" prefHeight="134.0"</pre>
prefWidth="129.0" />
         <Label layoutX="36.0" layoutY="75.0" styleClass="lbl3" text="Interviews">
            <font>
             <Font name="Calibri Bold" size="18.0" />
            </font>
          </Label>
          <Label layoutX="50.0" layoutY="53.0" styleClass="lbl3" text="17,887">
```

```
<Font name="Calibri Bold" size="18.0" />
            </font>
          </Label>
        </children>
      </Pane>
              <Pane layoutX="507.0" layoutY="135.0" maxHeight="-Infinity" maxWidth="-Infinity"
prefHeight="150.0" prefWidth="150.0">
        <children>
                             <ProgressIndicator layoutX="11.0" layoutY="8.0" prefHeight="134.0"</pre>
prefWidth="129.0" />
         <Label layoutX="44.0" layoutY="75.0" styleClass="lbl3" text="Forward">
            <font>
             <Font name="Calibri Bold" size="18.0" />
            </font>
          </Label>
          <Label layoutX="50.0" layoutY="53.0" styleClass="lbl3" text="11,560">
            <font>
             <Font name="Calibri Bold" size="18.0" />
            </font>
          </Label>
        </children>
      </Pane>
             <Label alignment="CENTER" maxHeight="-Infinity" maxWidth="-Infinity" minHeight="- Infinity"</pre>
minWidth="-Infinity" prefHeight="40.0" prefWidth="200.0" style="-fx-background-color:
#fff; -fx-border-color: #ccc; -fx-background-radius: 30px; -fx-border-radius: 30px;" styleClass="lbl2" text="Total -
Out of 45,900 views">
           <font>
             <Font size="14.0" />
           </font>
           <effect>
             <DropShadow color="#f2e3e3" />
           </effect>
        </Label>
      </children>
       <VBox.margin>
         <Insets />
       </VBox.margin>
    </HBox>
  </children>
</Vbox>
Main.fxml
<?xml version="1.0" encoding="UTF-8"?>
```

<?import javafx.scene.layout.BorderPane?>

```
<BorderPane fx:id="border_pane" maxHeight="1.7976931348623157E308" maxWidth="1.7976931348623157E308" minHeight="-Infinity" minWidth="-Infinity" prefHeight="620.0" prefWidth="1200.0" xmlns="http://javafx.com/javafx/8.0.141" xmlns:fx="http://javafx.com/fxml/1" fx:controller="app.controllers.MainController"/>
```

Sidebar.fxml

```
<?xml version="1.0" encoding="UTF-8"?>
<?import com.jfoenix.controls.JFXButton?>
<?import de.jensd.fx.glyphs.fontawesome.FontAwesomelcon?>
<?import javafx.geometry.Insets?>
<?import javafx.scene.control.Label?>
<?import javafx.scene.image.Image?>
<?import javafx.scene.image.ImageView?>
<?import javafx.scene.layout.HBox?>
<?import javafx.scene.layout.VBox?>
<?import javafx.scene.text.Font?>
<VBox fx:id="sidebar" alignment="TOP_CENTER" prefHeight="580.0" prefWidth="250.0" styleClass="sidebar"</p>
stylesheets="@../css/stylehseet.css"
                                                                       xmlns:fx="http://javafx.com/fxml/1"
xmlns="http://javafx.com/javafx/8.0.141" fx:controller="app.controllers.SidebarController">
 <children>
   <ImageView fitHeight="80.0" fitWidth="100.0" pickOnBounds="true" smooth="false">
     <image>
      <Image url="@../media/user-icon.png" />
    </image>
    <VBox.margin>
      < Insets top="10.0" />
    </VBox.margin>
    </lmageView>
        <JFXButton contentDisplay="RIGHT" ripplerFill="#e4dddd" styleClass="sidebar-user-btn"</p>
text="SHUBHAM JHAMB">
    <font>
      <Font name="Calibri" size="14.0" />
     </font>
     <graphic>
      <FontAwesomeIcon glyphStyle="-fx-fill:#b8b1b1" iconName="SORT_DESC" size="1.2em" />
    </graphic>
    </JFXButton>
     <Label maxHeight="-Infinity" maxWidth="-Infinity" minHeight="-Infinity" minWidth="-Infinity"</p>
prefWidth="250.0" text="Main" textFill="#b8b1b1">
     <font>
      <Font name="Calibri Bold" size="14.0" />
```

```
</font>
     <padding>
      < Insets left="10.0" />
     </padding>
    <VBox.margin>
      <Insets bottom="10.0" top="10.0" />
    </VBox.margin>
   </Label>
      <HBox alignment="CENTER_LEFT" maxHeight="-Infinity" maxWidth="-Infinity" minHeight="-Infinity"</p>
minWidth="-Infinity" prefHeight="35.0" prefWidth="250.0" styleClass="sidebar-btn">
    <VBox.margin>
      <Insets />
    </VBox.margin>
     <padding>
      <Insets left="20.0" />
    </padding>
     <children>
      <FontAwesomeIcon iconName="HOME" size="1.5em" styleClass="sidebar-btn-icon" />
      <Label text="HOME" textFill="#b8b1b1">
        <font>
         <Font name="Consolas Bold" size="13.0" />
        </font>
        <HBox.margin>
         <Insets left="15.0" />
        </HBox.margin>
       </Label>
    </children>
   </HBox>
        <HBox alignment="CENTER_LEFT" layoutX="10.0" layoutY="162.0" maxHeight="-Infinity" maxWidth="-</p>
Infinity"
                                                                                      prefHeight="35.0"
                            minHeight="-Infinity"
                                                         minWidth="-Infinity"
prefWidth="250.0" styleClass="sidebar-btn">
    <padding>
      <Insets left="20.0" />
    </padding>
     <children>
      <FontAwesomeIcon iconName="ARCHIVE" size="1.5em" styleClass="sidebar-btn-icon" />
      <Label text="JOBS" textFill="#b8b1b1">
        <font>
         <Font name="Consolas Bold" size="13.0" />
        </font>
        <HBox.margin>
         <Insets left="15.0" />
        </HBox.margin>
       </Label>
    </children>
   </HBox>
        <HBox alignment="CENTER_LEFT" layoutX="10.0" layoutY="232.0" maxHeight="-Infinity" maxWidth="-</p>
                            minHeight="-Infinity"
                                                         minWidth="-Infinity"
                                                                                      prefHeight="35.0"
prefWidth="250.0" styleClass="sidebar-btn">
     <padding>
```

```
<Insets left="20.0" />
     </padding>
     <children>
      <FontAwesomeIcon iconName="BRIEFCASE" size="1.5em" styleClass="sidebar-btn-icon" />
      <Label text="RESUMES" textFill="#b8b1b1">
        <font>
         <Font name="Consolas Bold" size="13.0" />
        </font>
        <HBox.margin>
         <Insets left="15.0"/>
        </HBox.margin>
       </Label>
     </children>
   </HBox>
        <HBox alignment="CENTER_LEFT" layoutX="10.0" layoutY="162.0" maxHeight="-Infinity" maxWidth="-</p>
Infinity"
                            minHeight="-Infinity"
                                                         minWidth="-Infinity"
                                                                                      prefHeight="35.0"
prefWidth="250.0" styleClass="sidebar-btn">
     <padding>
      <Insets left="20.0" />
     </padding>
     <children>
      <FontAwesomelcon iconName="TASKS" size="1.5em" styleClass="sidebar-btn-icon" />
      <Label text="TASK" textFill="#b8b1b1">
         <Font name="Consolas Bold" size="13.0" />
        </font>
        <HBox.margin>
         <Insets left="15.0" />
        </HBox.margin>
       </Label>
     </children>
   </HBox>
        <HBox alignment="CENTER_LEFT" layoutX="10.0" layoutY="197.0" maxHeight="-Infinity" maxWidth="-</pre>
Infinity"
                            minHeight="-Infinity"
                                                         minWidth="-Infinity"
                                                                                      prefHeight="35.0"
prefWidth="250.0" styleClass="sidebar-btn">
     <padding>
      <Insets left="20.0" />
     </padding>
     <children>
      <FontAwesomeIcon iconName="CALENDAR" size="1.5em" styleClass="sidebar-btn-icon" />
      <Label text="CALENDER" textFill="#b8b1b1">
        <font>
         <Font name="Consolas Bold" size="13.0" />
        </font>
        <HBox.margin>
         <Insets left="15.0" />
        </HBox.margin>
       </Label>
      </children>
```

```
</HBox>
            <Label layoutX="10.0" layoutY="137.0" maxHeight="-Infinity" maxWidth="-Infinity" minHeight="-
Infinity" minWidth="-Infinity" prefWidth="250.0" text="Admin" textFill="#b8b1b1">
      <Font name="Calibri Bold" size="14.0" />
    </font>
    <padding>
      < Insets left="10.0" />
    </padding>
    <VBox.margin>
      <Insets top="20.0" />
    </VBox.margin>
   </Label>
        <HBox alignment="CENTER LEFT" layoutX="10.0" layoutY="164.0" maxHeight="-Infinity" maxWidth="-</p>
Infinity"
                            minHeight="-Infinity"
                                                          minWidth="-Infinity"
                                                                                      prefHeight="35.0"
prefWidth="250.0" styleClass="sidebar-btn">
    <padding>
      <Insets left="20.0" />
    </padding>
     <children>
      <FontAwesomeIcon iconName="USERS" size="1.5em" styleClass="sidebar-btn-icon" />
      <Label text="USERS" textFill="#b8b1b1">
        <font>
         <Font name="Consolas Bold" size="13.0" />
        </font>
        <HBox.margin>
         < Insets left="15.0"/>
         </HBox.margin>
       </Label>
    </children>
   </HBox>
        <HBox alignment="CENTER_LEFT" layoutX="10.0" layoutY="199.0" maxHeight="-Infinity" maxWidth="-</p>
Infinity"
                            minHeight="-Infinity"
                                                          minWidth="-Infinity"
                                                                                      prefHeight="35.0"
prefWidth="250.0" styleClass="sidebar-btn">
    <padding>
      <Insets left="20.0" />
    </padding>
    <children>
            <FontAwesomeIcon iconName="MAP MARKER" size="1.5em" styleClass="sidebar-btn-</p>
icon"/>
      <Label text="LOCATIONS" textFill="#b8b1b1">
        <font>
         <Font name="Consolas Bold" size="13.0" />
        </font>
        <HBox.margin>
         <Insets left="15.0" />
        </HBox.margin>
       </Label>
```

```
</children>
   </HBox>
        <HBox alignment="CENTER_LEFT" layoutX="10.0" layoutY="234.0" maxHeight="-Infinity" maxWidth="-</pre>
Infinity"
                                                         minWidth="-Infinity"
                            minHeight="-Infinity"
                                                                                      prefHeight="35.0"
prefWidth="250.0" styleClass="sidebar-btn">
     <padding>
      <Insets left="20.0" />
     </padding>
     <children>
      <FontAwesomeIcon iconName="SITEMAP" size="1.5em" styleClass="sidebar-btn-icon" />
      <Label text="WORKFLOW" textFill="#b8b1b1">
         <Font name="Consolas Bold" size="13.0" />
        </font>
        <HBox.margin>
         <Insets left="15.0"/>
        </HBox.margin>
       </Label>
     </children>
   </HBox>
        <HBox alignment="CENTER_LEFT" layoutX="10.0" layoutY="269.0" maxHeight="-Infinity" maxWidth="-</p>
Infinity"
                                                         minWidth="-Infinity"
                            minHeight="-Infinity"
                                                                                      prefHeight="35.0"
prefWidth="250.0" styleClass="sidebar-btn">
     <padding>
      <Insets left="20.0" />
     </padding>
     <children>
      <FontAwesomeIcon iconName="DESKTOP" size="1.5em" styleClass="sidebar-btn-icon" />
      <Label text="JOB BOARDS" textFill="#b8b1b1">
        <font>
         <Font name="Consolas Bold" size="13.0" />
        </font>
        <HBox.margin>
         <Insets left="15.0" />
        </HBox.margin>
       </Label>
     </children>
   </HBox>
        <HBox alignment="CENTER_LEFT" layoutX="10.0" layoutY="304.0" maxHeight="-Infinity" maxWidth="-</p>
                                                         minWidth="-Infinity"
Infinity"
                            minHeight="-Infinity"
                                                                                      prefHeight="35.0"
prefWidth="250.0" styleClass="sidebar-btn">
     <padding>
      <Insets left="20.0" />
     </padding>
     <children>
      <FontAwesomeIcon iconName="RSS" size="1.5em" styleClass="sidebar-btn-icon" />
      <Label text="SOCIAL" textFill="#b8b1b1">
        <font>
         <Font name="Consolas Bold" size="13.0" />
        </font>
        <HBox.margin>
```

Stylesheet.css

```
.sidebar{
  -fx-background-color: rgb(58,69,88);
}
.sidebar-user-btn{
  -fx-background-color: transparent;
  -fx-background-radius: 0px;
  -fx-text-fill: #b8b1b1;
}
.sidebar-btn{
  -fx-background-color: transparent;
  -fx-background-radius: 0px;
  -fx-text-fill: #b8b1b1;
}
.sidebar-btn:hover{
  -fx-background-color: transparent;
  -fx-background-radius: 0px;
  -fx-text-fill: #b8b1b1;
  -fx-border-color: rgb(22,169,250);
  -fx-border-width: 0px 0px 0px 3px;
}
.label{
  -fx-text-fill: #b8b1b1;
.sidebar-btn:pressed .label{
  -fx-background-color: transparent;
  -fx-background-radius: 0px;
  -fx-text-fill: #0099ff;
.sidebar-btn:pressed .sidebar-btn-icon{
  -fx-fill: #0099ff;
.sidebar-btn-icon{
  -fx-fill: #b8b1b1;
}
.menu-bar-btns{
```

-fx-background-color: #fff;

```
-fx-border-color: #cccccc;
-fx-border-width: 0px 0px 0px 1px;
}
.menu-bar-btns:hover{
  -fx-background-color: #0099ff;
}
.menu-bar-btns-icon{
  -fx-fill: #999;
}
.menu-bar-btns:hover .menu-bar-btns-icon{
  -fx-fill: #fff;
}
.menu-bar-search-field{
  -fx-prompt-text-fill: #b8b1b1;
```

```
-fx-text-fill: #000;
}
 .menu-bar-search-field-box{
  -fx-prompt-text-fill: #b8b1b1;
  -fx-text-fill: #000;
  -fx-border-color: #ccccc;
  -fx-border-width: 0px 0px 0px 1px;
}
.content-area-circle-btns{
  -fx-background-color: #fff;
  -fx-background-radius: 100px;
  -fx-border-color: #ccccc;
  -fx-border-radius: 100%;
}
.content-area-circle-btns:hover{
  -fx-background-color: #0099ff;
  -fx-background-radius: 100px;
  -fx-text-fill: #fff;
}
. content-area-circle-btns-icon \{\\
  -fx-fill: #b8b1b1;
}
. content-area-circle-btns: hover . content-area-circle-btns-icon \{\\
  -fx-fill: #fff;
}
.lbl2{
  -fx-text-fill: #757373;
}
.lbl3{
  -fx-text-fill: #00a1ff;
}
```

OUTPUT SCREENSHOT:



