

Index

- absolute value, 151
- acceleration, 454, 462
- amplitude, 191
- analytic geometry, 23
- angle of depression, 252, 286
- angle of elevation, 252, 286
- arccos, 217–19
- arcs, 275, 287
 - calculating length of, 275–9
- arcsin, 217–18
- arctan, 217, 220–1
- areas
 - between two curves, 412–16, 417
 - under a curve, 407, 417
- argument, of a function, 86
- arithmetic sequences/progressions, 138–41, 157–8
- arithmetic series, 141–4
- asymptotes, 43, 45, 62, 77
 - when sketching rational functions, 105
 - see also* horizontal asymptotes; vertical asymptotes
- average, 466

- background levels, 44
- base vectors, 297, 310, 342
- bases, 35, 38
 - change of base rule for logarithms, 59
- bimodal variables, 548
- binomial coefficients, 162, 164–6
- binomial distribution, 553–61, 573
- binomial theorem/expansions, 161–3, 173
 - applications of, 166–73
- binomials, 161
- bivariate data, 492, 502
- box and whisker plots, 481–3, 501

- calculus, invention of, 407
- cancellation principles, 53
- catenary, 425
- centre of data
 - and constant changes to data, 489
 - measures of, 466–70
- chain rule, 420–5, 437, 442–4
- change-of-base rule, 59
- chords, 282, 287, 356
- circles, 25
 - with triangles, 282–6
 - see also* unit circle
- coefficients, 1, 28
 - and graphs, 3
 - see also* binomial coefficients; negative coefficients
- column vectors, 298, 342
- common logarithms (base 10), 52, 67
- common ratio, 144
- complement, 512, 542
- completed square form, quadratic functions, 8–11, 29
- composite functions, 92–4, 108
- compound interest, 34, 155
- concave down, 365
- concave up, 365
- conditional probability, 522, 528–33, 542–3
- conic sections, 23
 - see also* circles; hyperbolas; parabolas
- constant of integration, 395–6, 416
- constrained optimisation, 25
- constraints, 433–7, 437
- continuous distributions, 562
- continuous functions, 91
- convergent series, 150, 158
- correlation, 491–7, 502
- cosine, 184–94, 212, 251–2, 286
 - double angle identity for, 241
- cosine rule, 261–7, 286
- cumulative frequency, 478–84, 501
- cumulative probability, 555, 566, 569, 573

- De Morgan's laws, 516
- deductive rules, 134, 157
- definite integration, 404–6, 417
 - geometrical significance of, 406–12
- degrees (angles), 177
 - use in exams, 195
- dependent events, 538–42
- dependent variable, 498, 502
- derivatives, 357, 388
 - interpretation of, 361–8
 - sketching, 348–50, 353–6
 - sketching from, 351–3
- differential equations, 395
- differentiation, 357, 388
 - from first principles, 356–8
 - of composite functions, 420–5
 - of exponential functions, 370
 - of natural logarithm functions, 371
 - of products, 425–8

- of quotients, 429–33
- of trigonometric functions, 368–70
- optimisation using, 384–7
- rules of, 358–61
- dimensionless units, 180
- Diophantine equations, 72
- direction vectors, 323–4
- discrete distributions, 562
- discriminants
 - and number of intersections, 22–3
 - of quadratics, 15–19, 29
- displacement, 454, 462
- displacement vector, 296, 342
- distance, definition of, 453, 462
- divergent series, 150, 158
- domains
 - from knowing the position of the asymptotes, 105
 - of a function, 86–92, 108
 - of inverse functions, 98
- double angle identities, 239–46
- e (Euler's number), 49–51, 67
- empirical probability, 507–10, 542
- equal roots, 18
- equations, 71, 84
 - solving using a graphical calculator, 80–2, 84
- Euler's number (e), 49–51, 67
- exact solutions, 12
- exams
 - number of significant figures, 17, 50
 - questions relating to sequences/series, 155
 - questions spanning syllabus areas, 578–9
 - sketching graphs, 76
 - use of degrees/radians, 195
 - when encountering 'write down', 203
- expectation (mean value of a random variable), 550–2, 557, 573
- experimental probability, 507–10
- exponent form, 35
- exponential decay, 44, 101
- exponential equations, solving using logarithms, 62–5, 67
- exponential functions, 43–9, 67
- exponential growth, 44
- exponentiating, 34
- exponents, 34–42, 67
 - logarithms of, 56
- extrapolation, 498, 502
- factorial ($n!$), 164
- factorised form, quadratic functions, 13–14
- factorising
 - and line of symmetry, 13
 - of equations, 72–3
 - to solve trigonometric equations, 226–7
- fair coins, 511
- fair die, 511

- Fibonacci sequence, 134
- fractals, 162
- frequency distribution tables, 472–8
- functions, 1, 108
 - domains of, 86–92, 108
 - notation for, 86–7
 - ranges of, 90, 108
 - see also* composite functions; continuous functions; exponential functions; identity functions; inner functions; inverse functions; outer functions; quadratic functions; rational functions; reciprocal functions; self-inverse functions
- fuzzy logic, 512
- Gabriel's horn, 460
- Gambler's Ruin fallacy, 574
- geometric mean, 467
- geometric sequences, 144–8, 158
- geometric series, 148–50
 - convergence of, 150–4
- golden ratio, 134
- gradian, 179
- gradient, 324, 348
- graphs, 71, 76–9
 - and coefficients, 3
 - consecutive transformations applied to, 121–8
 - finding equation of, 11
 - intersection and simultaneous equations, 21–3
 - of quadratics, 2–3
 - on calculators to solve equations, 80–2, 84
 - reflections of, 119–21
 - sketching in exams, 76
 - sketching on calculators, 84
 - sketching rational functions, 105
 - stretches applied to, 116–18
 - translations applied to, 113–15
- grouped data, 474
- harmonic mean, 467
- hence or otherwise, 47
- Heron's formula, 268
- histograms, 485–8, 501
- horizontal asymptotes, 78, 104–5
 - hyperbolas, 105, 109
- hyperbolas, 102, 105, 109
- identities, 71, 83–4, 84
 - IB notation for, 234
 - see also* double angle identities; Pythagorean identity; trigonometric identities
- identity functions, 97, 108
- image, 86
- indefinite integration, 404, 416
- independent events, 525–8, 538–42, 543
- independent variable, 498, 502
- indices, 34

- initial values, 44, 45
- inner functions, 93
- integers, 72
- integration, 393–5, 416
 - by substitution, 446–53, 461
 - finding the equation of a curve, 401–3
 - inverse of x , 399
 - of exponential function, 399
 - of trigonometric functions, 400–1
 - rules of, 396–9
 - see also* definite integration; indefinite integration; limits of integration
- interpolation, 498, 502
- interquartile range, 470, 501
- intersection, 516
- intersections
 - using discriminants to find number of, 22–3
 - when sketching rational functions, 105
- inverse functions, 95–100, 108
 - see also* self-inverse functions
- inverse normal distribution, 569–72, 573
- inverse proportional decay, 101
- irrational numbers, 50
- isoperimetric problem, 25

- kinematics, 453–7, 462

- law of the excluded middle, 512
- least-squares regression, 497
- limits of integration, 404
- line of best fit, 498, 502
- line of symmetry, 2, 4, 29
 - and factorisation, 13
 - and zeros, 13
 - finding using completed square form, 8
- linear decay, 101
- linear regression, 497–501
- local maxima, 376–7, 388
- local minima, 376–7, 388
- logarithms, 51–5, 67
 - change of base rule for, 59
 - graphing of, 61–2, 67
 - laws of, 55–61
 - of exponents, 56
 - of negative numbers, 54
 - of zero, 54
 - see also* common logarithms; natural logarithms
- lower interval boundaries, 474
- lower quartile, 470, 481

- major arcs, 275
- major sectors, 279
- mathematical modelling, 3
- mean, 466–7, 473, 501
 - see also* expectation
- mean points, 492

- median, 467, 481, 501
- mid-interval value, 474, 501
- minor arcs, 275
- minor sectors, 279
- mode, 466, 467, 501, 548
- modelling, 209
- modulus, 78, 151
- mutually exclusive, 512, 517, 542

- $n!$ (factorial), 164
- natural logarithms (base e), 52, 67
- negative coefficients
 - quadratics, 9–10
- negative exponentials, 44
- negative quadratics, 2
- normal distribution, 562–9, 573
 - see also* inverse normal distribution; standard normal distribution
- normals, 372–5, 388
- n th term rules, 134

- Occam's Razor, 135
- optimisation, 384–7, 389
 - with constraints, 433–7
- or, 513
- origin, 454
- origin (vectors), 299
- outer functions, 93
- outliers, 482–3

- parabolas, 2, 24, 28
 - path of the projectile, 25–7
- parallel vectors, 306, 342–3
- Pascal's triangle, 162, 164
- percentiles, 481
- perfect squares, 18
- period, 191
- periodic functions, 191
- periodic motion, 209, 213
- perpendicular vectors, 315, 342–3
- points of inflexion, 378–9, 382–4, 388–9
- polar coordinates, 192
- position-to-term rules, 134
- position vectors, 299–302, 342
 - of a general point on a line, 323–4
- positive exponentials, 44
- positive quadratics, 2
- powers, 34
- probability, 507
 - see also* empirical probability; theoretical probability
- probability distribution, 547, 573
- probability grid diagrams, 511, 542
- product rule, 425–8, 437
- product–moment correlation coefficient, 493, 502
- Pythagorean identity, 234, 237–8, 246

- quadrants, 102, 182
- quadratic equations, 29
- quadratic form, 1
- quadratic functions, 1–4, 28
 - completed square form, 8–11, 29
 - discriminant of, 15–19, 29
 - factorised form, 13–14
 - formula for zeros of, 16–17
 - using to solve problems, 24–7
 - zeros, 13
- quadratic mean, 467
- quotient rule, 429–33, 437

- radians, 176, 177–84, 212, 369
 - use in exams, 195
- random variables, 546–50, 573
- range, 470, 501
 - from knowing the position of the asymptotes, 105
 - of a function, 90, 108
 - of inverse functions, 98
 - see also* interquartile range
- rates of change, 361
- rational functions, 101–8, 109
- real numbers, 2
- reciprocal functions, 101, 109
- reciprocals, 35
- recurrence relations, 134
- recursive rules, 133, 157
- reflections of graphs, 119–21
- regression line, 498, 502
- repeated roots, 18
- replacement, 538–42
- reverse chain rule, 443–4, 461
- roots
 - quadratic functions, 13
 - see also* equal roots; repeated roots; zeros

- sample space, 510, 542
- scalar/inner/dot product, 314–17, 342
 - algebraic properties of, 318–22
- scalars, 295
 - multiplication of, 305, 342
- Schrödinger's Cat, 512
- second derivatives, 365, 389
- sectors, 279, 287
 - calculating area of, 279–81
- segments, 282
- selection with/without replacement, 538–42
- self-inverse functions, 100, 103, 109
- sequences
 - exam questions relating to, 155
 - notation for, 132–4
- series, 136
 - exam questions relating to, 155
- sigma notation, 136–7, 157
- significant figures in exams, 17, 50

- simplification, 36
- simultaneous equations, 21, 29, 570
 - solving by substitution, 21, 29
- sine, 184–94, 212, 251–2, 286
 - double angle identity for, 241
- sine rule, 254–61, 286
- skew lines, 334, 343
- solid angles, 181
- speed, 454
- spread
 - and constant changes to data, 489
 - measures of, 470–2
- standard derivatives, 461
 - integration of, 442–6
- standard deviation, 470, 501
- standard normal distribution, 565–6, 573
- stationary points, 353, 376–82, 387–8
- steradians, 181
- substitution
 - integration by, 446–53, 461
 - solving equations by, 73–5
 - solving simultaneous equations by, 21, 29
 - solving trigonometric equations by, 228–32
- subtending an angle, 275, 287
- sum to infinity, 151, 158

- tangents, 17, 194–7, 212–13, 252, 286, 348, 372–5, 382, 388
 - double angle identity for, 244
- term-to-term rules, 134
- terms, 133
- theoretical probability, 510–15
- Torricelli's trumpet, 460
- transcendental numbers, 50
- transformations, 128
- translations, on graphs, 113–15
- tree diagrams, 520–5, 538–42, 542
- triangles
 - calculating area of, 267–70
 - with circles, 282–6
- trigonometric equations, 216–33, 246
 - solving by factorising, 226–7
 - solving by substitution, 228–32
 - solving disguised quadratics, 227–8
 - solving using identities, 236–9
- trigonometric functions, 176
 - differentiation of, 368–70
 - exact values of, 198–201
 - integration of, 400–1
 - modelling using, 208–11
 - transformations of graphs of, 201–8
 - see also* double angle identities
- trigonometric identities, 233–6, 246
- trigonometry, 250
 - in three dimensions, 270–5, 287
- turning points, 9, 28, 353
 - see also* vertices

- union, 516, 542
- unit circle, 67, 177, 212
- unit vectors, 310, 342
- upper interval boundaries, 474
- upper quartile, 470, 481

- variables, 71
- variance, 470, 501
- vector equations of a line, 320–2, 324, 342
 - angle between two lines, 330–1
 - intersection of two lines, 333–5, 343
 - parallel lines, 331–3
 - perpendicular lines, 331–3
 - solving problems involving angles and intersections, 330–42
- vectors, 295
 - addition of, 304–5, 342
 - angles between, 313–17, 343
 - components of, 298, 342
 - equality of, 306
 - fractions of, 296
 - magnitude of, 309–13, 342
 - subtraction of, 305, 342
 - see also* base vectors; column vectors; direction vectors; displacement vector; parallel vectors; perpendicular vectors; position vectors; unit vectors; velocity vectors
- velocity, 454, 462
- velocity vectors, 337
- Venn diagrams, 515–20, 533–8, 542–3
- vertical asymptotes, 62, 77, 78–9, 104
 - hyperbolas, 102, 105, 109
 - tangents, 195
- vertices, 2, 4, 28, 29
 - finding using completed square form, 8–9
- volumes of revolution, 457–61, 462

- with respect to, 364, 388
- ‘write down’, when encountered as an exam instruction, 203

- x -intercepts, 4, 76
 - hyperbolas, 105, 109
- y -intercepts, 3–4, 29, 76
 - hyperbolas, 105, 109
- Z-scores, 563, 564–5, 573
- zero, dividing by, 89, 104
- zeros
 - formula for quadratic functions, 16–17
 - on graphs, 76
 - quadratic functions, 13
 - see also* roots; x -intercepts