

## Ans to the question no-1

```
mysql> select *from client where City='Bombay' or City='Delhi' or City='Madras';
```

	Clientno	Name	City	Pincode	State	bal_due
	1	Ivan	Bombay	400054	Maharashtra	15000
	2	Vandana	Madras	780001	Tamilnadu	0
	3	Pramada	Bombay	400057	Maharashtra	5000
	4	Basu	Bombay	400056	Maharashtra	0
	5	Ravi	Delhi	100001	NULL	2000
	6	Rukmini	Bombay	400050	Maharashtra	0

```
6 rows in set (0.01 sec)
```

## Ans to the question no-2

```
mysql> select *from product_master;
```

Product_no	Description	Profit_percent	Unit_measure	qty_on_hand	Recorder_lvlnumber	Sell_price	Cost_price
P00001	1.44floppies	5	piece	100	20	525	500
P03453	Monitors	6	piece	10	3	12000	11200
P06734	Mouse	5	piece	20	5	1050	500
P07865	1.22floppies	5	piece	100	20	525	500
P07868	Keyboards	2	piece	10	3	3150	3050
P07885	CD Drive	2.5	piece	10	3	5250	5100
P07965	540 HDD	4	piece	10	3	8400	8000
P07975	1.44 Drive	5	piece	10	3	1050	1000
P08865	1.22 Drive	5	piece	2	3	1050	1000

```
9 rows in set (0.00 sec)
```

```
mysql> select Product_no,Description from product_master where Sell_price>2000 and Sell_price<=5000;
```

Product_no	Description
P07868	Keyboards

```
1 row in set (0.00 sec)
```

## Ans to the question no-3

```
mysql> select Name,City,State from client where State NOT IN ('Maharashtra');
```

Name	City	State
Vandana	Madras	Tamilnadu

```
1 row in set (0.00 sec)
```

### Ans to the question no-4

```
mysql> select MIN(bal_due) from client;
+-----+
| MIN(bal_due) |
+-----+
|           0 |
+-----+
1 row in set (0.01 sec)
```

### Ans to the question no-5

```
mysql> select MAX(bal_due) from client;
+-----+
| MAX(bal_due) |
+-----+
|          15000 |
+-----+
1 row in set (0.00 sec)
```

### Ans to the question no-6

```
mysql> select COUNT(Clientno) from client where bal_due>=5000;
+-----+
| COUNT(Clientno) |
+-----+
|                2 |
+-----+
1 row in set (0.01 sec)
```