INFINITY STORY

Women's ready-to-wear · Technical specification

Production Tech Pack (sewing factory): FLORAL RUFFLE-BIB BLOUSE

Style No.	IS-WV-002	Style name	FLORAL RUFFLE-BIB BLOUSE	Document	Production Tech Pack (sewing factory)
Brand	Infinity Story (Russia)	Season	FW 2026/27	Date / version	08 Sep 2026 / v1.0
Size range	XS–S (RU 42–44) sample; full range M–L, XL–2XL after fit approval	Sample size	XS–S	Units	centimetres (cm), grams (g)
Pattern	Supplied by brand: PDF 1:1 (A0 + A4 tiled), size XS–S				

1 · STYLE DESCRIPTION


Semi-relaxed short-sleeve blouse in printed woven fabric. Cut-on (grown-on) sleeves finished with a 5 cm self ruffle. 2 cm stand collar with a single 2.5 cm ruffle and self piping. Front inset bib outlined with self-fabric flat piping; 2.5 cm piped button placket with a 3.5 cm gathered ruffle on each side; 7 gold shank buttons. Straight hem 60 cm at CB. Overlock construction.

- **Fabric:** supplied by brand (printed viscose / cotton-viscose jacquard). Factory supplies interlining, thread, packing materials.
- **Pattern:** supplied by brand in PDF 1:1 – print on A0 or tile A4, verify 10 cm test square before cutting.
- **Buttons:** supplied by brand.
- **Sample:** 1 pc XS–S in bulk fabric (brand ships 2.5 m) with all trims.


REFERENCE PHOTO
ref_blouse.jpg
(attached as separate image file with this pack)

Reference photo. Reference shows contrast piping; production uses **self-fabric** piping.

2 · TECHNICAL DRAWINGS




FRONT VIEW · not to scale · all-over floral print not shown




BACK VIEW · not to scale

3 · DETAIL DRAWINGS




BIB FRONT · enlarged

SECTION A–A through bib and placket (wearer's right side)




a · Front body
b · Self-fabric flat piping 0.4 cm in bib inset seam
c · Bib panel
d · Ruffle 3.5 cm gathered 1:2, caught in placket seam
e · Piping on both placket edges
f · Placket band 2.5 cm, fused, buttonholes (wearer's right)
g · Under placket with buttons (wearer's left), overlap 2.5 cm

Seam allowances: bib inset 1.0 · placket 1.0 · ruffle 0.7



COLLAR STAND WITH SINGLE RUFFLE · flat, outside

SECTION B–B collar stand



1 · Outer stand, fused (light woven 40 g/m²)
2 · Inner stand (facing), self fabric
3 · Self piping 0.4 cm in top edge seam
4 · Single ruffle 2.5 cm, gathered 1:2, narrow rolled hem
5 · Neck seam 1 cm, inner stand closed with 0.1 edge-stitch
6 · Body

4 · BILL OF MATERIALS

Component	Specification	Supplier	Consumption / pc
Shell fabric	Printed viscose / cotton-viscose jacquard, approx. 130–150 g/m², 140–145 cm wide, floral print on cream ground. TBC final article.	Brand	approx. 1.7 m (XS–S, incl. ruffles + bias) – factory to confirm marker yield
Interlining	Light woven fusible, 40 g/m², white, low-temp (viscose safe). Collar outer stand, both placket bands.	Factory	0.15 m
Sewing thread	100% polyester spun 40/2 (Tex 27), colour matched to cream ground; overlock thread same colour.	Factory	—
Buttons	7 pcs gold-tone metal shank buttons, domed / textured, Ø 15 mm.	Brand	7 + 1 spare (sewn inside at care label)
Labels, hang tag, polybag, barcode	See section 7.	Brand	1 set

5 · FINISHED GARMENT MEASUREMENTS

POM	Point of measure	XS–S (RU 42–44)	Tol. ±
A	Centre back length, collar seam to hem edge	60	1.0
A2	Front length, HPS to hem edge	62	1.0
B	Chest width, 2.5 cm below underarm, half	52	1.0
C	Waist width at 40 cm from HPS, half (straight body)	52	1.0
D	Hem width, half	53	1.0
E	Neck width at collar seam, HPS to HPS	18	0.5
F	Front neck drop, HPS to collar seam at CF	8	0.5
G	Back neck drop, HPS to collar seam at CB	2	0.3
H	Collar stand height, finished	2	0.2
I	Collar ruffle width, finished (above stand)	2.5	0.3
J	Underarm depth, HPS to underarm point (straight)	25	0.5
K	Cut-on sleeve: HPS along shoulder line to sleeve hem edge	27	0.7
K2	of which natural shoulder length (HPS to shoulder point)	12	0.5
K3	of which sleeve length beyond shoulder point	15	0.5
L	Sleeve hem opening, straight, half	18	0.5
M	Sleeve ruffle width, finished	5	0.3
N	Shoulder slope, HPS to shoulder point drop	4	0.3
O	Placket width, finished	2.5	0.2
P	Placket length, collar seam to bottom	27	0.5
Q	Bib length at CF, collar seam to bottom point	30	0.5
R	Bib width at widest, piping edge to piping edge	22	0.5
S	Bib ruffle width, finished	3.5	0.3
T	Piping, finished width (flat, no cord)	0.4	0.1
U	Buttons: 7 pcs · first 1.5 cm below collar seam · spacing	3.8	0.2
V	Hem depth, finished (double fold)	1	0.2

Measure flat on table, buttoned, after final pressing. Ruffles excluded from body measurements. Grading rules for M–L and XL–2XL will follow with the graded pattern (chest +8 cm per dual size, length +2 cm).

6 · SEWING CONSTRUCTION SEQUENCE

Op	Operation	Machine / stitch / SA
1	Cut per marker, one-way. Fuse collar outer stand and both placket bands. Cut bias strips 2.2 cm, join on straight grain, press.	Fusing press, viscose-safe temperature (test on scrap first)
2	Prepare flat piping: fold bias strip in half, press; finished 0.4 cm visible. Approx. 2.3 m per piece.	—
3	Prepare ruffles (collar ×1, bib ×2, sleeve ×2): narrow rolled hem on free edge; two rows of gathering stitch at 0.5 / 0.9 cm; gather to 1:2 evenly, no pleating.	3-thread rolled hem overlock; lockstitch 4 spi gathering
4	Placket bands: attach piping to both long edges of each band; fold band, press. Attach bib ruffle to inner edge of each band (ruffle between band and bib), then join band + ruffle unit to bib panel. Press seam toward bib; edge-stitch 0.1 on bib side to hold ruffle down.	Lockstitch 12 spi, SA 1.0 / 0.7, zipper foot for piping
5	Attach piping to outer edge of assembled bib. Set bib into front cut-out (inset seam), matching notches; clip curves. Overlock seam allowance together, press toward body, stitch-in-ditch beside piping to keep flat. Close CF below bib.	Lockstitch SA 1.0; 3-thread overlock
6	Shoulder / over-sleeve seams: front to back, one continuous seam from neck to sleeve hem. Overlock, press to back.	4-thread overlock / lockstitch + overlock, SA 1.0
7	Sleeve ruffles: join ruffle ends, attach to sleeve hem right sides together, gather even; overlock SA, press toward body, edge-stitch 0.1 on body.	Lockstitch SA 0.7 + 3-thread overlock
8	Side / underarm seams in one pass, matching sleeve ruffle seam and hem. Insert care label at wearer's left side seam 10 cm above hem. Overlock, press to back.	4-thread overlock, SA 1.0
9	Collar: piping + collar ruffle sandwiched between outer (fused) and inner stand along top edge; stitch, trim, turn, press. Attach outer stand to neckline with main label at CB; turn inner stand in, edge-stitch 0.1 all round.	Lockstitch 12 spi, SA 1.0 / 0.7
10	Hem: 1 cm double-fold, edge-stitch 0.1, seam allowances turned toward back.	Lockstitch 12 spi
11	Buttonholes ×7 on wearer's right placket, vertical, 1.7 cm, centred, first 1.5 cm below collar seam, spacing 3.8 cm. Buttons ×7 on left placket, shank sewn with thread shank wrap. Spare button inside at care label.	Buttonhole machine, button-sew
12	Trim threads, final press (low temperature, reverse side, ruffles steamed not flattened), QC, fold, polybag with barcode sticker.	—

Stitch density 12 spi lockstitch, 14 spi overlock. Needle size 70/10 (SES) to avoid pulled threads in viscose. No topstitching except 0.1 edge-stitches listed.


LABELS & PACKAGING (BRAND SUPPLIED)


TBC Composition text on the care label will be updated by the brand once the final yarn / fabric composition is confirmed. Label artwork files will be sent separately. Factory quotes labels as brand-supplied (nominated supplier or shipped from Russia); confirm which in the quotation.

Item	Specification	Placement
1 · Main woven label	Black woven satin label, white text "INFINITY STORY" + brand icon, approx. 7 × 1.5 cm, loop / end-fold. Dual-size range shown on separate size flags at each end (e.g. "XS" left, "M" right) per reference photo.	Centred at CB neck, inside, caught in neck seam (woven: under collar stand; knit: linked into neck seam).
2 · Care / composition label	White printed satin / nylon taffeta, approx. 4 × 9 cm folded (two-sided). Front: "INFINITY STORY / Infinity Story", composition in RU, EN, DE, CZ, ES, FR, IT, PL, PT, CN, TR, UA, SK. Back: care text in English + symbols + EAC mark. Composition placeholder: "XX% Viscose, XX% Cotton" (final after fabric confirmation).	Wearer's LEFT side seam, inside, 10 cm above hem edge. Loop-folded, caught in side seam / overlock.
3 · Hang tag	Brand hang tag with plastic tag pin. TBC artwork / size.	Attached through care label loop.
4 · Barcode / marketplace sticker	Brand supplies marketplace barcode stickers (Wildberries / Ozon format) per style-colour-size. TBC	Outside of polybag, lower right corner, straight, fully readable.
5 · Polybag	Frosted transparent PE zip-lock bag with slider, black brand logo print in rectangular frame on front, air vent hole. Approx. 30 × 32 cm. TBC exact size and supplier.	One garment per bag, folded logo side up, size visible through bag. Size sticker on bag optional.
6 · Carton	5-ply export carton, max. 15 kg, marked: style / colour / size / qty / carton no. Solid-size or solid-colour packing per PO.	—

Care instructions (for label)

Symbol	Text
30 · gentle	Machine wash 30 °C gentle cycle · Do not bleach · Do not tumble dry · Iron low (110 °C) on reverse · Dry clean P · Wash inside out





INSIDE VIEW (back) · label placement

8 · QUALITY REQUIREMENTS & QC POINTS

- Measurements within tolerance (section 5). Both fronts identical: bib and ruffle mirror symmetrically; check at CF – max. difference 0.3 cm.
- Ruffles evenly gathered, no flat or bunched sections; gathers steamed, not pressed flat.
- Piping uniform 0.4 cm, no wobble; corners at bib point neat and mitred.
- Collar stand sits flat, ends level at CF, no twist.
- Buttonholes clean, matched to buttons, no gaping between buttons when worn.
- Print: no visible flaws, no large flower head cut through at bib centre; one-way direction on all pieces.
- Seams: no puckering, no pulled threads (needle 70/10), all overlock ends secured.
- Pressing: no shine, no crushed ruffles; garment free of odour, threads, marks; metal detection passed.
- Inspection AQL 2.5 major / 4.0 minor; size set and 3 pcs from bulk photographed before shipment.

SAMPLE & APPROVAL PROCESS

1. **Quotation** within 3 working days of receiving this pack: unit price FOB at 300 / 500 pcs per colour, MOQ per colour, sample cost and lead time.
2. **Pre-production sample (PPS / fit sample)** 1 pc in sample size in available materials closest to reference. Send photos front / back / detail on dress form and flat before shipping. Sample ships with measurement chart filled in by factory QC.
3. **Brand review**: measurements against tolerance table, construction, hand-feel. Comments returned within 5 working days. Second sample only if fit changes are required.
4. **Colour approval**: lab-dips / yarn shade card swatches for 2 colourways approved before bulk material is ordered.
5. **Bulk**: production only after written sample + colour approval. Size set (1 pc per size) photographed before bulk sewing. Inline and final inspection AQL 2.5.
6. **Deviations**: any change of material, construction or measurement must be confirmed in writing by the brand before production.

Brand contact	Infinity Story · Alena (owner) · e-mail / WeChat: TBC
Approved by brand (name / date)	
Confirmed by factory (name / date / stamp)	