

| Project Name | ITEM CODE | MATERIALS DESCRIPTION | Size | Unit | LOCATION N | Sup Location | Total Received | Total Issued | Total Balance |
|--------------|-----------|---|-------|-------|------------|--------------|----------------|--------------|---------------|
| EV2 | 1.01E+08 | 150 TINNED COPPER | 45900 | Meter | EV2 | PARKING | 1010 | 274 | 736 |
| EV2 | 11178904 | 4 X 4 mmR-CU/XL/PV-FCSO-1KV-B04-E | 45900 | Meter | EV2 | PARKING | 1013 | 428 | 585 |
| EV2 | 7/1/3338 | (12 X 2.5 CU/XLPE/CTS/PVC | 45900 | Meter | EV2 | PARKING | 1020 | 90 | 930 |
| EV2 | 11183486 | 4 x 6 mmR-CU/XL/PV-FCSO-1KV-B04-B | 46015 | Meter | EV2 | PARKING | 500 | 329 | 171 |
| EV2 | NA | 4 x 185 Aluminum | 46015 | Meter | EV2 | PARKING | 100 | 0 | 100 |
| EV2 | 8714676 | 2x4mm cu/xl/1 kv | 46015 | Meter | EV2 | PARKING | 1020 | 590 | 430 |
| EV2 | NA | 4X70 MM | 46015 | Meter | EV2 | PARKING | 60 | 0 | 60 |
| EV2 | NA | 4X70 MM | 46015 | Meter | EV2 | PARKING | 63 | 0 | 63 |
| EV2 | NA | CABLE 1X 1.5 RED | 46015 | ROLL | EV2 | CON1 | 3 | 0 | 3 |
| EV2 | NA | CABLE 1X 1.5 YELLOW | 46015 | ROLL | EV2 | CON1 | 3 | 0 | 3 |
| EV2 | NA | CABLE 1X 1.5 BLUE | 46015 | ROLL | EV2 | CON1 | 3 | 0 | 3 |
| EV2 | NA | CABLE 1X 1.5 BLACK | 46015 | ROLL | EV2 | CON1 | 3 | 0 | 3 |
| EV2 | NA | CABLE 1X2.5 RED | 46015 | ROLL | EV2 | CON1 | 2 | 0 | 2 |
| EV2 | NA | CABLE 1X2.5 YELLOW | 46015 | ROLL | EV2 | CON1 | 2 | 0 | 2 |
| EV2 | NA | CABLE 1X2.5 BLACK | 46015 | ROLL | EV2 | CON1 | 3 | 0 | 3 |
| EV2 | NA | CABLE 1X 1.5 GREY | 46015 | ROLL | EV2 | CON1 | 5 | 4 | 1 |
| EV2 | NA | MOVABLE RUBBER BUSHING (1.5-3.5)1 | 46015 | ROLL | EV2 | CON1 | 2 | 0 | 2 |
| EV2 | NA | CABLE 1X4mm RED | 46015 | ROLL | EV2 | CON1 | 1 | 0 | 1 |
| EV2 | NA | CABLE 1X2.5 YELLOW | 46015 | ROLL | EV2 | CON1 | 2 | 0 | 2 |
| EV2 | NA | CABLE 1X2.5 BLUE | 46015 | ROLL | EV2 | CON1 | 1 | 0 | 1 |
| EV2 | NA | CABLE 1X2.5 BLACK | 46015 | ROLL | EV2 | CON1 | 1 | 0 | 1 |
| EV2 | NA | CABLE CAT 6 GREY | 46015 | ROLL | EV2 | CON1 | 1 | 0 | 1 |
| EV2 | 8845674 | 1 x 95 mm (Y/G) | 46019 | Meter | EV2 | PARKING | 404 | 307 | 97 |
| EV2 | 8844155 | 1 X 240 MM (Y/G) | 46022 | Meter | EV2 | PARKING | 510 | 134 | 376 |
| EV2 | 8870878 | 1 X 50 MM (Y/G) | 46023 | Meter | EV2 | PARKING | 1020 | 104 | 916 |
| EV2 | 8870871 | 1 X 50 MM (Y/G) | 46024 | Meter | EV2 | PARKING | 242 | 64 | 178 |
| EV2 | 8870596 | 1 X 120 MM (Y/G) | 46025 | Meter | EV2 | PARKING | 632 | 201 | 431 |
| EV2 | NA | HEX BLOTH M12 X 35 M مع مواد الارضي (E. | 45628 | PCS | EV2 | CON1 | 24422 | 2500 | 21922 |
| EV2 | NA | HEX NUT M12 MM مع مواد الارضي (E | 45628 | PCS | EV2 | CON1 | 24422 | 2500 | 21922 |
| EV2 | NA | FLAT WASHER M 12 مع مواد الارضي (EAF | 45628 | PCS | EV2 | CON1 | 24422 | 4000 | 20422 |
| EV2 | NA | EARTHING FLEXIBLE COPPER CONDUITC | 45628 | PCS | EV2 | CON1 | 104 | 103 | 1 |

Armed Metal

✓

| | | | | | | | | |
|-----|----|--|------------|-----|------|------|-----|-----|
| EV2 | NA | MOULD CC-TH 150-240 (EARTHING) | 45668 PCS | EV2 | CON1 | 16 | 6 | 10 |
| EV2 | NA | MOULD CC-TH 150-240 UL (EARTHING) | 45668 PCS | EV2 | CON1 | 37 | 5 | 32 |
| EV2 | NA | MOULD CR-TH 16-150 (EARTHING) | 45668 PCS | EV2 | CON1 | 26 | 3 | 23 |
| EV2 | NA | MOULD CC-TH 150-150 UL (EARTHING) | 45668 PCS | EV2 | CON1 | 39 | 25 | 14 |
| EV2 | NA | MOULD CC-TH 150-120-UL (EARTHING) | 45668 PCS | EV2 | CON1 | 5 | 0 | 5 |
| EV2 | NA | HANDLE CLAMP MEDIUM (EARTHING) | 45668 PCS | EV2 | CON1 | 50 | 17 | 33 |
| EV2 | NA | POWDER P - 250 (EARTHING) | 45668 PCS | EV2 | CON1 | 1000 | 930 | 70 |
| EV2 | NA | POWDER P - 150 (EARTHING) | 45668 PCS | EV2 | CON1 | 50 | 20 | 30 |
| EV2 | NA | MOULD CC-X-185-185 (EARTHING) | 45718 PCS | EV2 | CON1 | 10 | 4 | 6 |
| EV2 | NA | ROD COPPER 5 M 16 MM (EARTHING) | 45668 PCS | EV2 | CON1 | 104 | 83 | 21 |
| EV2 | NA | MOULD CC-TH-150-50UL (EARTHING) | 45668 PCS | EV2 | CON1 | 1 | 0 | 1 |
| EV2 | NA | MOULD CP-T-142-240 (EARTHING) | 45668 PCS | EV2 | CON1 | 2 | 0 | 2 |
| EV2 | NA | BUSBAR 7 HOLE (EARTHING) | 24/06/2025 | PCS | EV2 | CON1 | 9 | 0 |
| EV2 | NA | BUSBAR 14 HOLE (EARTHING) | 24/06/2025 | PCS | EV2 | CON1 | 1 | 0 |
| EV2 | NA | BUSBAR 1 HOLE (EARTHING) | 24/06/2025 | PCS | EV2 | CON1 | 6 | 0 |
| EV2 | NA | CLAMP COPPER BUSBAR DCTC-13-8 (E/ 24/06/2025 | PCS | EV2 | CON1 | 800 | 0 | 800 |
| EV2 | NA | CABLE LADDER STRAIGHT 900M WIDE | 45350 PCS | EV2 | LAY | 74 | 42 | 32 |
| EV2 | NA | CABLE TRAY 30X30 | 45885 PCS | EV2 | LAY | 5 | 0 | 5 |
| EV2 | NA | CABLE LADDER ELBOW 300 | 45885 PCS | EV2 | LAY | 2 | 0 | 2 |
| EV2 | NA | CABLE LADDER ELBOW 600 | 45885 PCS | EV2 | LAY | 3 | 0 | 3 |
| EV2 | NA | CABLE LADDER TEE 1200X1200X1200 | 45885 PCS | EV2 | LAY | 1 | 0 | 1 |
| EV2 | NA | CABLE LADDER STARE 90X90X90X90 | 45885 PCS | EV2 | LAY | 1 | 0 | 1 |
| EV2 | NA | LUGS 95-12 | 45423 PCS | EV2 | CON1 | 900 | 100 | 800 |
| EV2 | NA | SAS CONSOLE FURNITURE (جد بوكس) (الثغر E | 45630 PCS | EV2 | CON1 | 5 | 2 | 3 |
| EV2 | NA | GLAND 63 S | 45755 PCS | EV2 | CON1 | 2 | 1 | 1 |
| EV2 | NA | OFFICE CHAIR FROM NORTH | 25/06/2025 | PCS | EV2 | CON1 | 1 | 1 |
| EV2 | NA | LUGS 630 -14 | 45756 PCS | EV2 | CON1 | 2 | 1 | 1 |
| EV2 | NA | SQUARE CLAP(باب PANAL) | 45972 PCS | EV2 | CON1 | 10 | 7 | 3 |
| EV2 | NA | water pump | 45755 PCS | EV2 | CON1 | 3 | 0 | 3 |
| EV2 | NA | FILES A4 X 2 | 45756 BOX | EV2 | CON1 | 6 | 0 | 6 |
| EV2 | NA | FILES A4X3 | 45756 BOX | EV2 | CON2 | 3 | 0 | 3 |
| EV2 | NA | SPU COMPUTER | 45756 PCS | EV2 | CON2 | 1 | 0 | 1 |
| EV2 | NA | MONITOR COMPUTER DELL | 45756 PCS | EV2 | CON2 | 1 | 0 | 1 |
| EV2 | NA | SCREEN 50 INCH | 45756 PCS | EV2 | CON2 | 0 | 0 | 1 |

Ahmed Mataw



| | | | | | | | | | |
|---------------------------------------|------|-----------------------------------|------------|-----|---------|----|---|---|----|
| EV2 | NA | SCREEN 27 INCH USED | 45756 PCS | EV2 | CON2 | 1 | 1 | 0 | 1 |
| EV2 | NA | HP PRINTER USED | 45756 PCS | EV2 | CON2 | 2 | 2 | 0 | 2 |
| EV2 | NA | HP PRINTER | 45756 PCS | EV2 | CON2 | 1 | 1 | 0 | 1 |
| EV2 | NA | PAPER A3 | 45756 BOX | EV2 | CON2 | 6 | 6 | 0 | 6 |
| EV2 | NA | SAS COMPANY MATERIAL | 45756 BOX | EV2 | CON2 | 6 | 6 | 0 | 6 |
| EV2 | NA | GLAND A1/A2/130L | 46000 PCS | EV2 | CON1 | 2 | 2 | 2 | 2 |
| EV2 | NA | CONDUIT BLACK 2* | 46001 ROLL | EV2 | PARKING | 1 | 1 | 0 | 1 |
| EV2 | NA | TRMANAL BLOCK 800V 10MM2 | 46015 PCS | EV2 | CON1 | 13 | 4 | 9 | 9 |
| EV2 | NA | GLAND 130L | 46015 PCS | EV2 | CON1 | 2 | 0 | 0 | 2 |
| EV2 | NA | GLAND 75L | 46015 PCS | EV2 | CON1 | 1 | 0 | 0 | 1 |
| 0 NA | 0 NA | TPI (SPTC) | 0 BOX | EV2 | CON1 | 5 | 5 | 5 | 5 |
| 0 NA | 0 NA | LAN CABLE (SPTC) | 0 BOX | EV2 | CON1 | 5 | 5 | 5 | 5 |
| 0 NA | 0 NA | BOLTS AND NUTS AND WASHER (SPTC) | 0 BOX | EV2 | CON1 | 1 | 0 | 0 | 1 |
| 0 NA | 0 NA | CABLE GNOUNDING (SPTC) | 0 BOX | EV2 | CON1 | 1 | 0 | 0 | 1 |
| METER DIGITAL(SPTC) | | | 0 BOX | EV2 | CON1 | 5 | 5 | 5 | 5 |
| 230v plugs tandem slot with grounding | | | 0 PCS | EV2 | CON1 | 3 | 0 | 0 | 3 |
| plug 20a 250v. Nema 10-20p | | | 0 PCS | EV2 | CON1 | 0 | 0 | 0 | 0 |
| 20AMP BACK AND SIDE WIRED 120-27 | | | 0 PCS | EV2 | CON1 | 30 | 0 | 0 | 30 |
| EL 4065 INTERLOCKED SWITCHED SO | | | 0 PCS | EV2 | CON1 | 5 | 0 | 0 | 5 |
| SP40655V-PLUG 40A 380-415 3P+N+E | | | 0 PCS | EV2 | CON1 | 10 | 0 | 0 | 10 |
| EL 3446 INTERLOCKED SWITCH SOCKET | | | 0 PCS | EV2 | CON1 | 0 | 0 | 0 | 0 |
| SP294-PLUG 32A 3P+E 380-415V IP67 | | | 0 PCS | EV2 | CON1 | 2 | 0 | 0 | 2 |
| EL 32446-INTERLOCKED SWITCH SOCKET | | | 0 PCS | EV2 | CON1 | 1 | 0 | 0 | 1 |
| SP1443-PLUG 125A 3P+N+E380-415V,I | | | 0 PCS | EV2 | CON1 | 1 | 0 | 0 | 1 |
| EL 32446-INTERLOCKED SWITCH SOCKET | | | 0 PCS | EV2 | CON1 | 1 | 0 | 0 | 1 |
| SP294-PLUG 32A 3P+E 380-415V IP67 | | | 0 PCS | EV2 | CON1 | 1 | 0 | 0 | 1 |
| OM-3477-20A GFCI NEMA 5-20 250V/€ | | | 0 PCS | EV2 | CON1 | 5 | 5 | 5 | 5 |
| DWUR-20-DUAL USB CHARGER WITH 2 | | | 0 PCS | EV2 | CON1 | 30 | 0 | 0 | 30 |
| plug 20A 250 V | | | 0 PCS | EV2 | CON1 | 1 | 0 | 0 | 1 |
| light 30w 125v dc | | | 0 PCS | EV2 | CON1 | 2 | 0 | 0 | 2 |
| SWITCH INSPECTED 25 16 | | | 0 PCS | EV2 | CON1 | 30 | 0 | 0 | 30 |
| PLUG SP1115 | | | 0 PCS | EV2 | CON2 | 0 | 0 | 0 | 0 |

Ammed Hatab

| | | | | | |
|------|-------------------------------------|-------|-----------|---|---|
| 0 NA | PLUG SP4065SV | 0 BOX | 0 CON2 R2 | 1 | 1 |
| 0 NA | SP 294 32A | 0 BOX | 0 CON2 R2 | 1 | 1 |
| 0 NA | SP1443-PLUG 125A 3P+N+E380-415V.I | 0 PCS | 0 CON2 R2 | 1 | 1 |
| 0 NA | EL5691-INTERLOCKED SWITCH SOCKET | 0 PCS | 0 CON2 R2 | 1 | 1 |
| 0 NA | SP1115 -PLUG 63A 3P+E 380-415V IP6: | 0 PCS | 0 CON2 R2 | 1 | 1 |

Ahmed Hatab

ahmed_hatab

| | A | B | C | D | E | F | G | H | I | J | K |
|-----|---------|----|---|-------|---|---|---|----|---|----|---|
| 337 | 334 EV2 | NA | EL 32446-INTERLOCKED SWITCH SOCKET 32AxE 380-415V IP67 (ERAM) | 0 PCS | 0 | 0 | 0 | 5 | 0 | 5 | 5 |
| 338 | 335 EV2 | NA | SP294-PLUG 32A 3P+E 380-415V IP67 (ERAM) | 0 PCS | 0 | 0 | 0 | 5 | 0 | 5 | 5 |
| 344 | 341 EV2 | NA | OM-3477-20A GFCI NEMA 5-20 250V/50HZ SELF TESTING (ERAM) | 0 PCS | 0 | 0 | 0 | 30 | 0 | 30 | 1 |
| 345 | 342 EV2 | NA | DWUR-20-DUAL USB CHARGER WITH 20A DUPLEX TAMPER RESISTANT (ERAM) | 0 PCS | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| 346 | 343 EV2 | NA | plug 20A 250V | 0 PCS | 0 | 0 | 0 | 30 | 0 | 30 | 1 |
| 348 | 345 EV2 | NA | light 30W 125v dc | 0 PCS | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| 349 | 346 EV2 | NA | SWITCH INSPECTED 25 16 | 0 PCS | 0 | 0 | 0 | 2 | 0 | 2 | 0 |
| 350 | 347 EV2 | NA | PLUG SP115 | 0 PCS | 0 | 0 | 0 | 30 | 0 | 30 | 0 |
| 352 | 349 EV2 | NA | PLUG SP4065SV | 0 BOX | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| 353 | 350 EV2 | NA | SP 294 32A | 0 BOX | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| 354 | 351 EV2 | NA | SP1443-PLUG 125A 3P+N+E 380-415V IP67 (ERAM) | 0 PCS | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| 355 | 352 EV2 | NA | EL5691-INTERLOCKED SWITCH SOCKET 125A 3P+N+E 380-415V IP67 (ERAM) | 0 PCS | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| 356 | 353 EV2 | NA | SP1115 -PLUG 63A 3P+E 380-415V IP67 (ERAM) | 0 PCS | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| 366 | 363 EV2 | NA | LIGHT ERAM 120W | 0 PCS | 0 | 0 | 0 | 2 | 0 | 2 | 0 |
| 369 | 366 EV2 | NA | GLAND 40L | 0 PCS | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| 370 | 367 EV2 | NA | GLAND 63S | 0 PCS | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| 375 | 372 EV2 | NA | صندوق اسماقفات أوليه | 0 PCS | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| 376 | 373 EV2 | NA | WATER PUMP | 0 PCS | 0 | 0 | 0 | 3 | 0 | 3 | 0 |
| 381 | 378 EV2 | NA | FAN | 0 PCS | 0 | 0 | 0 | 2 | 0 | 2 | 0 |