

Rag Jemere
Aur (Ekholy)
July

MATERIALS DESCRIPTION	Size	Unit	LOCATION	Sup Location	Total Received	Total Issued	Balance
27007190 / PIPE TMX TF(L=9.2M) SMITHK 10BAR	0	PCS	Johema ware house	0	3	0	3
2700356 / ELBOW 90° 200MM ND TF*TF 10BAR	0	PCS	Johema ware house	0	4	0	4
2700664 / FLG HD 200MM ND ANSICL150 TF 10 BAR	0	PCS	Johema ware house	0	2	0	2
27007188 / PIPE 100MM ND TM*TF (L=9.2M) SMITHK 10 3BAR	0	PCS	Johema ware house	0	3	0	3
27007190 / PIPE 200MMND TM*TF (L=9.2M) SMITHK 10.3BAR	0	PCS	Johema ware house	0	5	0	5
27007253 / PIPE 300MMND TM*TF(L=9.2M) SMITHK 10.3BAR	0	PCS	Johema ware house	0	28	0	28
27001378 / RED CONC 200*100MM ND TF*TF 10.3 BAR	0	PCS	Johema ware house	0	1	0	1
27003618 / RED CONC 400*150 MM ND TF*TF 10.3 BAR	0	PCS	Johema ware house	0	1	0	1
27000994 / Lat. Red 200*100 mm nd TF*TF 10.3BAR	0	PCS	Johema ware house	0	1	0	1
27000862 / LAT.EQ.200 MM ND TF*TF 10.3 BAR	0	PCS	Johema ware house	0	2	0	2
27003486 / LAT.RED 400*150 MM ND TF*TF 10.3BAR	0	PCS	Johema ware house	0	1	0	1
27002508 / ELBOW 22.5° 300 MM ND TF*TF 10.3 BAR	0	PCS	Johema ware house	0	2	0	2
27002509 / ELBOW 22.5° 400 MM ND TF*TF 10.3 BAR	0	PCS	Johema ware house	0	2	0	2
27000310 / ELBOW 45° 100 MM ND TF*TF 10.3 BAR	0	PCS	Johema ware house	0	1	0	1
27000311 / ELBOW 45° 150 MM ND TF*TF 10.3 BAR	0	PCS	Johema ware house	0	2	0	2
27000312 / ELBOW 45° 200 MM ND TF*TF 10.3 BAR	0	PCS	Johema ware house	0	2	0	2
27000354 / ELBOW 90° 100 MM ND TF*TF 10.3 BAR	0	PCS	Johema ware house	0	4	0	4
27000662 / FLG HD 100 MM ND ANSICL150.TF 10.3BAR	0	PCS	Johema ware house	0	5	0	5
27007254 / PIPE 400 MMND TM*TF(L=9.2M) SMITHK 10.3BAR	0	REF!	Johema ware house	0	41	0	41
0	0	PCS	0	0	0	0	0
27001378/ RED CONC 200x150mm ND TF*TF 10.3 BAR	0	PCS	Johema ware house	0	4	0	4
27002684/RED CONC,400 X200MM ND,TF X TF,10.3BAR	0	PCS	Johema ware house	0	4	0	4
27000862/ LAT.EQ.200MM ND TF X TF 10.3 BAR	0	PCS	Johema ware house	0	3	0	3
27002563/ LAT.RED 400 X 200MM ND,TF X TF 10.3BAR	0	PCS	Johema ware house	0	4	0	4
27002508/ ELBOW 22.5 X 300MM ND,TF X TF 10.3 BAR	0	PCS	Johema ware house	0	7	0	7
27002509/ ELBOW 22.5 X 400 MM ND,TF X TF 10.3 BAR	0	PCS	Johema ware house	0	4	0	4
27000311 / ELBOW,45 X 150MM ND TF X TF 10.3 BAR	0	PCS	Johema ware house	0	4	0	4
27000312 / ELBOW, 45 X 200MM ND,TF X TF 10.3 BAR	0	PCS	Johema ware house	0	7	0	7
27000354 / ELBOW, 90 X 100 MM ND,TF X TF 10.3 BAR	0	PCS	Johema ware house	0	3	0	3
13000746 / COUPLING, 200MM ND TF X TF 10.3 BAR	0	PCS	Johema ware house	0	4	0	4
27000662 / FLG HD 100MM ND ANSICL150 TF 10.3 BAR	0	PCS	Johema ware house	0	2	0	2
13023902 / AM-48 ADHESIVE KIT, 250GMS	0	PCS	Johema ware house	0	220	0	220
0	0	0	0	0	0	0	0
FF FLANGE #150SCH 40S WITH CAMLOCK MALE WITH DUST CAP MATERIAL ASTM A182F316/316L	0	PCS	Dammam Warehouse	0	6	0	6
H2S	0	EA	Dammam Warehouse	0	5	0	5
LEL	0	EA	Dammam Warehouse	0	5	0	5
SUN SHADE	0	EA	Dammam Warehouse	0	10	0	10
SPLASH GUARD	0	EA	Dammam Warehouse	0	10	0	10
U-BOLT 2"	0	EA	Dammam Warehouse	0	20	0	20
HV01-001A1-2000-0-6445 VARIABLE EFFORT SUPPORT TS1	0	PC	WARE HOUSE JUHEMA	0	1	0	1
HV01-002-A1-2000-0-6445 VARIABLE EFFORT SUPPORT TS1	0	PC	WARE HOUSE JUHEMA	0	1	0	1
HV01-005-A1-2000-0-6445 VARIABLE EFFORT SUPPORT TS1	0	PC	WARE HOUSE JUHEMA	0	1	0	1
HV01-006-A1-2000-0-6445 VARIABLE EFFORT SUPPORT TS1	0	PC	WARE HOUSE JUHEMA	0	1	0	1
HV01-003-A1-2000-0-6445 VARIABLE EFFORT SUPPORT TS1	0	PC	WARE HOUSE JUHEMA	0	1	0	1
HV01-004-A1-2000-0-6445 VARIABLE EFFORT SUPPORT TS1	0	PC	WARE HOUSE JUHEMA	0	1	0	1
HV01-007-A1-2000-0-6445 VARIABLE EFFORT SUPPORT TS1	0	PC	WARE HOUSE JUHEMA	0	1	1	0
HV01-008-A1-2000-0-6445 VARIABLE EFFORT SUPPORT TS1	0	PC	WARE HOUSE JUHEMA	0	1	0	1
ENCLOSURE	0	EA	Dammam Warehouse	0	1	0	1
main board	0	EA	Dammam Warehouse	0	1	0	1
300 watts power supply	0	EA	Dammam Warehouse	0	1	0	1
interface module with relay	0	EA	Dammam Warehouse	0	2	0	2
interface module with relay	0	EA	Dammam Warehouse	0	2	0	2
conventional zones card	0	EA	Dammam Warehouse	0	1	0	1
battery ENCLOSURE-RED	0	EA	Dammam Warehouse	0	1	0	1
BATTERY PACK (LEAD-ACID) 12V-55AH	0	EA	Dammam Warehouse	0	1	0	1
HIGH SENSITIVITY SMOKE DETECTOR	0	EA	Dammam Warehouse	0	8	0	8
DETECTOR MOUNTING BASE	0	EA	Dammam Warehouse	0	8	0	8
LINIR-HEAT DETECTOR WIRE XCR SERIES HIGH PERFORMANC	0	MTR	Dammam Warehouse	0	170	0	170
SPECIAL CLAMP ASSEMBLY	0	EA	Dammam Warehouse	0	300	0	300
ZONE BOXES 110M X 150MM X DEPTH 80MM	0	EA	Dammam Warehouse	0	2	0	2

[Handwritten signature]

U P C W B A
V P C W B A

Saw

END OF LINE ZONE BOXES (150MM X 230MM X DEPTH: 115MM)

STRAIN RELIEF CONNECTORS

RETRACTABLE CABLE WITH STRAIN RELIEF connectors (505typy)

splice kit

Interface module with display

IP66explosion proof horn up to 108 db (A)

IP66explosion proof BEACON-RED

explosion proof manual call station pull handle

fire alarm cable shld .2c *14 awg - red

fire alarm cable shld .2c *12 awg - red

SS316 Reducing hex nipple 3/4" NPTMA 1/2" NPTMGRHNP128-

SS316 HEX PLUG 1/2" NPTMGRPLUG8-

SS316 HEX PLUG 1/2" NPTM-2" LONG 6 HINPPB-2"

SS316 FEMALE CONNECTOR 1/2" NPTF ASSLY 6AMCB8

PP TUBE CLAMP 1/2" OD SINGLE HOLE PP-TC1-B-316

SS316 C TYPE TUBE CLAMP 1/2" OD SINGLE

SS316 MALE CONNECTOR 1/2" NPTM ASSLY 6AMCB8-

SS316 FEMALE TEE 1/2" NPTF 6F TEEB-2B.5

SS316 HEX PLUG 1/2" NPTM 6PLUG8-

SS316 UNION 1/2" OD ASSLY 6AMCB8 / AGUB

SS316 MALE CONNECTOR 1/200X1/4" NPTM ASSLY 6AMCB4

SS316 FUSIBLE PLUG 1/2" NPTM 6F PLUG8-

SS316 TUBE 1/2" *0.049 THK MARUICHI

SS316 2R TYPE MANIFOLD VALVE 1/2" F 1/4" F AGUEASSLY

SS316 GATE VALVE 1/2" NPTF 3K ASSLY

TESTING & DOCUMENTATION CHARGES

CABLE TRAY STRAIGHT 6.0M (19.68FT) LG. 152.4 MM (6 IN) DP. MAXIMUM 0.4% NEMA VE-1, 228.6MM RUNG SPACING 600MM CLASS 20C

CABLE TRAY STRAIGHT 6M LG. 152.4 MM (6 IN) DP. LADDER, COPPER FREE AND MAXIMUM 0.4% COPPER NEMA VE-1, 228.6MM RUNG SPACING 300MM WIDTH (CLASS 20C)

CABLE TRAY STRAIGHT COVER FLAT FLANGED LOUVERED COVER 3.0 M LG. 1MM THICKNESS ALUMINUM WITH A MAXIMUM 0.4% COPPER, NEMA VE-1, 228.6MM RUNG SPACING 600MM

CABLE TRAY STRAIGHT COVER FLAT FLANGED LOUVERED COVER 3.0 M LG. 1MM THICKNESS COPPER ALUMINUM WITH A MAXIMUM 0.4% COPPER, NEMA VE-1, 228.6MM (9 IN) RUNG SPACING 300MM WIDTH

CABLE TRAY HORIZONTAL BEND 90DEGREE 152.4MM (6 IN) DP. COPPER FREE ALUMINUM WITH A MAXIMUM 0.4% COPPER NEMA VE-1, 228.6MM RUNG SPACING 600MM ANG RADIUS 300MM

CABLE TRAY HORIZONTAL BEND 90DEGREE 152.4MM (6 IN) DP. COPPER FREE ALUMINUM WITH A MAXIMUM 0.4% COPPER NEMA VE-1, 228.6MM RUNG SPACING 300MM ANG RADIUS 300MM

CABLE TRAY HORIZONTAL BEND 90DEGREE COVER FLAT FLANGED LOUVERED 1MM THICKNESS COPPER FREE, ALUMINUM 0.4% COPPER, NEMA VE-1, 228.6MM RUNG SPACING 600MM WIDTH

CABLE TRAY HORIZONTAL BEND 90DEGREE COVER FLAT FLANGED LOUVERED 1MM THICKNESS ALUM, NEMA VE-1, 228.6MM (9 IN) RUNG SPACING 600MM WIDTH

CABLE TRAY VERTICAL OUTSIDE BEND 90 DEGREE 152.4 MM (6 IN) DP, COPPER FREE ALUMINUM WITH A MAXIMUM 0.4% COPPER NEMA VE-1, 228.6 MM (9 IN) RUNG SPACING 600MM WIDTH

CABLE TRAY VERTICAL OUTSIDE BEND 90 DEGREE 152.4 MM (6 IN) DP, COPPER FREE ALUMINUM WITH A MAXIMUM 0.4% COPPER NEMA VE-1, 228.6 MM (9 IN) RUNG SPACING 300MM WIDTH

CABLE TRAY VERTICAL OUTSIDE BEND 90 DEGREE COVER FLAT FLANGED LOUVERED 1MM THICKNESS COPPER FREE, ALUMINUM 0.4% COPPER, NEMA VE-1, 228.6MM RUNG SPACING 600MM WIDTH

CABLE TRAY VERTICAL OUTSIDE BEND 90 DEGREE COVER FLAT FLANGED LOUVERED 1MM THICKNESS COPPER FREE, ALUMINUM 0.4% COPPER, NEMA VE-1, 228.6MM RUNG SPACING 300MM WIDTH

CABLE TRAY VERTICAL INSIDE BEND 90 DEGREE 152.4MM (6IN) DP. COPPER FREE, ALUMINUM 0.4% COPPER, NEMA VE-1, 228.6MM RUNG SPACING 600MM WIDTH

CABLE TRAY VERTICAL INSIDE BEND 90 DEGREE 152.4MM (6IN) DP. COPPER FREE, ALUMINUM 0.4% COPPER, NEMA VE-1, 228.6MM RUNG SPACING 300MM WIDTH

CABLE TRAY VERTICAL INSIDE BEND 90 DEGREE COVER FLAT FLANGED LOUVERED 1MM THICKNESS COPPER FREE, ALUMINUM 0.4% COPPER, NEMA VE-1, 228.6MM (9 IN) RUNG SPACING 600MM WIDTH

CABLE TRAY VERTICAL INSIDE BEND 90 DEGREE COVER FLAT FLANGED LOUVERED 1MM THICKNESS COPPER FREE, ALUMINUM 0.4% COPPER, NEMA VE-1, 228.6MM (9 IN) RUNG SPACING 300MM WIDTH

UNIVERSAL CONNECTORS COPPER FREE REE, ALUMINUM 0.4% COPPER, 3.0MM NEMA VE-1, WITH SS 316 HARD WARE

EXPANSION CONNECTORS COPPER FREE, ALUMINUM 0.4% COPPER, 3.0MM THICKNESS NEMA VE-1 WITH SS 316 HARD WARE

HORIZONTAL ADJUSTABLE CONNECTOR COPPER FREE ALUMINUM 0.4% COPPER, 3.0MM THICKNESS NEMA VE-1 WITH SS 316 HARD WARE

VERTICAL ADJUSTABLE CONNECTOR COPPER FREE ALUMINUM 0.4% COPPER, 3.0MM THICKNESS NEMA VE-1 WITH SS 316 HARD WARE

HOLD DOWN CLAMP & EXPANSION GUIDE COMBINATION STEEL HOT DEEP GALVANIZED, NEMA VE-1 WITH SS 316 HARD WARE

BANDING STRAP 1/2" WIDTH - SS316

BANDING BUCKLE STAINLESS STEEL SS316

SPECIAL BANDING TOOL FOR BANDING STRAP

SPLINE BOLT

FLANGED NUT

PLASTIC LOCK NUT

HEXAGON HEAD BOLT

FLAT WASHER

HEXAGON NUT

GOULDS PUMP MODEL 1196XLT1 8" 10-15 (TA 64) 31-6 (205A)

MOTOR 75 HP (55 KW) 6POLE 3PH 60HZ 460 V

COUPLING ASSEMBLY WITH FASTENERS

COUPLING GUARD WITH FASTENERS

MECHANICAL SEAL REPAIR KIT

GASKET CASING (06214K)

0	EA	Dammam Warehouse	0	2	0	2
0	EA	Dammam Warehouse	0	6	0	6
0	EA	Dammam Warehouse	0	2	0	2
0	EA	Dammam Warehouse	0	2	0	2
0	EA	Dammam Warehouse	0	2	0	2
0	EA	Dammam Warehouse	0	3	0	3
0	EA	Dammam Warehouse	0	3	0	3
0	EA	Dammam Warehouse	0	1	0	1
0	MTR	Dammam Warehouse	0	60	0	60
0	MTR	Dammam Warehouse	0	2500	0	2500
0	PCS	Dammam Warehouse	0	39	0	39
0	PCS	Dammam Warehouse	0	28	0	28
0	PCS	Dammam Warehouse	0	28	0	28
0	PCS	Dammam Warehouse	0	11	0	11
0	PCS	Dammam Warehouse	0	51	0	51
0	PCS	Dammam Warehouse	0	51	0	51
0	PCS	Dammam Warehouse	0	55	0	55
0	PCS	Dammam Warehouse	0	13	0	13
0	PCS	Dammam Warehouse	0	11	0	11
0	PCS	Dammam Warehouse	0	13	0	13
0	PCS	Dammam Warehouse	0	9	0	9
0	PCS	Dammam Warehouse	0	25	0	25
0	FT	Dammam Warehouse	0	440	0	440
0	PCS	Dammam Warehouse	0	28	0	28
0	PCS	Dammam Warehouse	0	9	0	9
0	PCS	Dammam Warehouse	0	1	0	1
0	PCS	Dammam Warehouse	0	60	60	0
0	PCS	Dammam Warehouse	0	60	60	0
0	PCS	Dammam Warehouse	0	120	120	0
0	PCS	Dammam Warehouse	0	120	120	0
0	PCS	Dammam Warehouse	0	10	10	0
0	PCS	Dammam Warehouse	0	8	8	0
0	PCS	Dammam Warehouse	0	10	10	0
0	PCS	Dammam Warehouse	0	8	8	0
0	PCS	Dammam Warehouse	0	5	5	0
0	PCS	Dammam Warehouse	0	16	16	0
0	PCS	Dammam Warehouse	0	10	10	0
0	PCS	Dammam Warehouse	0	8	8	0
0	PCS	Dammam Warehouse	0	5	5	0
0	PCS	Dammam Warehouse	0	15	16	0
0	PCS	Dammam Warehouse	0	10	10	0
0	PCS	Dammam Warehouse	0	300	300	0
0	PCS	Dammam Warehouse	0	60	60	0
0	PCS	Dammam Warehouse	0	28	28	0
0	PCS	Dammam Warehouse	0	32	32	0
0	PCS	Dammam Warehouse	0	720	720	0
0	PCS	Dammam Warehouse	0	14	14	0
0	PCS	Dammam Warehouse	0	240	240	0
0	PCS	Dammam Warehouse	0	1	1	0
0	PCS	Dammam Warehouse	0	2400	2400	0
0	PCS	Dammam Warehouse	0	2400	2400	0
0	PCS	Dammam Warehouse	0	120	120	0
0	PCS	Dammam Warehouse	0	720	720	0
0	PCS	Dammam Warehouse	0	720	720	0
0	PCS	Dammam Warehouse	0	720	720	0
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	3	0	3
0	EA	Dammam Warehouse	0	3	0	3

Handwritten signature and notes in blue ink at the bottom of the page.

Handwritten signature in blue ink at the bottom right of the page.

[Handwritten signature]

[Handwritten signature]

GASKET COVER END

CASKET ADAPTER

O-RGASS68-34

GOULDS PUMP MODEL : 3196XLT8*10-15 (TAG#)37-G-02058)

MOTOR 75HP (55.9KW) 6POLE 3PH.60HZ.460V

COUPLING ASSEMBLY WITH FASTENERS

COUPLING GUARD WITH FASTENERS

GOULDS PUMP MODEL : 3196XLT8*10-15 (TAG#)37-G-0205C)

MOTOR 75HP (55.9KW) 6POLE 3 PH.60HZ.460V

COUPLING ASSEMBLY WITH FASTENERS

COUPLING GUARD WITH FASTENERS

GOULDS PUMP MODEL : 3196 STI 1.5*3-6 (TAG#)37-G-0206A)

MOTOR 3.0HP (2.2KW) 4POLE 3PH.60HZ.460V

COUPLING ASSEMBLY WITH FASTENERS

COUPLING GUARD WITH FASTENERS

MECHANICAL SEAL REPAIRKIT

CASKET CASING (062THK)

O-RGASS68-23

O-RG ASS68-263

GOULDS PUMP MODEL : 3196STI 1.5*3-6 (TAG#)37-G-0206B)

MOTOR 3.0 HP (2.2KW) 4 POLE 3 PH.60HZ.460V

COUPLING ASSEMBLY WITH FASTENERS

COUPLING GUARD WITH FASTENERS

LOCAL CONTROL STATION (TAG#)37-G-0205 A/B/C

LOCAL CONTROL STATION (TAG#)37-G-0206 A/B)

COUPLING

CAGE

COMMISSIONING

GOULDS PUMP MODEL: 362011 8 x10-TAG# 37-G-0204 A)

MOTOR, 300 HP (223.7 KW), 4POLE, 3 PH, 60HZ, 4000V

COUPLING ASSEMBLY WITH FASTENERS

COUPLING GUARD WITH FASTENERS

GOULDS PUMP MODEL: 362011 8 x10-TAG# 37-G-0204 C)

MOTOR, 300 HP (223.7 KW), 4POLE, 3 PH, 60HZ, 4000V

COUPLING ASSEMBLY WITH FASTENERS

COUPLING GUARD WITH FASTENERS

GOULDS PUMP MODEL : 36201 311 8 x10-22A (TAG#)37-G-0204 B)

MOTOR, 300 HP (223.7 KW), 4 POLE, 3 PH, 60HZ, 4000V

COUPLING ASSEMBLY WITH SATENERS

COUPLING GUARD WITH FASTENERS

MOTOR JACLING BOLT FOR (TAG#)37-G-0204 A/C)

COMMISSIONING SPARE (TAG#)37-G-0204 A/B/C (AS BELOW)

MECHANICAL SEAL REPAIR KIT (PO #411969)

Width id.635mm Thickness...

code/ MI-CB-TI-NYC-001/ Conductive Bar Titanium Ribbon (un-coated 12.7mm Width id.9mm

Thickness:
Insulation 50 length C/W Titanium wire 3 mm (30cm) dia Outer heat
Insulation 80m length C/W Titanium wire 3 mm (30cm) dia Outer heat
Insulation 60m length C/W Titanium wire 3 mm (30cm) dia Outer heat
Insulation 70m length C/W Titanium wire 3 mm (30cm) dia Outer heat
Insulation 65m length C/W Titanium wire 3 mm (30cm) dia Outer heat
Insulation 80m length C/W Titanium wire 3 mm (30cm) dia Outer heat
Insulation 100m length C/W Titanium wire 3 mm (30cm) dia Outer heat
Insulation 95m length C/W Titanium wire 3 mm (30cm) dia Outer heat
Insulation 95m length C/W Titanium wire 3 mm (30cm) dia Outer heat
Note: All titanium (un-coated) wires shall be insulated
Measuring (connection Roll) of (150m) Note Banana lug to be soldered

Cable, (1Cx25mm2, XYNAR/HMWPE Black Insulation Main) [Positive

Cable, (1Cx25mm2, HMWPE Black Insulation Main) (negative

Strip (304L) dSS, Enclosure, 508X508X152mm Nema 4, C/W PVC coated

Conduit 2 coats primer 2.5/ 6-enamel (Support Suitable) for use in- Non hazardous AREA)

MARKER PLATES TYPE A, ALUMINUM (6MM * 1.2MM * 2.4MM) AS PER DRAWING AB-036351-001. ENGRAVED AS " CATHODIC PROTECTION TANK EXTERNAL

BOTTOM ANODE JUNCTION BOX"

CORROSION PROBE (CPI), ER, ROD TYPE 10 CM2 (COUPON AREA WITH THICKNESS OF 100 MM, C/W PROBE CABLE, 70M LENGTH (NOTE : SUITABLE FOR

UNDERGROUND INSTALLATION FOR MONITORING PURPOSE AS PER SAES - X-600 AND STANDED DRAWING AA-036355)

Underground probe (CPI), ER, ROD TYPE 10 CM2 (COUPON AREA WITH THICKNESS OF

Note) Suitable for

0	EA	Dammam Warehouse	0	3	0	3
0	EA	Dammam Warehouse	0	3	0	3
0	EA	Dammam Warehouse	0	3	0	3
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	2	0	2
0	EA	Dammam Warehouse	0	2	0	2
0	EA	Dammam Warehouse	0	2	0	2
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	1	0	1
0	EA	Dammam Warehouse	0	3	0	3
0	EA	Dammam Warehouse	0	2	0	2
0	NOS	Dammam Warehouse	0	5	0	5
0	NOS	Dammam Warehouse	0	5	0	5
0	BOX	Dammam Warehouse	0	2	0	2
0	0	Dammam Warehouse	0	0	0	0
0	BOX	Dammam Warehouse	0	1	0	1
0	0	Dammam Warehouse	0	0	0	0
0	0	Dammam Warehouse	0	0	0	0
0	0	Dammam Warehouse	0	0	0	0
0	BOX	Dammam Warehouse	0	1	0	1
0	0	Dammam Warehouse	0	0	0	0
0	0	Dammam Warehouse	0	0	0	0
0	0	Dammam Warehouse	0	0	0	0
0	0	Dammam Warehouse	0	1	0	1
0	0	Dammam Warehouse	0	1	0	1
0	0	Dammam Warehouse	0	1	0	1
0	0	Dammam Warehouse	0	1	0	1
0	0	Dammam Warehouse	0	8	0	8
0	0	Dammam Warehouse	0	1	0	1
0	0	Dammam Warehouse	0	1	0	1
0	METER	WARE HOUSE JUHUMA	0	1967	1967	0
0	METER	WARE HOUSE JUHUMA	0	246	246	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0
0	ROLL	WARE HOUSE JUHUMA	0	0.6	0.6	0
0	ROLL	WARE HOUSE JUHUMA	0	0.3	0.3	0
0	METER	WARE HOUSE JUHUMA	0	10	10	0
0	METER	WARE HOUSE JUHUMA	0	45	45	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0
0	EACH	WARE HOUSE JUHUMA	0	1	1	0

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

CU/ XLPE / SWA / PVC (FR-OR) 1KV 2 x 6 MM2 RM SEC 2 x 50

06/11/2019



CU/ XLPE / SWA / PVC (FR-OR) 1KV 2 x6 MM2 RM IEC 10x2	0	MTR	WARE HOUSE JUHHEMA	0	501	0	501
CU/ XLPE / SWA / PVC (FR-OR) 1KV 2 x6 MM2 RM IEC 2x4	0	MTR	WARE HOUSE JUHHEMA	0	820	0	820
CU/ XLPE / SWA / PVC (FR-OR) 1KV 2 x6 MM2 RM IEC 2x4	0	MTR	WARE HOUSE JUHHEMA	0	999	0	999
CU/ XLPE / SWA / PVC (FR-OR) 1KV 2 x6 MM2 RM IEC 2x4	0	MTR	WARE HOUSE JUHHEMA	0	1000	0	1000
CU/ XLPE / SWA / PVC (FR-OR) 1KV 2 x6 MM2 RM IEC 2x4	0	MTR	WARE HOUSE JUHHEMA	0	1030	0	1030
CU/ XLPE / SWA / PVC (FR-OR) 1KV 2 x6 MM2 RM IEC 2x4	0	MTR	WARE HOUSE JUHHEMA	0	1030	0	1030
CU/ XLPE / SWA / PVC (FR-OR) 1KV 2 x6 MM2 RM IEC 10 x 3	0	MTR	WARE HOUSE JUHHEMA	0	514	0	514
CU/ XLPE / SWA / PVC (FR-OR) 1KV 2 x6 MM2 RM IEC 2 x 10	0	MTR	WARE HOUSE JUHHEMA	0	1020	0	1020
CU/ XLPE / SWA / PVC (FR-OR) 1KV 2 x6 MM2 RM IEC 2 x 10	0	MTR	WARE HOUSE JUHHEMA	0	1020	0	1020
CU/ XLPE / SWA / PVC (FR-OR) 1KV 2 x6 MM2 RM IEC 2 x 10	0	MTR	WARE HOUSE JUHHEMA	0	1030	0	1030
CU/ XLPE / SWA / PVC (FR-OR) 1KV 2 x6 MM2 RM IEC 2 x 10	0	MTR	WARE HOUSE JUHHEMA	0	430	0	430
CU/ XLPE / SWA / PVC (FR-OR) 1KV 2 x6 MM2 RM IEC 3 x 10	0	MTR	WARE HOUSE JUHHEMA	0	1104	0	1104
cu/ pvc 450 / 750 v h07v2-r 90 c 35mm2 RM G / Y BS EN 50525-2	0	MTR	WARE HOUSE JUHHEMA	0	310	0	310
cu/ pvc 450 / 750 v h07v2-r 90 c 35mm2 RM G / Y BS EN 50525-2	0	MTR	WARE HOUSE JUHHEMA	0	1005	0	1005
cu/ pvc 450 / 750 v h07v2-r 90 c 35mm2 RM G / Y BS EN 50525-2	0	MTR	WARE HOUSE JUHHEMA	0	1005	0	1005
cu/ pvc 450 / 750 v h07v2-r 90 c 35mm2 RM G / Y BS EN 50525-2	0	MTR	WARE HOUSE JUHHEMA	0	1005	0	1005
CU/ XLPE / SWA / PVC (FR-OR) 1KV 12 x 2.5 MM2 RM IEC	0	MTR	WARE HOUSE JUHHEMA	0	885	0	885
CU/ XLPE / SWA / PVC (FR-OR) 1KV 3 X 4 MM2 RM	0	MTR	WARE HOUSE JUHHEMA	0	1278	0	1278
CU/ XLPE / SWA / PVC (FR-OR) 1KV 12 x 2.5 MM2 RM	0	MTR	WARE HOUSE JUHHEMA	0	1030	0	1030
CU/ XLPE / SWA / PVC (FR-OR) 1KV 12 x 2.5 MM2 RM	0	MTR	WARE HOUSE JUHHEMA	0	1022	0	1022
CU/ XLPE / SWA / PVC (FR-OR) 1KV 12 x 2.5 MM2 RM	0	MTR	WARE HOUSE JUHHEMA	0	1030	0	1030
cu/ pvc 450 / 750 v h07v2-r 90 c 6 mm2 RM G / Y BS EN 50525-2	0	MTR	WARE HOUSE JUHHEMA	0	2060	0	2060
cu/ pvc 450 / 750 v h07v2-r 90 c 6 mm2 RM G / Y BS EN 50525-2	0	MTR	WARE HOUSE JUHHEMA	0	2060	0	2060
cu/ pvc 450 / 750 v h07v2-r 90 c 6 mm2 RM G / Y BS EN 50525-2	0	MTR	WARE HOUSE JUHHEMA	0	820	0	820
CU/ XLPE / SWA / PVC (FR-OR) 1KV 3 X 50 MM2 5M+50	0	MTR	WARE HOUSE JUHHEMA	0	360	0	360
CU/ XLPE / SWA / PVC (FR-OR) 1KV 3 X 6 MM2 RM+6MM2 RM	0	MTR	WARE HOUSE JUHHEMA	0	502	0	502
CU/ XLPE / SWA / PVC (FR-OR) 1KV 3 X 2.5 MM2 RM IEC 60502	0	MTR	WARE HOUSE JUHHEMA	0	1025	0	1025
CU/XLPE/PVC (FR-OR) 1KV 3 x 4 MM2 RM IEC	0	MTR	WARE HOUSE JUHHEMA	0	515	0	515
CU/ XLPE / SWA / PVC (FR-OR) 1KV 2 x 25 MM2 RM IEC	0	MTR	WARE HOUSE JUHHEMA	0	508	0	508
CU/ XLPE / SWA / PVC (FR-OR) 1KV 3 x 70 mm2 sm	0	MTR	WARE HOUSE JUHHEMA	0	617	0	617
CU/ XLPE / SWA / PVC (FR-OR) 1KV 12 x 2.5 MM2 RM IEC	0	MTR	WARE HOUSE JUHHEMA	0	794	0	794
CU/ XLPE / SWA / PVC (FR-OR) 1KV 12 x 2.5 MM2 RM IEC	0	MTR	WARE HOUSE JUHHEMA	0	203	0	203
ups power panel	0	EA	Dammam Warehouse	0	1	1	0
LIGHTING CONTROL PANEL	0	EA	Dammam Warehouse	0	1	0	1
NON-UPS POWER PANEL	0	EA	Dammam Warehouse	0	1	1	0
UPS POWER PANEL	0	EA	Dammam Warehouse	0	1	1	0
POWER PANEL FOR SPACE HEATER	0	EA	Dammam Warehouse	0	1	1	0
SPACE HEATER CONTROL PANEL	0	EA	Dammam Warehouse	0	1	1	0
SMALL POWER AND LIGHTING PANEL	0	EA	Dammam Warehouse	0	1	0	1
SMALL POWER AND LIGHTING PANEL	0	EA	Dammam Warehouse	0	1	0	1
STUD BOLTS 185 MM	0	PCS	WARE HOUSE JUHHEMA	0	420	0	420
STUD BOLTS 230 MM	0	PCS	WARE HOUSE JUHHEMA	0	120	0	120
STUD BOLTS 160 MM	0	PCS	WARE HOUSE JUHHEMA	0	96	0	96
STUD BOLTS 190 MM	0	PCS	WARE HOUSE JUHHEMA	0	96	0	96
STUD BOLTS 135 MM	0	PCS	WARE HOUSE JUHHEMA	0	64	0	64
STUD BOLTS 150 MM	0	PCS	WARE HOUSE JUHHEMA	0	416	0	416
STUD BOLTS 175 MM	0	PCS	WARE HOUSE JUHHEMA	0	64	0	64
STUD BOLTS 135 MM	0	PCS	WARE HOUSE JUHHEMA	0	324	0	324
STUD BOLTS 155 MM	0	PCS	WARE HOUSE JUHHEMA	0	84	0	84
STUD BOLTS 130 MM	0	PCS	WARE HOUSE JUHHEMA	0	732	0	732
STUD BOLTS 110 MM	0	PCS	WARE HOUSE JUHHEMA	0	360	0	360
STUD BOLTS 125 MM	0	PCS	WARE HOUSE JUHHEMA	0	72	0	72
STUD BOLTS 140 MM	0	PCS	WARE HOUSE JUHHEMA	0	8	0	8
STUD BOLTS 115 MM	0	PCS	WARE HOUSE JUHHEMA	0	16	0	16
STUD BOLTS 130 MM	0	PCS	WARE HOUSE JUHHEMA	0	16	0	16
STUD BOLTS 90 MM	0	PCS	WARE HOUSE JUHHEMA	0	136	0	136
STUD BOLTS 105 MM	0	PCS	WARE HOUSE JUHHEMA	0	1433	0	1433
STUD BOLTS 115 MM	0	PCS	WARE HOUSE JUHHEMA	0	56	0	56
STUD BOLTS 90 MM	0	PCS	WARE HOUSE JUHHEMA	0	12	0	12
STUD BOLTS 105 MM	0	PCS	WARE HOUSE JUHHEMA	0	8	0	8
STUD BOLTS 100 MM	0	PCS	WARE HOUSE JUHHEMA	0	16	0	16
STUD BOLTS 85 MM	0	PCS	WARE HOUSE JUHHEMA	0	20	0	20

Handwritten signature and initials in blue ink.

Handwritten signature in blue ink.

STUD BOLTS 70 MM	0	PCS	WARE HOUSE JUHEMA	0	44	0	44
STUD BOLTS 150 MM	0	PCS	WARE HOUSE JUHEMA	0	280	0	280
STUD BOLTS 115 MM	0	PCS	WARE HOUSE JUHEMA	0	228	0	228
STUD BOLTS 100 MM	0	PCS	WARE HOUSE JUHEMA	0	168	0	168
STUD BOLTS 100 MM	0	PCS	WARE HOUSE JUHEMA	0	144	0	144
STUD BOLTS 90 MM	0	PCS	WARE HOUSE JUHEMA	0	48	0	48
STUD BOLTS 85 MM	0	PCS	WARE HOUSE JUHEMA	0	16	0	16
STUD BOLTS 75 MM	0	PCS	WARE HOUSE JUHEMA	0	64	0	64
STUD BOLTS 125 MM	0	PCS	WARE HOUSE JUHEMA	0	192	0	192
STUD BOLTS 125 MM	0	PCS	WARE HOUSE JUHEMA	0	16	0	16
ASSMOD MAIN PROCESSOR TRUCON V11	0	0	Dammam Warehouse	0	3	0	3
ASS MOD POWER LD MAIN CHASSIS 120VAC/DC	0	0	Dammam Warehouse	0	3	0	3
ASSY MOD POWER LD I/O CHASSIS 120VAC/DC	0	0	Dammam Warehouse	0	29	0	29
ASSY MOD TCM COMM (RJ45) V10-V11	0	0	Dammam Warehouse	0	4	0	4
ASSY MOD AI 0-5VDC 32PT TMR	0	0	Dammam Warehouse	0	2	0	2
ASSY MOD ELAI 0-5/10VDC 16PT TMR	0	0	Dammam Warehouse	0	17	0	17
ASSY MOD EDI EDI 24VDC 32PT TMR	0	0	Dammam Warehouse	0	31	0	31
ASSY MOD EDI 115V AC/DC 32PT TMR	0	0	Dammam Warehouse	0	2	0	2
ASSY MOD EDO 115VAC 16PT TMR	0	0	Dammam Warehouse	0	4	0	4
ASSY MOD ERO NO DRY CNTC 32PT SIMPLEX	0	0	Dammam Warehouse	0	21	0	21
ASSY MOD SDO 115VAC 8PT TMR	0	0	Dammam Warehouse	0	5	0	5
ASSY MOD EAO 4-20MA 8PT TMR	0	0	Dammam Warehouse	0	4	0	4
ASSY MOD SDO 24VDC 32PT TMR	0	0	Dammam Warehouse	0	3	0	3
AI RTD INTERFACE MODULE	0	0	Dammam Warehouse	0	1	0	1
AI ELCO CABLE-30 FT	0	0	Dammam Warehouse	0	2	0	2
ASSY EXT TERM PNL AI RTD (W/O SC MOD) 16PT	0	0	Dammam Warehouse	0	2	0	2
RTD SIGNAL CONDITIONER (SCM7834-03) 0 C TO 200 C	0	0	Dammam Warehouse	0	35	0	35
DO INTERFACE MODULE	0	0	Dammam Warehouse	0	2	0	2
DO ELCO CABLE-30 FT	0	0	Dammam Warehouse	0	2	0	2
ASSY PKG SW STD LIC TS1131 V5,6,0	0	0	Dammam Warehouse	0	1	0	1
ASSY PKG SW STD LIC DIAG XPRT SOE V1,7,0	0	0	Dammam Warehouse	0	1	0	1
ASSY CHASSIS I/O EXP LODEM TRUCON	0	0	Dammam Warehouse	0	1	0	1
ASSY SET CBL (3) I/O BUS DB9- 10FT FT6	0	0	Dammam Warehouse	0	3	0	3
ASSY EXT TERM AI 0-20MA/5VDC 16PT (NO CBL)	0	0	Dammam Warehouse	0	3	0	3
AI ELCO CABLE-50 FT	0	0	Dammam Warehouse	0	2	0	2
AI ELCO CABLE- 30 FT	0	0	Dammam Warehouse	0	1	0	1
ASSY KIT EXT TERM DI 24VAC/DC 32PT (NO CBL)	0	0	Dammam Warehouse	0	4	0	4
DI ELCO CABLE-60 FT	0	0	Dammam Warehouse	0	8	0	8
ASSY MOD EDO 24VDC 16PT TMR	0	0	Dammam Warehouse	0	5	0	5
ASSY KIT EXT TERM DO 24VDC 16PT (NO CBL)	0	0	Dammam Warehouse	0	4	0	4
DO ELCO CABLE-60 FT	0	0	Dammam Warehouse	0	4	0	4
ASSY KIT EXT TERM AO 4-20 MA,8 PTS	0	0	Dammam Warehouse	0	1	0	1
AO ELCO CABLE- 60 FT	0	0	Dammam Warehouse	0	1	0	1
24 VDC SYSTEM POWER SUPPLY 40A FOR 24 VDC CABINET,	0	0	Dammam Warehouse	0	2	0	2
INTERFACE, RSSD,0-SUB CONNECTORS,ACC,TO IEC 60807/ DIN 41652,37-POLE	0	0	Dammam Warehouse	0	18	0	18
INTERFACE, RSSD,0-SUB CONNECTORS,ACC,TO IEC 60807/ DIN 41652,37-POLE	0	0	Dammam Warehouse	0	18	0	18
PAC 037F-HF-10M	0	0	Dammam Warehouse	0	16	0	16
INTEL XEON W-2123(3,GHZ TURBO 4C,8,25MB	0	0	Dammam Warehouse	0	1	0	1
DELL 24 MONITOR P2419M 160,SCM (23,8") BLACK C2G VGA CABLE MALE POWER CORD	0	0	Dammam Warehouse	0	1	0	1
CISCO 24 PORT DATA,4X1G NETWORK 125 W AC POWER SUPPLY	0	0	Dammam Warehouse	0	1	0	1
DELL S4XX RUGGED LAPTOP	0	0	Dammam Warehouse	0	1	0	1
198257-003\ BASKET STRAINER 18"NPS,FLANGED,FF	0	EA	Dammam Warehouse	0	3	0	3
198258-001\ BASKET STRAINER 18"NPS,FLANGED,FF	0	EA	Dammam Warehouse	0	3	0	3
198258-001\ CONICAL STRAINER 4"FLANGED,FF	0	EA	Dammam Warehouse	0	3	0	3
MEC-KIT-TPC-30KVA	0	EA	Dammam Warehouse	0	1	0	1
MEC-KIT-TPC-45KVA	0	EA	Dammam Warehouse	0	1	0	1
MEC-KIT-TPC-45KVA	0	EA	Dammam Warehouse	0	2	0	2
DN250 SCV A395 NO LEV SEWER	0	PCS	Dammam Warehouse	0	8	0	8
DN250 L&W WET EPOXY APC5- 1A GREY RAL7038	0	PCS	Dammam Warehouse	0	4	0	4
4"SCV A395 NO LEV OILY/SEWER W	0	PCS	Dammam Warehouse	0	6	0	6
DN100 L&W WET EPOXY APC5-1A GREY RAL	0	PCS	Dammam Warehouse	0	4	0	4
DN200 SCV A395 NO LEV SEWER W	0	PCS	Dammam Warehouse	0	1	0	1

16/01
LAW
10/1

Salah

GATE VALVE 24"/150

GATE VALVE 24"/150

GATE VALVE 24"/150

GATE VALVE 24"/150

GATE VALVE 16"/150

GATE VALVE 16"/150

GATE VALVE 16"/150

GATE VALVE 16"/150

GATE VALVE 24"/150

GATE VALVE 24"/150

GATE VALVE 16"/150

GATE VALVE 16"/150

BOX 14x8x6 GATE VALVE 4" 150#

BOX 12x8x8x6 GATE VALVE 4" 150#

BOX 12x8x8x6 GATE VALVE 4" 150#

BOX 12x8x8x6 GATE VALVE 4" 150#

BOX 12x8x8x6 GATE VALVE 4" 150#

BOX 112 x 64 x 72 GATE VALVE 2" 150#

BOX 155 x 130 x 720 GATE VALVE 12" 150#

BOX 155 x 130 x 72 GATE VALVE 12" 150#

BOX 266 x 120 x 127 GATE VALVE 16" 150#

BOX 183 x 127 x 96 GATE VALVE 12" 150#

GATE VALVE 8" / BOX 96 X 68 X 72

GATE VALVE 10" / BOX 144 X 137 X 75

GATE VALVE 10" / BOX 110 X 64 X 75

GATE VALVE 10" / BOX 130 X 85 X 65

GATE VALVE 18" / BOX 205 X 167 X 95

GATE VALVE 18" / BOX 204 X 127 X 104

GATE VALVE 10" / BOX 170 X 92 X 115

GATE VALVE 10" / BOX 245 X 70 X 82

GATE VALVE 8" / BOX 110 X 73 X 78

SKIP UP+PROTECT

8A95110LEDX LED 100W

LED BULB WHITE#KA2-2145

PILOT LIGHT#CL-100L

PILOT LIGHT#CL-100W

CP-E 24/2.5 POWER SUPPLY IN 100-240VAC

CA20-A292-SA0699-PT2

SHUNT TRIP COLL ASSY 125VDC-K-LINE

FI KIT,FF G10-5316 PTFE SEAL 24" 150#

FI KIT,FF G10-5316 PTFE SEAL 18" 150#

FI KIT,FF G10-5316 PTFE SEAL 16" 150#

FI KIT,FF G10-5316 PTFE SEAL 12" 150#

FI KIT,FF G10-5316 PTFE SEAL 10" 150#

FI KIT,FF G10-5316 PTFE SEAL 8" 150#

FI KIT,FF G10-5316 PTFE SEAL 6" 150#

FI KIT,FF G10-5316 PTFE SEAL 4" 150#

FI KIT,FF G10-5316 PTFE SEAL 3" 150#

FI KIT,FF G10-5316 PTFE SEAL 1-1/2" 150#

FI KIT,FF G10-5316 PTFE SEAL 1" 150#

FI KIT,FF G10-5316 PTFE SEAL 1" 300#

FI KIT,FF G10-5316 PTFE SEAL 8" 300#

FI KIT,FF G10-5316 PTFE SEAL 14" 150#

FI KIT,FF G10-5316 PTFE SEAL 2" 150#

NON-ASB. GSKT FF 1/6MM IN 18" 150#

NON-ASB. GSKT FF 1/6MM IN 16" 150#

NON-ASB. GSKT FF 1/6MM IN 12 150#

NON-ASB. GSKT FF 1/6MM IN 8" 150#

NON-ASB. GSKT FF 1/6MM IN 6" 150#

[illegible]

3. अनुसूचित जाति
अनुसूचित जाति

[Signature]

NON-ASB. GSKT FF 1.6MM 4" 150#	0	EA	Dammam Warehouse	0	16	0	55
ELASTOMER RUBBER GSKT FF 3.2MM 16" 150#	0	EA	Dammam Warehouse	0	4	0	4
ELASTOMER RUBBER GSKT FF 3MM 12" 150#	0	EA	Dammam Warehouse	0	3	0	2
ELASTOMER RUBBER GSKT FF 3MM 10" 150#	0	EA	Dammam Warehouse	0	18	0	19
NON-ASB. GSKT RF 1.6MM 3" 150#	0	EA	Dammam Warehouse	0	5	0	5
NON-ASB. GSKT RF 1.6MM 2" 150#	0	EA	Dammam Warehouse	0	4	0	4
NON-ASB. GSKT RF 1.6MM 1-1/2" 150#	0	EA	Dammam Warehouse	0	1	0	1
42101037-NON-ASB. GSKT FF 1.6MM 24" 150#	0	EA	Dammam Warehouse	0	30	0	30
42101037-NON-ASB. GSKT FF 1.6MM 18" 150#	0	EA	Dammam Warehouse	0	18	0	18
42101037-NON-ASB. GSKT FF 1.6MM 16" 150#	0	EA	Dammam Warehouse	0	22	0	22
42101037-NON-ASB. GSKT FF 1.6MM 12" 150#	0	EA	Dammam Warehouse	0	8	0	8
42101037-NON-ASB. GSKT FF 1.6MM 10" 150#	0	EA	Dammam Warehouse	0	60	0	60
42101037-NON-ASB. GSKT FF 1.6MM 8" 150#	0	EA	Dammam Warehouse	0	17	0	17
42101037-NON-ASB. GSKT FF 1.6MM 6" 150#	0	EA	Dammam Warehouse	0	4	0	4
42101037-NON-ASB. GSKT FF 1.6MM 4" 150#	0	EA	Dammam Warehouse	0	18	0	18
6" RHYD ANSI RED EP BRONZE CAP DUPLEX INTERNAL WH2	0	EA	Dammam Warehouse	0	6	0	6
OPERATING WRENCH FOR FIRE HYDRANT AS PER ARAMCO WH2	0	EA	Dammam Warehouse	0	6	0	6
WBN DUAL CHECK C503-DUPLEX-INTERNAL WH2	0	EA	Dammam Warehouse	0	9	0	9
1250GPM HEAVY DUTY MONITOR	0	EA	Dammam Warehouse	0	3	0	3
6"RHYD 4"MINTR FL BR CAP BRONZE DUPLEX WH2	0	EA	Dammam Warehouse	0	3	0	3
OPERATING WRENCH FOR FIRE HYDRANT (AS PER ARAMCO STANDARD	0	EA	Dammam Warehouse	0	3	0	3
LIVE HOSE REEL STATION (ARAMCO) WITH CU- NI SPOOL AS PER THE QUOTE	0	EA	Dammam Warehouse	0	4	0	4
FIRE EXT WHEEL PURPL K 125LB CR-WW- 1-LR-K150-C	0	EA	Dammam Warehouse	0	2	0	3
REC-W150C-FHC COVER FOR WHEELED FIRE EXT 150 LBS TYPE C STEEL WHEELS COLOR RED	0	EA	Dammam Warehouse	0	2	0	3
EXTINGUISHER, PORTABLE, DRYCHEMICAL, BC 30 LB	0	EA	Dammam Warehouse	0	3	0	3
REC1-PR-FHC COVER FOR PORTABLE FIRE EXT COLOR RED	0	EA	Dammam Warehouse	0	3	0	3
6"X150# FF, SPECTACLE PLATES	0	EA	Dammam Warehouse	0	12	0	12
4"X150# FF, SPECTACLE PLATES	0	EA	Dammam Warehouse	0	21	0	21
24"X150# FF, SPECTACLE PLATES	0	EA	Dammam Warehouse	0	7	0	7
16"X150# FF, SPECTACLE PLATES	0	EA	Dammam Warehouse	0	4	0	4
12"X150# FF, SPECTACLE PLATES	0	EA	Dammam Warehouse	0	9	0	9
8"X150# FF, SPECTACLE PLATES	0	EA	Dammam Warehouse	0	1	0	1
18"X150# FF, SPECTACLE PLATES	0	EA	Dammam Warehouse	0	4	0	4
Flow control valve :14"STD GLOBE VALVE	0	EA	Dammam Warehouse	0	1	0	1
Flow control valve :12"STD GLOBE VALVE	0	EA	Dammam Warehouse	0	4	0	4
Flow control valve :6"STD ANGLE VALVE	0	EA	Dammam Warehouse	0	2	0	2
Flow control valve :6"STD ANGLE VALVE	0	EA	Dammam Warehouse	0	4	0	4
Flow control valve :6"STD ANGLE VALVE	0	EA	Dammam Warehouse	0	5	0	5
PROCESS LEVEL 3 CONTROL VALVE	0	EA	Dammam Warehouse	0	1	0	1
J37-SVR-1001/ server cabinet	0	BOX	Dammam Warehouse	0	1	0	1
J37-DCS-1001/ SYSTEM cabinet	0	BOX	Dammam Warehouse	0	1	0	1
J37-FTEN-1003/NETWORK cabinet	0	BOX	Dammam Warehouse	0	1	0	1
J37-TC-17/ marshallng cabinet	0	BOX	Dammam Warehouse	0	1	0	1
J37-IRP-100/ SYSTEM cabinet	0	BOX	Dammam Warehouse	0	1	0	1
J37-IRP-101/SYSTEM cabinet	0	BOX	Dammam Warehouse	0	1	0	1
DCS LOOSE MATERIALS-2	0	BOX	Dammam Warehouse	0	1	0	1
J37-SC-1004/SUPERVISOR CONSOLE	0	BOX	Dammam Warehouse	0	1	0	1
DCS LOOSE MATERIALS-1	0	BOX	Dammam Warehouse	0	1	0	1
TAG#J37-AJB-105,J37-AJB-106,J37-AJB-107,J94-AJB-110	0	PCS	LAYDOWN	0	4	0	4
TAG#J37-AJB-100,J37-AJB-108,J37-AJB-137-DJB-201,J37-AJB-204,J37-ESDJB-101,J37-ESDJB-107,J37-DJB-205	0	PCS	LAYDOWN	0	8	0	8
TAG# J37-AJB-101,J37-102,J37-ESD-DJB-100	0	PCS	LAYDOWN	0	3	0	3
TAG# J37-ESDJB-100,J37-DJB-200	0	PCS	LAYDOWN	0	2	0	2
250mm HDPE pipes pn25, L:12m red line	0	MTR	LAYDOWN	0	492	0	492
400mm HDPE pipes pn 25, L:12m red line	0	MTR	LAYDOWN	0	12	0	12
250MM HDPE FAB ELBOW 90 PN 25	0	PCS	LAYDOWN	0	5	0	5
STA UPS 30 KVA / AC UPS SYSTEM 20 KVA, 120 VAC, 1 PH	0	LOT	Dammam Warehouse	0	1	0	1
0	0	0	0	0	0	0	0
CU/PWE 450 V HO 7V2-R 90 C 70 MM2 RM G/ Y	0	MTR	LAYDOWN	0	260	260	0
CU/PWE 450 V HO 7V2-R 90 C 25 MM2 RM G/ Y	0	MTR	LAYDOWN	0	1500	1500	0
CONCRETE INSPECTION PIT 32kg	0	EA	LAYDOWN	0	4	0	4
THREADED COPPER BOND EARTH ROD 16 X 2440 MM	0	EA	LAYDOWN	0	16	16	0
CABLE TERMINAL LUG DOUBLE HOLE 25 SQMM STUD SIZE 10	0	EA	LAYDOWN	0	195	195	0

WBP1
LAP
CPI

WBP1

100 X 6 X 500MM TINNED COPPER EAR TH BAR MOUNTED ON 2 INSULATORS 30 X 11

POWDER SIZE 90

6/WELD MOUNT FOR T CONN 70MM2 TO 25MM2

2107-001/2107-002 12" erw welded pipe made from plate ASTM A36/ A283 C plate 5 mm thick -6 mtr length .2 pipe welded make dfl

2107-001/2107-001 20" erw welded pipe made from plate ASTM A36/ A283 C plate 5 mm thick -6 mtr length .2 pipe welded make dfl

cast iron shut off valve

137-205-MCC-201/M.V CONTROL GEAR-4.16KV,60HZ,3PH,1200A,40KA /M7 CONTROL COMPARTMENT/M7 137-GM-0204A

137-205-MCC-201/SPLITTING BUS BAR

137-205-MCC-202/M.V CONTROL GEAR-4.16KV,60HZ,3PH,1200A,40KA/M8 CONTROL COMPARTMENT/M8 137-GM-0204B M.V CONTROL GEAR-4.16KV,60HZ,3PH,1200A,40KA/M9 CONTROL COMPARTMENT/M9 137-GM-0204C

137-205-MCC-202/SPLITTING BUS BAR

ENERGY REDUCED MAINTENANCE SWITCH (ERMS)-C3557-10B-20

SPECIAL TOOLS

COMMISSIONING SPARES

ELBOW CS 10" SCH 30/STD 90 DEG

ELBOW CS 8" SCH 30/STD 90 DEG

ELBOW CS 24" SCH 20/STD 45 DEG

ELBOW CS 8" SCH 40/STD 45 DEG

ELBOW CS 4" SCH 40/STD 45 DEG

TEE EQUAL CS 4" SCH 40/STD

TEE REDUCING CS 8"x4" SCH 40/STD

REDUCER CONCENTRIC CS 10"x8" SCH 40 STD

REDUCER CONCENTRIC CS 10"x4" SCH 40 STD

REDUCER CONCENTRIC CS 8"x4" SCH 40 STD

REDUCER ECCENTRIC CS 4"x3" SCH 40 STD

ELBOW CS 4" SCH 40/STD 90 DEG

REDUCER CONCENTRIC CS 8"x6" SCH 40 STD

ELBOW CS 24" SCH 20/STD 90 DEG

ELBOW CS 6" SCH 40/STD 90 DEG

REDUCER ECCENTRIC CS 8"x6" SCH 40 STD

ELBOW CS A234 WPB SMLS 12" SCH 30/STD 90 DEG BW ASME B16.9

ELBOW CS A234 WPB SMLS 12" SCH 30/STD 45 DEG LR BW ASME B16.9

TEE EQUAL CS A234 WPB SMLS 24" SCH 20/STD BW ASME B16.9

TEE EQUAL CS A234 WPB SMLS 16" SCH 30/STD BW ASME B16.9

TEE REDUCING CS A234 WPB SMLS 16"x12" SCH 30/STD X SCH 30 BW ASME B16.9

TEE REDUCING CS A234 WPB SMLS 12"x10" SCH 30/STD X SCH 40/STD BW ASME B16.9

ELBOW CS A234 WPB SMLS 16" SCH 30/STD 90 DEG LR BW ASME B16.9

ELBOW CS A234 WPB SMLS 16" SCH 30/STD 45 DEG LR BW ASME B16.9

TEE EQUAL CS A234 WPB SMLS 12" SCH 30 BW ASME B16.9

TEE EQUAL CS A234 WPB SMLS 8" SCH 40/STD BW ASME B16.9

REDUCER CONCENTRIC CS A234 WPB SMLS 12"x8" SCH 30 X SCH 40/STD BW ASME B16.9

REDUCER ECCENTRIC CS A234 WPB SMLS 18"x10" SCH XS X SCH 40/STD BW ASME B16.9

CAP CS 4" SCH 40/STD BW ASME B16.9

ELBOW CS A234 WPB SMLS 6" SCH 40/STD 45 DEG LR BW ASME B16.9

CAP CS 8" SCH 40/STD BW ASME B16.9

REDUCER CONCENTRIC CS A234 WPB SMLS 4"x2" SCH 40 STD X SCH 80/XS BW ASME B16.9

ELBOW CS A234 WPB SMLS 3" SCH 40/STD 90 DEG LR BW ASME B16.9

TEE EQUAL CS A234 WPB SMLS 3" SCH 40/STD BW ASME B16.9

TEE EQUAL CS A234 WPB SMLS 12" SCH 30 BW ASME B16.9

TEE EQUAL CS A234 WPB SMLS 8" SCH 40/STD BW ASME B16.9

REDUCER CONCENTRIC CS A234 WPB SMLS 12"x8" SCH 30 X SCH 40/STD BW ASME B16.9

REDUCER ECCENTRIC CS A234 WPB SMLS 18"x10" SCH XS X SCH 40/STD BW ASME B16.9

CAP CS 4" SCH 40/STD BW ASME B16.9

ELBOW CS A234 WPB SMLS 6" SCH 40/STD 45 DEG LR BW ASME B16.9

CAP CS 8" SCH 40/STD BW ASME B16.9

REDUCER CONCENTRIC CS A234 WPB SMLS 4"x2" SCH 40 STD X SCH 80/XS BW ASME B16.9

ELBOW CS A234 WPB SMLS 3" SCH 40/STD 90 DEG LR BW ASME B16.9

TEE EQUAL CS A234 WPB SMLS 3" SCH 40/STD BW ASME B16.9

pipe 16"

pipe 16"

pipe 16"

pipe 16"

pipe 12"

0	EA	LAYDOWN	0	3	0	3
0	EA	LAYDOWN	0	30	3	27
0	EA	LAYDOWN	0	3	3	0
0	MTR	LAYDOWN	0	133	0	133
0	MTR	LAYDOWN	0	190	0	190
0	BOX	Dammam Warehouse	0	1	0	1
0	PLT	Dammam Warehouse	0	1	1	0
0	CTN	OFFICE	0	1	0	1
0	PLT	Dammam Warehouse	0	2	2	0
0	CTN	OFFICE	0	1	0	1
0	CTN	OFFICE	0	1	0	1
0	PLT	OFFICE	0	1	0	1
0	CTN	OFFICE	0	1	0	1
0	0	LAYDOWN	0	55	52	3
0	0	LAYDOWN	0	151	62	89
0	0	LAYDOWN	0	28	28	0
0	0	LAYDOWN	0	27	5	22
0	0	LAYDOWN	0	5	5	0
0	0	LAYDOWN	0	30	30	0
0	0	LAYDOWN	0	17	20	17
0	0	LAYDOWN	0	11	11	0
0	0	LAYDOWN	0	4	4	0
0	0	LAYDOWN	0	4	4	0
0	0	LAYDOWN	0	2	2	0
0	0	LAYDOWN	0	13	12	0
0	0	LAYDOWN	0	6	5	0
0	0	LAYDOWN	0	41	41	0
0	0	LAYDOWN	0	13	11	0
0	0	LAYDOWN	0	1	1	0
0	0	LAYDOWN	0	55	55	0
0	0	LAYDOWN	0	10	10	0
0	0	LAYDOWN	0	8	8	0
0	0	LAYDOWN	0	13	13	0
0	0	LAYDOWN	0	6	6	0
0	0	LAYDOWN	0	12	12	0
0	0	LAYDOWN	0	155	155	0
0	0	LAYDOWN	0	38	29	9
0	0	LAYDOWN	0	1	1	0
0	0	LAYDOWN	0	9	5	4
0	0	LAYDOWN	0	6	6	0
0	0	LAYDOWN	0	6	3	3
0	0	LAYDOWN	0	4	0	4
0	0	LAYDOWN	0	4	0	4
0	0	LAYDOWN	0	15	0	15
0	0	LAYDOWN	0	15	0	15
0	0	LAYDOWN	0	15	0	15
0	0	LAYDOWN	0	15	0	15
0	0	LAYDOWN	0	12	0	12

Handwritten signature and notes in blue ink.

Handwritten signature in blue ink.

[Signature]

CONDUIT ELBOW FOR 4 IN NOM 3.048	0	0	LAYDOWN	0	3	0	3
CONDUIT BODY 4 IN ELBOW 90 DEGREE	0	0	LAYDOWN	0	3	0	3
CONDUIT ELBOW FOR 2 IN NOM 3.048 (10FT)	0	0	LAYDOWN	0	2	0	2
CONDUIT 1-1/2 IN NOM 3.048 M (10FT) LG	0	0	LAYDOWN	0	2	0	2
CONDUIT ELBOW FOR 1-1/2 IN NOM 3.048	0	0	LAYDOWN	0	2	0	2
CONDUIT 1-1/4 IN NOM 3.048 M (10 FT)	0	0	LAYDOWN	0	30	0	30
CONDUIT BODY 1 IN ELBOW 90 DEGREE	0	0	LAYDOWN	0	15	0	15
CONDUIT OUTLET BODY RSC GUAT 1-1/2" HUB PVC COATED SUITABLE FOR CLASS	0	0	LAYDOWN	0	40	0	40
CONDUIT OUTLET BODY RSC GUAT 1-1/2" HUB PVC COATED OUTDOOR	0	0	LAYDOWN	0	20	0	20
CONDUIT 1-1/2 IN NOM 3.048 M (10FT) LG THREADED RIGID	0	0	LAYDOWN	0	120	0	120
CONDUIT ELBOW FOR 1-1/2 IN NOM 3.048(10FT) LG THREADED RIGID STEEL	0	0	LAYDOWN	0	50	0	50
UNION CONDUIT 1 1/4 IN FEMALE NPT STEEL ZINC PLATED PVC COATED RIGID MACHINED	0	0	LAYDOWN	0	120	0	120
CONDUIT 3 IN NOM 3.048 10 FT LG	0	0	LAYDOWN	0	8	0	8
CONDUIT BODY 3 IN ELBOW 90 DEGREE	0	0	LAYDOWN	0	4	0	4
PVC COATED BUSHING WITH GND CONNECTOR 3" SIZE	0	0	LAYDOWN	0	8	0	8
PVC COATED BUSHING WITH GND CONNECTOR 4" SIZE	0	0	LAYDOWN	0	12	0	12
PVC COATED BUSHING WITHOUT GND CONNECTOR 4" SIZE	0	0	LAYDOWN	0	12	0	12
PVC COATED LOCKNUT WITH GND CONNECTOR 4" SIZE	0	0	LAYDOWN	0	20	0	20
PVC COATED HUB 4" SIZE	0	0	LAYDOWN	0	20	0	20
PVC COATED BUSHING WITH GND CONNECTOR 2" SIZE	0	0	LAYDOWN	0	8	0	8
PVC COATED HUB 2" SIZE	0	0	LAYDOWN	0	10	0	10
PVC COATED BUSHING WITH GND CONNECTOR 1 1/2" SIZE	0	0	LAYDOWN	0	120	0	120
PVC COATED BUSHING WITHOUT GND CONNECTOR 1 1/2" SIZE	0	0	LAYDOWN	0	120	0	120
PVC COATED HUB 1 1/2" SIZE	0	0	LAYDOWN	0	10	0	10
PVC COATED BUSHING WITH GND CONNECTOR - 1 1/4" SIZE	0	0	LAYDOWN	0	10	0	10
PVC COATED BUSHING WITHOUT GND CONNECTOR 1 1/4" SIZE	0	0	LAYDOWN	0	10	0	10
PVC COATED BUSHING WITH GND CONNECTOR 1 1/2" SIZE	0	0	LAYDOWN	0	4	0	4
PVC COATED HUB 1 1/2" SIZE	0	0	LAYDOWN	0	8	0	8
CONDUIT 3/4 INCH DIA X 10" LG RIGID HOT	0	0	LAYDOWN	0	200	0	200
CONDUIT 1 INCH DIA X 10" LG RIGID HOT	0	0	LAYDOWN	0	40	0	40
CONDUIT 1 1/2" INCH DIA X 10" LG RIGID HOT	0	0	LAYDOWN	0	40	0	40
CONDUIT NIPPLE 1 1/2 INCH DIA X 2 INCH LRG RIGID HOT	0	0	LAYDOWN	0	25	0	25
CONDUIT NIPPLE 1/2 INCH DIA X 2 INCH LRG RIGID HOT	0	0	LAYDOWN	0	25	0	25
CONDUIT UNION 3/4 INCH FNPT	0	0	LAYDOWN	0	30	0	30
CONDUIT UNION 1 INCH FNPT	0	0	LAYDOWN	0	30	0	30
CONDUIT UNION 1 1/2 INCH FNPT	0	0	LAYDOWN	0	30	0	30
CONDUIT UNION 2 INCH	0	0	LAYDOWN	0	30	0	30
CONDUIT ELBOW 3/4 INCH	0	0	LAYDOWN	0	30	0	30
CONDUIT ELBOW 1 INCH	0	0	LAYDOWN	0	30	0	30
CONDUIT ELBOW 1 1/2 INCH	0	0	LAYDOWN	0	30	0	30
CONDUIT ELBOW 2 INCH	0	0	LAYDOWN	0	30	0	30
CONDUIT BODY OUTLET 3/4 INCH HUB SIZE	0	0	LAYDOWN	0	50	0	50
CLAMP CONDUIT UNISRUUT STL HOT DIP 1 INCH	0	0	LAYDOWN	0	200	0	200
CLAMP CONDUIT UNISRUUT STL HOT DIP 1 1/2 INCH	0	0	LAYDOWN	0	200	0	200
pipe 12"	0	0	LAYDOWN	0	15	0	15
pipe 12"	0	0	LAYDOWN	0	108	108	0
pipe 12"	0	0	LAYDOWN	0	47	17	30
PIPE CS SL B* 42 PSL 24" SCH	0	0	LAYDOWN	0	0	0	0
PIPE CS SL B* 42 PSL 18" SCH	0	0	LAYDOWN	0	36	36	0
PIPE CS SL B* 42 PSL 10" SCH	0	0	LAYDOWN	0	5	5	0
PIPE CS SL B* 10 PSL 4" SCH	0	0	LAYDOWN	0	18	18	0
PIPE CS SL B* 10 PSL 6" SCH	0	0	LAYDOWN	0	48	48	0
PIPE CS SL B* 10 PSL 3" SCH	0	0	LAYDOWN	0	2	2	0
PIPE CS SL B* 42 PSL 8" SCH	0	0	LAYDOWN	0	1	1	0
PIPE CS SL B* 42 PSL 24" SCH 20/STD DRL ex	0	0	LAYDOWN	0	226	45	181
PIPE CS SL B/42 PSL 3" SCH 40/STD DRL ex	0	0	LAYDOWN	0	32	32	0
pipe 16 ex	0	0	LAYDOWN	0	20	0	20
conduit 2 in nom 3.048 m (10ft) lg threaded rigid steel per ansi c80.1	0	EA	LAYDOWN	0	4	0	4
conduit 2 INCH DIA X 10" X LG RIGID HOT -DIP GALVANIZED STEEL -NPT WITH COUPLING AT ONE END PVC	0	EA	LAYDOWN	0	20	0	20
Pvc coated hub 1 1/4" size	0	EA	LAYDOWN	0	20	0	20
Pvc coated bushing without gnd connector - 1 1/2" size	0	EA	LAYDOWN	0	4	0	4

LA
BPI
PPI

Q

24" BLIND FLANGE CS ASME	0	PC	LAYDOWN	0	10	0	10
16" BLIND FLANGE CS ASME	0	PC	LAYDOWN	0	11	0	11
12" BLIND FLANGE CS ASME	0	PC	LAYDOWN	0	6	0	6
8" BLIND FLANGE CS ASME	0	PC	LAYDOWN	0	2	0	2
4" BLIND FLANGE CS ASME	0	PC	LAYDOWN	0	45	0	45
3" BLIND FLANGE CS ASME	0	PC	LAYDOWN	0	1	0	1
HOG 2.5M PLATFORM MOUNTED STANCHION POLE	0	PC	LAYDOWN	0	42	0	42
HOG 2M RAIL MOUNTED STANCHION POLE	0	PC	LAYDOWN	0	9	0	9
HOG 10M CONICAL POLE WITH DOOR OPEN & TOP TENON	0	PC	LAYDOWN	0	21	0	21
HOG 10M CONICAL POLE WITHOUT DOOR OPEN	0	PC	LAYDOWN	0	9	0	9
HOG M25X700LG ANCHOR BOLTS W/3 NUTS & 2WASHERS	0	PC	LAYDOWN	0	120	0	120
HOG GROUND MOUNTED H BEAM 150X150X10MM	0	PC	LAYDOWN	0	9	0	9
HOG 2 WAY BULLHORN ARM	0	PC	LAYDOWN	0	24	0	24
HOG 1-SUPPITTER	0	PC	LAYDOWN	0	54	0	54
SS 316 M8X100X72X60MM U BOLTS FOR 2" PIPE	0	PC	LAYDOWN	0	153	0	153
HOG JB MOUNTING PLATE	0	PC	LAYDOWN	0	42	0	42
HOG ANGLE BRACKET	0	PC	LAYDOWN	0	42	0	42
HOG C CHANNEL BRACKET FOR LIGHT FIXTURE	0	PC	LAYDOWN	0	51	0	51
STEEL FUSE BOX W/ 2 MCB & 4NOS CONNECTOR & BOLTS	0	PC	LAYDOWN	0	18	0	18
STEEL FUSE BOX W/ 1 MCB & 4NOS CONNECTOR & BOLTS	0	PC	LAYDOWN	0	3	0	3
CABLE TERMINATIONS KIT FOR: ELECTRICAL, MEDIUM VOLTAGE: POWER, Uo/U(Lm) 6/10 (12) kV, 3 CONDUCTORS, 95 SQ. MM, CU/TR-XLPE/SWA/PVC PER IEC 60228, IEC 60502-2, IEC 60332-3, IEC 60038	0	PC	LAYDOWN	0	3	0	3
CABLE CONNECTOR: CRIMPING TYPE, TINNED COPPER LUGS, ONE HOLE, NEMA TYPE FOR 6 SQ MM CONDUCTOR	0	PC	LAYDOWN	0	96	0	96
CABLE CONNECTOR: CRIMPING TYPE, TINNED COPPER LUGS, ONE HOLE, NEMA TYPE FOR 4 SQ MM CONDUCTOR	0	PC	LAYDOWN	0	178	0	178
CABLE CONNECTOR: CRIMPING TYPE, TINNED COPPER LUGS, ONE HOLE, NEMA TYPE FOR 2.5 SQ MM CONDUCTOR (Ring/Fork/Pln) Type	0	PC	LAYDOWN	0	500	0	500
Outlet 230V AC, 60HZ, 13 AMPERE, 2 WIRE+ G, 2 POLE WEATHER PROOF	0	PC	LAYDOWN	0	1	0	1
PLUG FOR WELDING RECEPTACLE 230VAC, 60HZ, 13 AMPERE, 2 WIRE G, 3 POLE WEATHER PROOF	0	PC	LAYDOWN	0	1	0	1
CONDUIT: 2-1/2 IN. NOM. 3.048 M (10 FT) LG, THREADED ELECTRICAL	0	PC	LAYDOWN	0	4	0	4
METALLIC TUBING (EMT) CONDUIT WITH CONNECTORS, COUPLERS AND ALL OTHER ACCESSORIES, ANSI C80.3.	0	PC	LAYDOWN	0	4	0	4
CONDUIT: 1-1/4 IN. NOM. 3.048 M (10 FT) LG, THREADED ELECTRICAL	0	PC	LAYDOWN	0	3	0	3
METALLIC TUBING (EMT) CONDUIT WITH CONNECTORS, COUPLERS AND ALL OTHER ACCESSORIES, ANSI C80.3.	0	PC	LAYDOWN	0	4	0	4
EMT UNISTRUT SUPPORT CHANNEL 4 LX41MM SUITABLE FOR 1" CONDUITS	0	PC	LAYDOWN	0	3	0	3
ADAPTER: 3 IN PVC COATED RGS CONDUIT TO PVC CONDUITE ADAPTER	0	PC	LAYDOWN	0	4	0	4
ADAPTER: 2 IN PVC COATED RGS CONDUIT TO PVC CONDUITE ADAPTER	0	PC	LAYDOWN	0	2	0	2
pvc bell end 6" size type as nema tc9	0	PCS	LAYDOWN	0	12	0	12
pipe CS API 5L B/X 42 PSL2 SMLS 24" SCH 20/STD DRL BE	0	PCS	LAYDOWN	0	18	0	18
PIPE CS API 5L B/X 42 PSL2 SMLS 16" SCH 30/STD DRL BE ASME B36.10M	0	PCS	LAYDOWN	0	65	0	65
CARBON STEEL PIPE SEAML 40 ASTM /ASME A 106 API 5L A53 GRADE B X 42 4"	0	PC	LAYDOWN	0	40	0	40
CARBON STEEL PIPE SEAML 40 ASTM /ASME A 106 API 5L A53 GRADE B X 42 2"	0	PC	LAYDOWN	0	1	0	1

Signature

Signature

17 12 2025

15-01-2025