

سما
للبنية التحتية
والتقنيات



NESMA
INFRASTRUCTURE
& TECHNOLOGY

OSP Warehouse Balance Materials Lists

OSP Warehouse Balance Material Lists

| # No | Serial/Drum No | Material Description | Unit | Stock Quantity | Location | Remarks |
|------|----------------|---|------|----------------|---------------|----------------|
| 1 | 7 | Optical Fiber Composite grounding wire-96 cores Model: OPGW-96G652-AST-141(73,3;57.1) | M | 4330 | OSP Warehouse | Good Condition |
| 2 | 5 | Optical Fiber Composite grounding wire-96 cores Model: OPGW-96G652-AST-141(73,3;57.1) | M | 4574 | OSP Warehouse | Good Condition |
| 3 | 3 | Optical Fiber Composite grounding wire-96 cores Model: OPGW-96G652-AST-141(73,3;57.1) | M | 4555 | OSP Warehouse | Good Condition |
| 4 | 6 | Optical Fiber Composite grounding wire-96 cores Model: OPGW-96G652-AST-141(73,3;57.1) | M | 4574 | OSP Warehouse | Good Condition |
| 5 | 4 | Optical Fiber Composite grounding wire-96 cores Model: OPGW-96G652-AST-141(73,3;57.1) | M | 4555 | OSP Warehouse | Good Condition |
| 6 | 8 | Optical Fiber Composite grounding wire-96 cores Model: OPGW-96G652-AST-141(73,3;57.1) | M | 4330 | OSP Warehouse | Good Condition |

Dr. Asma
28/12/2021

| | | | | | | |
|----|----------|--|-----|------|---------------|----------------|
| 7 | 12 | Optical Fiber Composite grounding wire-96 cores Model: OPGW- 96G652-AST-141(73;3;57.1) | M | 4444 | OSP Warehouse | Good Condition |
| 8 | 11 | Optical Fiber Composite grounding wire-96 cores Model: OPGW- 96G652-AST-141(73;3;57.1) | M | 4444 | OSP Warehouse | Good Condition |
| 9 | 9 | Optical Fiber Composite grounding wire-96 cores Model: OPGW- 96G652-AST-141(73;3;57.1) | M | 4364 | OSP Warehouse | Good Condition |
| 10 | 10 | Optical Fiber Composite grounding wire-96 cores Model: OPGW- 96G652-AST-141(73;3;57.1) | M | 4364 | OSP Warehouse | Good Condition |
| 11 | 13 | Optical Fiber Composite grounding wire-96 cores Model: OPGW- 96G652-AST-141(73;3;57.1) | M | 5600 | OSP Warehouse | Good Condition |
| 12 | 1 | Optical Fiber Composite grounding wire-96 cores Model: OPGW- 96G652-AST-180(124;2;172.1) | M | 4450 | OSP Warehouse | Good Condition |
| 13 | 2 | Optical Fiber Composite grounding wire-96 cores Model: OPGW- 96G652-AST-180(124;2;172.1) | M | 4000 | OSP Warehouse | Good Condition |
| 14 | | Joint Box OPGW-OPGW/NMFOC Model:ST | SET | 20 | OSP Warehouse | Good Condition |
| 15 | 8469352 | 1x630 MM BK_1KV | M | 672 | C6 | Good Condition |
| 16 | 8807771 | 7X2.5 MM Blue | M | 820 | B1 | Good Condition |
| 17 | 8758458 | 7X2.5 MM Black | M | 1000 | C1 | Good Condition |
| 18 | 8807795 | 7X2.5 MM Blue | M | 1020 | C2 | Good Condition |
| 19 | 8807750 | 7X2.5 MM Blue | M | 1015 | C3 | Good Condition |
| 20 | 8807799 | 7X2.5 MM Blue | M | 1017 | C4 | Good Condition |
| 21 | 16342924 | 1x630 MM BK_33KV | M | 446 | A2 | Good Condition |
| 22 | 16343745 | 1x630 MM BK_33KV | M | 927 | A3 | Good Condition |

P. noorali
28/12/2021

| | | | | | | |
|----|--------------|-------------------------|---|------|-----|----------------|
| 23 | 16343744 | 1x630 MM BK_33KV | M | 193 | A4 | Good Condition |
| 24 | 9071840 | 1X240 MM G/Y | M | 510 | C5 | Good Condition |
| 25 | 8439341 | 1x630 MM BK_1KV | M | 503 | C7 | Good Condition |
| 26 | 16341694 | 1x630 MM BK_33KV | M | 20 | A1 | Good Condition |
| 27 | 8677693 | 2X6 MM BK | M | 212 | D9 | Good Condition |
| 28 | 8753305 | 7X2.5 MM Black | M | 750 | D7 | Good Condition |
| 29 | 8716667 | 2X4 MM BK | M | 1019 | D4 | Good Condition |
| 30 | 8678136 | 2X6 MM BK | M | 1019 | D6 | Good Condition |
| 31 | 8585772 | 4x25 MM BK | M | 354 | D5 | Good Condition |
| 32 | 16023-033425 | 6X2.5 MM Control cable | M | 127 | D8 | Good Condition |
| 33 | 16023-033445 | 8X1.5 MM Control cable | M | 203 | D3 | Good Condition |
| 34 | 16023-033434 | 4X1.5 MM Control cable | M | 759 | D2 | Good Condition |
| 35 | NA | 4x4 MM BK | M | 290 | D1 | Good Condition |
| 36 | 8608902 | 4x95 MM BK | M | 112 | B10 | Good Condition |
| 37 | 16023-033431 | 24X1.5 MM Control cable | M | 132 | B9 | Good Condition |
| 38 | NA | 4x95 MM BK | M | 40 | B4 | Good Condition |
| 39 | NA | 4x25 MM BK | M | 45 | B2 | Good Condition |
| 40 | 8594927 | 2x16 MM BK | M | 831 | B3 | Good Condition |
| 41 | 8807804 | 7X2.5 MM Blue | M | 632 | B8 | Good Condition |
| 42 | 8613996 | 4x25 MM BK | M | 41 | B7 | Good Condition |
| 43 | NA | 1*630mm_1KV | M | 37 | B6 | Good Condition |
| 44 | NA | 12x2.5mm BK | M | 41 | B5 | Good Condition |
| 45 | NA | 4*6mm CU/XL/PV_FCSO | M | 80 | E6 | Good Condition |
| 46 | 8482436 | 4*35MM CU/XL/PV_FCSO | M | 36 | B13 | Good Condition |
| 47 | NA | 2*4mm CU/XL/PV_FCSO | M | 1020 | E5 | Good Condition |
| 48 | 8706983 | 2*4mm CU/XL/PV_FCSO | M | 1020 | E3 | Good Condition |
| 49 | 24-1271-11 | 48F Fiber cable | M | 541 | E2 | Good Condition |
| 50 | NA | 4*4mm CU/XL/PV_FCSO | M | 25 | E7 | Good Condition |
| 51 | NA | 4*25MM CU/XL/PV_FCSO | M | 463 | E4 | Good Condition |
| 52 | 24-1604-9 | 48F Fiber cable | M | 1510 | E1 | Good Condition |
| 53 | 16023-033424 | 24*1.5mm Control Cable | M | 171 | D13 | Good Condition |
| 54 | 16023-033429 | 4*1.5mm Control Cable | M | 210 | E9 | Good Condition |

✓ P. 281/16225

| | | | | | | |
|----|----------|-----------------------|---|-----|-----|----------------------------------|
| 55 | NA | 2*6mm CU/XL/PV_FCSO | M | 408 | E8 | Good Condition |
| 56 | 8719313 | 4*240mm CU/XL/PV_FCSO | M | 86 | A5 | Good Condition |
| 57 | 16345419 | 1*630MM_33KV | M | 76 | A7 | Good Condition |
| 58 | 16342927 | 1*630MM_33KV | M | 68 | A8 | Good Condition |
| 59 | 8439329 | 1*630MM CU/XL/PV_1KV | M | 502 | C12 | Good Condition |
| 60 | NA | 7*6mm CU/XL/PV_FCSO | M | 640 | C11 | Good Condition |
| 61 | 8565499 | 4*185mm CU/XL/PV_FCSO | M | 22 | B12 | Good Condition |
| 62 | NA | 1*630MM CU/XL/PV_1KV | M | 11 | D11 | Good Condition |
| 63 | 51662010 | 3*300MM_33KV | M | 24 | A6 | Good Condition |
| 64 | NA | 1*630MM CU/XL/PV_1KV | M | 22 | C8 | Drum Damaged |
| 65 | 1018234 | 1*185MM Cable | M | 18 | D10 | Good Condition |
| 66 | NA | 1*70mm hitachi 6KV | M | 140 | C10 | With pallet Reading Not found |
| 67 | 8439365 | 1*630MM CU/XL/PV_1KV | M | 156 | D12 | Good Condition |
| 68 | 8439322 | 1*630MM CU/XL/PV_1KV | M | 50 | B11 | Good Condition |
| 69 | NA | 4*4MM cable_Old | M | 82 | | With pallet Reading Not found |
| 70 | NA | 2*4mm cable_old | M | 72 | | With pallet Reading Not found |
| 71 | NA | 2*4mm cable_Old | M | 41 | C9 | With pallet Reading Not found |
| 72 | NA | 4*4MM cable_Old | M | 75 | | With pallet Reading Not found |
| 73 | NA | 2*4mm cable_old | M | 28 | | With pallet Reading Not found |
| 74 | NA | 6*4MM cable_old | M | 24 | | With pallet Reading Not found |
| 75 | 8872472 | 1x240 MM G/Y Cable | M | 502 | AB3 | Good Condition |
| 76 | 8441164 | 1x240 MM G/Y Cable | M | 510 | AB2 | Good Condition |
| 77 | 8840802 | 1x240 MM G/Y Cable | M | 501 | AF1 | Good Condition |
| 78 | 8872470 | 1x240 MM G/Y Cable | M | 502 | AF2 | Drum Damaged |
| 79 | NA | 1x240 MM G/Y Cable | M | 501 | AE4 | Drum Number NA |

28/12/2026
P. Noor

| | | | | | | |
|----|---------|--|-----|------|---------------|---------------------------------------|
| 80 | 8807766 | 7X2.5 MM Blue | M | 1020 | AA1 | Good Condition |
| 81 | 8807800 | 7X2.5 MM Blue | M | 1020 | AB1 | Good Condition |
| 82 | 8862565 | 1X50 MM G/Y | M | 1015 | AC1 | Good Condition |
| 83 | 8709499 | 2x4 MM BK | M | 1020 | AC2 | Good Condition |
| 84 | 8711806 | 2x4 MM BK | M | 1020 | AD3 | Good Condition |
| 85 | 8706960 | 2x4 MM BK | M | 1011 | AD2 | Good Condition |
| 86 | 8709456 | 2x4 MM BK | M | 1020 | AD1 | Good Condition |
| 87 | 8706975 | 2x4 MM BK | M | 1015 | AE2 | Good Condition |
| 88 | 8709527 | 2x4 MM BK | M | 1020 | AF3 | Good Condition |
| 89 | 8752272 | 7X2.5 MM Black | M | 1000 | AD4 | Good Condition |
| 90 | 8752294 | 7X2.5 MM Black | M | 1000 | AE3 | Good Condition |
| 91 | 8845677 | 1x95 MM G/Y | M | 454 | AE1 | Good Condition |
| 92 | OSP315 | Passive Electronic Marker | Pcs | 85 | OSP Warehouse | Available.we can use it other Project |
| 93 | OSP320 | 1Way Backbone Spacer | Set | 350 | OSP Warehouse | Available.we can use it other Project |
| 94 | OSP321 | For Wadi Crossing Trench(2x110PEC)-ELFIT | Set | 200 | OSP Warehouse | Available.we can use it other Project |
| 95 | OSP320 | For Backbone(2x110 PEC) -ELFIT (BASE ONLY) | Pcs | 2960 | OSP Warehouse | Available.we can use it other Project |
| 96 | OSP176 | Corrugated Orange Flexible Hose 32mm Orange(100mt/roll) | M | 100 | OSP Warehouse | Available.we can use it other Project |
| 97 | OSP217 | Endcap 32mm | Pcs | 169 | OSP Warehouse | Available.we can use it other Project |

Dr. Sanket
28/12/2021

| | | | | | | |
|-----|------------------------------------|--|-----|------|---------------|---|
| 98 | NA | Endcap 50mm | Pcs | 3200 | OSP Warehouse | Available.we can use it other Project |
| 99 | OSP329 | Manholes,Type-1 | Pcs | 10 | OSP Warehouse | Minorly Damaged corner sides. |
| 100 | 110mm-3Subducts- Each Roll-400m | Corrugated Orange 110mm 3ways (Red+Black+white) 42mmwith wire | M | 4800 | OSP Warehouse | Available.We can use it other Project |
| 101 | OSP316 | 110mm PEC Duct with 5*32 HDPE Subducts,PE100 | M | 500 | Osp Warehouse | Available in store,Good Condition |
| 102 | OSP316 | 110mm PEC Duct with 5*32 HDPE Subducts,PE100 | | | | As per instruction from tonomous NEOM received 500m from ACES Kept in OSP W/H |

Notice on
Dr. Omkar
28/12/2025