

S/ N	Project Name	ITEM CODE	MATERIALS DESCRIPTION	Size	Unit	LOCATION	Sup Location	Total Received	Total Issued	Balance
1	BISHA		Heavy duty Straight Cable Ladder without cover (3660 mm) length for piece with load depth height (125 mm) (155 mm H * 2.00 mm Thk ),3.66 Mtr/L	900	PCS	STORAGE YARD	L	1056	29	1027
2	BISHA		Heavy duty Straight Cable Ladder without cover (3660 mm) length for piece with load depth height (125 mm) (155 mm H * 2.00 mm Thk ),3.66 Mtr/L	600	PCS	STORAGE YARD	O	29	0	29
4	BISHA		Heavy duty Straight CABLE TRAY WITHOUT COVER (3660 mm) length for piece with load depth height (125 mm H * 2.00 mm Thk ),3.66 Mtr/L	450	PCS	STORAGE YARD	O	261	0	261
5	BISHA		Heavy duty Straight Anodized Cable Tray WITH COVER (3660 mm) length for piece with load depth height (125 mm H * 2.00 mm Thk ),3.66 Mtr/L	900	PCS	STORAGE YARD	O	15	0	15
7	BISHA		Heavy duty Straight Anodized Cable Tray WITH COVER (3660 mm) length for piece with load depth height (125 mm H * 2.00 mm Thk ),3.66 Mtr/L	600	PCS	STORAGE YARD	O	55	0	55
8	BISHA		Heavy duty Straight Anodized Cable Tray WITH COVER (3660 mm) length for piece with load depth height (125 mm H * 2.00 mm Thk ),3.66 Mtr/L	300	PCS	STORAGE YARD	O	20	0	20
9	BISHA	ELBOW 90 LAD	90 Horizontal Elbow ; with load depth height (125 mm) (155 mm H * 2.00 mm Thk * 300 mm R) LADDER TYPE ELBOW	900	PCS	STORAGE YARD	O	44	0	44
	BISHA	ELBOW 90 LAD	90 Horizontal Elbow ; with load depth height (125 mm) (155 mm H * 2.00 mm Thk * 300 mm R) LADDER TYPE ELBOW	600	PCS	STORAGE YARD	O	2	0	2
10	BISHA	ELBOW 45 LAD	45 Horizontal Elbow ; with load depth height (125 mm) (155 mm H * 2.00 mm Thk * 300 mm R) LADDER TYPE ELBOW	900	PCS	STORAGE YARD	O	26	0	26
11	BISHA	ELBOW 135 LAD	135 Horizontal Elbow ; with load depth height (125 mm) (155MMHX2.00 mm Thk * 300 mm R) ELBOW LADDER TYPE	900	PCS	STORAGE YARD	O	24	0	24
13	BISHA	ELBOW	90 Horizontal Elbow ;ANODIZED with load depth height (125 mm) 2.00 mm Thk * 300 mm R) ELBOW TRAY TYPE WITHOUT COVER	300	PCS	STORAGE YARD	O	1	0	1
14	BISHA	ELBOW	90 Horizontal Elbow with load depth height (125 mm) 2.00 mm Thk * 300 mm R) ELBOW TRAY WITH COVER	600	PCS	STORAGE YARD	O	3	0	3
15	BISHA	ELBOW	90 Horizontal Elbow with load depth height (125 mm) 2.00 mm Thk * 300 mm R) ELBOW TRAY WITH COVER	300	PCS	STORAGE YARD	O	1	0	1
16	BISHA	Tee ( Ladder Type )	Horizontal Equal Tee , with load depth height (125 mm) (155 mm H * 2.00 mm Thk * 300 mm R) TEE LADDER TYPE	900	PCS	STORAGE YARD	O	156	0	156
17	BISHA		Horizontal ANODIZED Equal Tee , with load depth height (125 mm H * 2.00 mm Thk * 300 mm R) EQUAL TEE TRAY WITH COVER	900	PCS	STORAGE YARD	O	1	0	1
18	BISHA		Horizontal ANODIZED Equal Tee , with load depth height (125 mm H * 2.00 mm Thk * 300 mm R) EQUAL TEE TRAY WITH COVER	300	PCS	STORAGE YARD	O	3	0	3
19	BISHA		Horizontal ANODIZED Equal Tee , with load depth height (125 mm H * 2.00 mm Thk * 300 mm R) EQUAL TEE TRAY WITH COVER	600	PCS	STORAGE YARD	O	2	0	2
20	BISHA		Horizontal ANODIZED Equal Tee , with load depth height (125 mm H * 2.00 mm Thk * 300 mm R) EQUAL TEE TRAY WITHOUT COVER	450	PCS	STORAGE YARD	O	24	0	24
21	BISHA		Horizontal Un-Equal Tee , with load depth height (125 mm) (155 mm H * 2.00 mm Thk * 300 mm R) TEE LADDER TYPE	900- 900- 450	PCS	STORAGE YARD	O	15	0	15
22	BISHA		Horizontal Un-Equal Tee , with load depth height (125 mm) (155 mm H * 2.00 mm Thk * 300 mm R) LADDER TYPE	900- 600- 600	PCS	STORAGE YARD	O	10	0	10
23	BISHA		Horizontal Anodized Un-Equal Tee , with load depth height (125mm, 2.00 mm Thk * 300 mm R) TRAY WITH COVER	600- 600- 300	PCS	STORAGE YARD	O	4	0	4
24	BISHA		Horizontal Anodized Un-Equal Tee , with load depth height (125mm, 2.00 mm Thk * 300 mm R) TRAY WITH COVER	300- 300- 450	PCS	STORAGE YARD	O	1	0	1
25	BISHA		Horizontal Anodized Equal Tee , with load depth height (125mm, 2.00 mm Thk * 300 mm R) TRAY WITH COVER	600- 600	PCS	STORAGE YARD	O	2	0	2
26	BISHA		Horizontal ANODIZED Equal Cross , with load depth height (125 mmH * 2.00 mm Thk * 300 mm R) CROSS LADDER	900- 900	PCS	STORAGE YARD	O	43	0	43
	BISHA		Horizontal ANODIZED Equal Cross , with load depth height (125 mmH * 2.00 mm Thk * 300 mm R) CROSS LADDER	600- 600	PCS	STORAGE YARD	O	3	0	3
27	BISHA		Horizontal ANODIZED Equal Cross , with load depth height (125 mmH * 2.00 mm Thk * 300 mm R) CROSS TRAY WITH COVER	600	PCS	STORAGE YARD	O	1	0	1
28	BISHA		Horizontal ANODIZED Equal Cross , with load depth height (125 mmH * 2.00 mm Thk * 300 mm R) CROSS TRAY WITHOUT COVER	450	PCS	STORAGE YARD	O	9	0	9
29	BISHA		Anodized Horizontal Left Hand Reducer, with load depth height (125 mm) (150mm H x 2.00 mm Thk * 300 mm R)(Tray Type with cover)	900- 300	PCS	STORAGE YARD	O	1	0	1
31	BISHA		Anodized Horizontal Left Hand Reducer, with load depth height (125 mm) (150mm H x 2.00 mm Thk * 300 mm R) (Tray Type with cover)	600- 300	PCS	STORAGE YARD	O	3	0	3
32	BISHA		Anodized Horizontal RIGHT Hand Reducer, with load depth height (125 mm) (150mm H x 2.00 mm Thk * 300 mm R) (Tray Type with cover)	900- 300	PCS	STORAGE YARD	O	1	0	1
33	BISHA		Anodized Horizontal Right Hand Reducer, with load depth height(125 mm)(150mm Hx2.00 mm Thk300 mm R) (Tray Type with cover	600- 300	PCS	STORAGE YARD	O	3	0	3
34	BISHA		Single Unistrut Channel Support (3000mm length each (Horizontal and Vertical) Slotted H.D.G. (41 x 41 x 2.00 mm Thk), 3.0 Meter/L	3M	PCS	STORAGE YARD	O	449	0	449

36	BISHA		Double Unistrut Channel Support (3000mm length each) (Vertical) Slotted H.D.G. (82 x 41 x 2.0 mm Thk), 3.35 Meter/L		PCS	STORAGE YARD	0	3427	0	3427
37	BISHA	CONTROL BUILDING AND BUILDING 2 132KV	Double Unistrut Channel Support (3350mm length each) (Vertical) Slotted H.D.G. (41 x 41 x 2.0 mm Thk), 3.35 Meter/L		PCS	STORAGE YARD	0	128	19	109
40	BISHA		Post base for installation of vertical DOUBLE U Channel on the ground , the ceiling and the wall H.D.G. (150 x 120 x 5.0 mm Thk with 80 mm H)		PCS	STORAGE YARD	0	6124	0	6124
41	BISHA	LP-FXN-ANC-THB-GL10100	Sleeve anchor bolt ( bolt type) or wedge anchor bolt(nut type) size M10*100 mm/L (4 pcs for each post base)	M10 X 100M	PCS	WAREHOUSE 1	0	27360	480	26880
42	BISHA	LP-FXN-BLT-HEX-HD01030	Hex bolt M-10 x 30 mm/L (H.D.G.),		PCS	WAREHOUSE 1	0	84510	5400	79110
43	BISHA	LP-FXN-BLT-HEX-GR461040	Hex bolt M-10 x 40 mm/L (H.D.G.),		PCS	WAREHOUSE 1	0	9528	0	9528
44	BISHA	TH-1235-C-GBSN10 (LP-FXN-NUT-SPG-HDM10)	SPRING NUT M-10 (H.D.G.), 400PCS/CARTOON TWO TYPE 306BX		PCS	WAREHOUSE 1	0	97100	3600	93500
45	BISHA	TH-3342-C-HW10 (LP-FXN-WSR-FLT-HD10)	Flat washer M-10 (H.D.G.),		PCS	WAREHOUSE 1	0	73385	4692	68693
46	BISHA	STLB_F_0060 8307	RIGHT ANGLE BRACKET 4HOLE HDG. (HDG SFT-225 42x104x90x5)		PCS	WAREHOUSE 1	0	15250	400	14850
47	BISHA	STCB_F_0066 2105	HOLD DOWN CLAMP HDG 40x19x35x16x4		PCS	WAREHOUSE 1	0	5675	0	5675
48	BISHA		Standard connector plate with accessories for cable ladder type 155mm H	C-L	PCS	WAREHOUSE 1	0	4431	0	4431
49	BISHA		Standard connector plate with accessories for cable tray type 155mm H	C-T	PCS	WAREHOUSE 1	0	1098	0	1098
50	BISHA	LP-FXN-BLT-RFG-HD060N/W	ROOFING BOLT M6X16MM HDG (M6x20)	M6	PCS	WAREHOUSE 1	0	71000	4000	67000
51	BISHA	LP-FXN-NUT-HEX-HD06	HEX NUT M6 HDG	M6	PCS	WAREHOUSE 1	0	116000	0	116000
52	BISHA	TH-3325-C-GRW06	Flat washer M-6 (H.D.G.),	M6	PCS	WAREHOUSE 1	0	84190	0	84190
53	BISHA	LP-FXN-CPR-TBJ05040012	GROUNDING BONDING JUMPER 50MM CU CONDUCTOR 50PC/PACK		PCS	WAREHOUSE 1	0	6761	0	6761
54	BISHA		VERTICAL ADJUSTABLE CONNECTOR FOR LADDER CHANGE LEVEL (VAC)	CL	PCS	WAREHOUSE 1	0	229	100	129
56	BISHA		BLIND END FOR CABLE LADDER 155HX2MMTNK	900	PCS	WAREHOUSE 1	0	80	0	80
57	BISHA		BLIND END FOR CABLE LADDER 155HX2MMTNK	450		WAREHOUSE 1	0	78	0	78
58	BISHA		BLIND END FOR CABLE TRAY 155HX2MMTNK	600	PCS	WAREHOUSE 1	0	6	0	6
59	BISHA		BLIND END FOR CABLE TRAY 155HX2MMTNK	450		WAREHOUSE 1	0	17	0	17
60	BISHA		BLIND END FOR CABLE TRAY 155HX2MMTNK	300		WAREHOUSE 1	0	21	0	21
61	BISHA		AL BARRIERS STRAIGHT FOR LADDER 155HX2THK 3.66L		PCS	STORAGE YARD	0	658	0	658
62	BISHA	P-250X2	EXOTHERMIC WELD SYSTEM,POWDER 250X2 100PCS/BOX 20BOX		PCS	WAREHOUSE 1	0	2000	0	2000
63	BISHA	CC-X-240-240-UL	EXOTHERMIC WELD MOULD CROSS 240 4PCS/BOX 9BOX		PCS	WAREHOUSE 1	0	36	0	36
64	BISHA	P-200-UL	EXOTHERMIC WELD POWDER 200 2BOX		PCS	WAREHOUSE 1	0	240	0	240
65	BISHA	CC-LH-240-240	EXOTHERMIC WELD MOULD CABLE TO CABLE L TYPE 240MMX240MM		PCS	WAREHOUSE 1	0	7	0	7
66	BISHA	P-150X2	EXOTHERMIC WELD SYSTEM POWDER 150X2 120PCS/BOX 91BOX		PCS	WAREHOUSE 1	0	10680	0	10680
67	BISHA	CC-TH-240-240-UL	EXOTHERMIC WELD MOULD TEE R240 T240		PCS	WAREHOUSE 1	0	261	0	261
68	BISHA	CC-TH-120-240	EXOTHERMIC WELD MOULD TEE R120 T240		PCS	WAREHOUSE 1	0	6	0	6
69	BISHA	CC-TH-95-240	EXOTHERMIC WELD MOULD TEE R95 T240		PCS	WAREHOUSE 1	0	3	0	3
71	BISHA	CC-TH-50-240	EXOTHERMIC WELD MOULD TEE R50 T240		PCS	WAREHOUSE 1	0	9	0	9

73	BISHA		BARE COPPER 1X240	1x 240	MTR	WAREHOUSE 1	0	32210	60	32150	OK
74	BISHA	CP-T 1/2-240	EXOTHERMIC WELD MOULD TEE A=240 & B3/4		PCS	WAREHOUSE 1	0	7	0	7	OK
75	BISHA	CIP-320-320-200	CONCRETE INSPECTION PIT 320X320X200MM WITH COVER/HOOK		PCS	WAREHOUSE 1	0	10	0	10	OK
76	BISHA	EB-7H-C	7 HOLE EARTHING ROD COPPER 50X6X300MM		PCS	WAREHOUSE 1	0	11	0	11	OK
77	BISHA	ERT L9-D34-CB-UL	COPPER BOND THREADED EARTH ROD L3000XD17.2MM UL LISTED		PCS	WAREHOUSE 1	0	133	0	133	OK
78	BISHA	ERCBDS-D34-BH	EARTH ROD COPPER BOND DRIVING STUD D3/4 MATERIAL-BLACK HARDENED		PCS	WAREHOUSE 1	0	131	0	131	OK
79	BISHA	DT-510	TAPE SIZE 2 DENSYL TAPE 50MMX10M		PCS	WAREHOUSE 1	0	302	0	302	OK
81	BISHA	IL	IGNITION LIGHTER		PCS	WAREHOUSE 1	0	2	1	1	OK
82	BISHA		SHRINKABLE TUBE M30		ROLL	WAREHOUSE 1	0	15	0	15	OK
83	BISHA	11230	3/1 WAY ABOVE GROUND EARTHING LINK BOX WITHOUT SVL (SS) TYPE ADE 3S FOR TERMINATIONS		PCS	WAREHOUSE 1	0	21	0	21	OK
84	BISHA	11008	3/1 WAY ABOVE GROUND EARTHING LINK BOX WITH SVL (SS) TYPE AES-3S FOR TERMINATIONS		PCS	WAREHOUSE 1	0	21	0	21	OK
85	BISHA	0	OVERHEAD CRANE RAIL	5700	L	STORAGE YARD	0	94	0	94	OK
86	BISHA	0	OVERHEAD CRANE RAIL	1536	L	STORAGE YARD	0	6	0	6	OK
87	BISHA	0	OVERHEAD CRANE RAIL	838	L	STORAGE YARD	0	2	0	2	OK
88	BISHA	0	OVERHEAD CRANE CLOSED BOX ACC	LONG	BOX	STORAGE YARD	0	4	0	4	OK
89	BISHA	0	OVERHEAD CRANE CLOSED BOX ACC	SMALL	BOX	STORAGE YARD	0	1	0	1	OK

NOTE =

Due to unavailability of QC Bish2 380V,  
during  
at the site, the inventory of MTC. he was  
outside the site.



Mohamed Hesham Elshabani  
Amr Elshabani  
Jumana

