



110	8242	0	Main busbar-2 (Side)	N/A	Pcs	0	0	10	0	10
111	8242	0	Neutral busbar	N/A	Pcs	0	0	10	0	10
112	8242	0	Capacitor Bank Nameplate	N/A	Pcs	0	0	5	0	5
113	8242	0	B-3 TOP ANGLE	N/A	Pcs	0	0	5	0	5
114	8242	0	B-11 TOP ANGLE	N/A	Pcs	0	0	5	0	5
115	8242	480550	Alumax Heavy Duty Interlocked Wall Socket with MCCB 3P+N+E,250A,400V,IP65	N/A	Pcs	0	0	7	0	7
116	8242	750550	Alumax Heavy Duty Plug in Aluminum 3P+N+E, 250A, IP67 PN 750550	N/A	Pcs	0	0	7	0	7
117	8242	HTTENC 150x150x150N 150x150x150mm SS201 Enclosure		N/A	Pcs	0	0	80	0	80
118	8242	RS2200	Rigid strap snap-on type Two hole-steel size: 1	N/A	Pcs	0	0	650	0	650
119	8242	14110130	150 mm, Soft Annealed Copper Conductor, Round Non-Compacted	N/A	Pcs	0	0	1010	385	625
120	8242	0	BATTERY CAPACITY:2V/2520AH OPZV 2250, OPZV SERIES	N/A	Pcs	0	0	58	0	58
121	8242	0	BATTERY ACCESSORIES, INTER CONNECTION CABLE, TERMINATION-PLATE, TERMINAL COVER (140Kgs)	N/A	Pallet	0	0	1	0	1
122	8242	0	BATTERY ACCESSORIES, INTER CONNECTION CABLE, TERMINATION-PLATE, TERMINAL COVER (3Kgs)	N/A	Carton	0	0	1	0	1
123	8242	0	BATTERY DISCONNECT SWITCH BOX 500A	N/A	Pcs	0	0	1	0	1
124	8242	0	1.5mm Stiffened Plain Cover For Perforated Cable Tray, Straight Section, 300mm width, 100mm Side Height, Outside Return I N/A		Pcs	0	0	119	0	119
125	8242	0	1.5mm Stiffened Plain Cover For Perforated Cable Tray, Straight Section, 450mm width, Outside Return Flange, 3660mm Leng N/A		Pcs	0	0	89	0	89
126	8242	0	1.5mm Stiffened Plain Cover For Perforated Cable Tray, Straight Section, 600mm width, Outside Return Flange, 3660mm Leng N/A		Pcs	0	0	60	0	60
127	8242	0	Transformer oil	N/A	Barrel	0	0	68	68	0
128	8242	100031747	H0G Slotted Channel 41X41X6Mtr	N/A	Pcs	0	0	55	4	51
129	8242	100033940	H0G Single Channel post Base for Channel	N/A	Pcs	0	0	150	0	150
130	8242	100033943	H0G Double Arm Cantilever Bracket 1000mm	N/A	Pcs	0	0	40	0	40
131	8242	1200008138	Threaded Coupling 3/4" Wallis ERB020	N/A	Pcs	0	0	48	0	48
132	8242	1200006201	Welding powder Wallis WEPT50 Powder 250G Copper G8	N/A	Pcs	0	0	60	0	60
133	8242	1200008189	Exothermic mould Wallis CCZ-C-150150	N/A	Pcs	0	0	38	0	38
134	8242	1200008048	EarthRod Cu-Bond 3/4" x 2.4m WallisERB224	N/A	Pcs	0	0	105	0	105
135	8242	1200502928	Cu-Bond Threaded EarthRod ERB215 Wallis 3/4" x 1.5m	N/A	Pcs	0	0	80	0	80
136	8242	0	DOUBLE METAL FUSE BOX FBB.1339/02	N/A	Pcs	0	0	8	0	8
137	8242	0	FOUR POLE FUSE BOX FBB 1868.01	N/A	Pcs	0	0	3	0	3


Ahmedaqaqar


S/N	Project Name	ITEM CODE	MATERIALS DESCRIPTION	Site	Unit	LOCATIO N	Sup Location	Total Receive	Total Issued	Balance
-----	--------------	-----------	-----------------------	------	------	--------------	-----------------	------------------	-----------------	---------


1	8242	EW43462	1 X50 MM2 CU/XLPE/PVC (MT/YG) FR 0.6/1 kV		1 X50 MM2	Mtr	0	0	85	20	65
2	8242	EW43466	1 X 95 MM2 CU / XLPE I PVC -0.6/1 kV		1 X 95 MM2	Mtr	0	0	205	125	80
3	8242	EW41009	1X120MM2 CU/XLPE/PVC (NT/YG) FR 0.6/1 kV		1X120MM2	Mtr	0	0	200	15	185
4	8242	CZW06065	1X240MM2 CU/XLPE/ PVC-0.61kV-(NT-YIG)-SS		1X240MM2	Mtr	0	0	400	196	204
5	8242	5851	Single Receptacle, 20A, 250V, S/G Ivory PN 5851-1 Mfr: Legrand Pass & Seymour		N/A	Pcs	0	0	73	0	73
6	8242	TP7-1 Mfr	Wall Plat Cover for single Receptacle, PN TP7-1 Mfr: Legrand Pass & Seymour		N/A	Pcs	0	0	45	0	45
7	8242	58361 3/4 Mfg	Steel city 2X4 with 3/4" KO S PN-58361 3/4 Mfg: Steel city-ABB/ITCC		N/A	Pcs	0	0	85	0	85
8	8242	GFCA-20L Mfg	GFCI socket 20A 250V SMA with metal Waterproof cover PN GFCA-20L Mfg:IERQI China		N/A	Pcs	0	0	23	0	23
9	8242	472831 Mfg	TAIS SWITCHED SOCKET IN THERMOSETTING PN 472831 Mfg: Palazzoli		N/A	Pcs	0	0	12	0	12
10	8242	CO16760	FUSIBE 14° 51 32A Gg-CO16760		N/A	Pcs	0	0	36	0	36
11	8242	581132	Uni Cable Gland Long Thread M32 x 1.5, IP68 PN 581132		N/A	Pcs	0	0	33	0	33
12	8242	760246	X-CEE Safety Performance Plug 32A 3P+N+E 400V 6H IP66/67 PN 760246		N/A	Pcs	0	0	12	0	12
13	8242	472832	Thermosetting Interlocked Socket 3P+N+E, 63A, 400V, 50/60Hz, 6H, IP67 PN 472832		N/A	Pcs	0	0	21	0	21
14	8242	P710346	MULTIMAX STRAIGHT PLUG 63A 3P+N+E 380-415V 50-60Hz 6H IP67 PN P710346		N/A	Pcs	0	0	21	0	21
15	8242	206323	Switch Disconnecter 32A 3P Metal Clad PN 206323,, Mfg: lewden UK (Palazzoli Group)		N/A	Pcs	0	0	13	0	13
16	8242	206123	Switch disconnecter 125A 3P metal clad=206123		N/A	Pcs	0	0	4	0	4
17	8242	207216	Switch disconnecter 315A 3P+N Meit-207216		N/A	Pcs	0	0	2	0	2
18	8242	472428	Aluminium interlocked Socket Fuses 3P+N+E, 125A 380-415V 6H 50/60Hz PN 472428		N/A	Pcs	0	0	1	0	1
19	8242	339041	NH Fuses, High Breaking Capacity,, 400V, 125A PN 339041		N/A	Pcs	0	0	3	0	3
20	8242	540190	ALUCASE RAISED FLANGE F3 M40 PN 540190		N/A	Pcs	0	0	1	0	1
21	8242	760446	Plug, 3P+N+E, 125A 380-415V 9H IP67 PN 760446 Old Part No 259538		N/A	Pcs	0	0	1	0	1
22	8242	WPB83 Mfr	Weatherproof Box 1 Gang, 3 Hole 3/4"IP66 PN WPB83 Mfr: Legrand Pass & Seymour		N/A	Pcs	0	0	28	0	28
23	8242	K56420	Weather Proof enclosure for 1 switch module, Master seal, PN K56420, GRV Mfr: MK Electric		N/A	Pcs	0	0	175	0	175
24	8242	PS20AC3-1 Mfr	Switch 20A, 120/277V, 3W, Toggle S/G Ivory PN PS20AC3-1 Mfr: Legrand Pass & Seymour		N/A	Pcs	0	0	25	0	25
25	8242	TP1-1 Mfr	Wall Plat Cover for 1 Toggle Switch, 2x4 Box PN TP1-1 Mfr: Legrand Pass & Seymour		N/A	Pcs	0	0	40	0	40











26	8242	PS20AC1-I	Switch 20A, 120/277V, 1W, Toggle S/G Ivory PN PS20AC1-I	N/A	Pcs	0	0	15	0	15
27	8242	CO16006	Diased fast fuses 400v 63A E33 CO16006	N/A	Pcs	0	0	63	0	63
28	8242	CA7-GV	Weatherproof Cover Single Receptacle, Vertical, Gray PN CA7-GV Mfr: Pass & Seymour	N/A	Pcs	0	0	28	0	28
29	8242	K4910WH1	Ush Button, 20A, Push to Make, white PN K4910WH1 Mfr: MK Electric Made in UK	N/A	Pcs	0	0	175	0	175
30	8242	BCT-13-8-C-UL	Bare Copper Tape, Conductor Width=40mm, Conductor Thickness=6mm-(25mtr/roll) with UL	N/A	Mtr	0	0	50	0	50
31	8242	STC-13-8-C	Square tape clamp, Conductor Width=40mm, Conductor Thickness 6mm with brass screw, Material Copper Alloy	N/A	Pcs	0	0	10	0	10
32	8242	CR-TH-16-H150	Exothermic Weld System, Cable to Rebar-Tee Horizontal, Re-Bar Diameter=16mm, Cable Size=150mm ²	N/A	Pcs	0	0	20	0	20
33	8242	HC-M	Mould Handle Clamp Medium	N/A	Pcs	0	0	5	0	5
34	8242	P-200C10	Exothermic welding powder 200g-(10 Pcs/Box)	N/A	Pcs	0	0	40	23	17
35	8242	MB	Mould brush	N/A	Pcs	0	0	20	0	20
36	8242	CCB	Conductor Cleaning Brush	N/A	Pcs	0	0	20	0	20
37	8242	MS	Mould Scraper	N/A	Pcs	0	0	20	0	20
38	8242	IL	Ignition lighter	N/A	Pcs	0	0	20	0	20
39	8242	DT-510	TAPE SIZE: 2" (50 MM) x 10 METER, DENSYL TAPE, MADE IN UK	N/A	Pcs	0	0	70	8	62
40	8242	CCN100	RMC Compression Connector Steel Zinc Plated	N/A	Pcs	0	0	575	125	450
41	8242	S21711	JUNCTION BOX: 4 SQUARE; 2 1/8 DEEP WITH 1 KNOCKOUTSCHC	N/A	Pcs	0	0	600	350	250
42	8242	52C1	COVER: JUNCTION BOX; 4 SQUARE FLAT BLANK	N/A	Pcs	0	0	457	307	150
43	8242	FN231-021515	JUNCTION BOX: 15X15X7.5 CM X 0.9MM THKWITHOUT EARTH C/W COVE	N/A	Pcs	0	0	27	0	27
44	8242	FN231-012020	JUNCTION BOX: 20X20X5.5 CM X 0.9MM THKWITHOUT EARTH C/W COV	N/A	Pcs	0	0	20	0	20
45	8242	CFIT100	Liquid Tight Straight Connector Zinc Die Cast	N/A	Pcs	0	0	1300	650	650
46	8242	CRHL37	BODY: OUTLET 1 HUB SIZE FORM	N/A	Pcs	0	0	225	55	170
47	8242	CRHGASK 573	GASKET: FOR FORM 7 OUTLET BODIES: 1 NEOPRENE	N/A	Pcs	0	0	660	0	660
48	8242	IDE30-452	WIRE CONNECTOR: RED; #18AWG-#8AWG	N/A	Pcs	0	0	2000	800	1200
49	8242	IDE30-454	WIRE CONNECTOR: BLUE; #14AWG-#6AWG	N/A	Pcs	0	0	500	100	400
50	8242	C-R00100	Rigid Steel Conduit 1 UL 6-3.05 MTR	N/A	Pcs	0	0	1000	639	361
51	8242	C-R81100	Insulated Rigid Bushing Zinc Die Cast	N/A	Pcs	0	0	600	600	0
52	8242	CCP100	Rigid Couplings - Compressing Type - Steel 1	N/A	Pcs	0	0	750	90	660
53	8242	CRHLR37	BODY: OUTLET 1 HUB SIZE FORM	N/A	Pcs	0	0	250	100	150

Ah mori uacuar

54	8242	CRH137	BODY: OUTLET 1 HUB SIZE FORM	N/A	Pcs	0	0	80	10	70
55	8242	CRH370	COVER:FOR FORM 7 OUTLET BODIES: 1 SHEET STEEL	N/A	Pcs	0	0	660	300	360
56	8242	C-FLTC100	Liquid Tight Flexible Conduit(FLTC) 1 (30M/Roll)- Non UL	N/A	Pcs	0	0	30	9	21
57	8242	MTSEGE8WNW2016C	E. GALV EXPANSION BOLT WITH NUT & WASHER, M20 X 160	N/A	Pcs	0	0	350	0	350
58	8242	RS2100	Rigid strap snap-on type Two hole-steel size: 1	N/A	Pcs	0	0	3000	1100	1900
59	8242	27	RAY-HIGHII LED 1-HBAY SUR-360MM-IP65-200W-2800LM-6500K	N/A	Pcs	0	0	15	0	15
60	8242	52	RAY-DAMP LED ADV SUR 1200MM IP66 40W 6500K	N/A	Pcs	0	0	282	247	35
61	8242	29	RAYON RAY BMOON BULKHEADS TP65 18W-6500K	N/A	Pcs	0	0	17	0	17
62	8242	930	RAY -CAN-LED-SUR-266MM-IP-20W-125VDC-DRIVER	N/A	Pcs	0	0	98	80	18
63	8242	21	OLYMPIA PLD-25/NIMh/M EXIT SIGN WALL LED 3.5W 26M VIEWING DISTANCE 220-240V/50-60Hz3HRS DURATION MINIMUM N/A	N/A	Pcs	0	0	18	0	18
64	8242	34	RAY FL LED 4 250W AP66 6500K 35000LM	N/A	Pcs	0	0	90	0	90
65	8242	183	LED GLOBE 20W CFL IP65 LIFETIME: 50,000 HRS W ARRANTY:5YRS	N/A	Pcs	0	0	7	0	7
66	8242	C226AD10100NRO0UC	American Copper Wire 1x10 AWG Red 500 Feet	N/A	Pcs	0	0	28	20	8
67	8242	C226AD10100NY00UC	American Copper Wire 1x10 AWG Yellow 500 Feet	N/A	Pcs	0	0	16	11	5
68	8242	C226AD10100NL00UC	American Copper Wire 1x10 AWG Blue 500 Feet	N/A	Pcs	0	0	16	13	3
69	8242	C226AD10100NB00UC	American Copper Wire 1x10 AWG Black 500 Feet	N/A	Pcs	0	0	59	30	29
70	8242	C226AD10100NY00UC	American Copper Wire 1x8 AWG Yellow 500 Feet	N/A	Pcs	0	0	1	1	0
71	8242	C226AD10100NL00UC	American Copper Wire 1x8 AWG Blue 500 Feet	N/A	Pcs	0	0	1	1	0
72	8242	C226AD10100NB00UC	American Copper Wire 1x8 AWG Black 500 Feet	N/A	Pcs	0	0	3	2	1
73	8242	C226AD10100NR00UC	American Copper Wire 1x8 AWG Red 500 Feet	N/A	Pcs	0	0	1	1	0
74	8242	C226AD10100NQ00UC	American Copper Wire 1x10 SWG Y/G 500 Feet	N/A	Pcs	0	0	47	30	17
75	8242	C226AD10100NQ00UC	American Copper Wire 1x8 SWG Y/G 500 Feet	N/A	Pcs	0	0	3	2	1
76	8242	3579	25M HDG POLY LIGHTING CUM LIGHTING MAST (LCLM) TOP SEG AS PER DWG # ABPT/HM/25-0263 A	N/A	Pcs	0	0	5	0	5
77	8242	3580	25M HDG POLY LIGHTING CUM LIGHTING MAST (LCLM) MID SEG AS PER DWG # ABPT/HM/25-0263 A	N/A	Pcs	0	0	5	0	5
78	8242	1559	HDG HEAD FRAME BRACKET TO CARRY 3 NOS OF FL (LCLM-1) AS EPR DWG # ABPT/HM/25-0265 C	N/A	Pcs	0	0	1	0	1
79	8242	1560	HDG HEAD FRAME BRACKET TO CARRY 3 NOS OF FL (LCLM-2) AS EPR DWG # ABPT/HM/25-0265 C	N/A	Pcs	0	0	1	0	1
80	8242	1561	HDG HEAD FRAME BRACKET TO CARRY 3 NOS OF FL (LCLM-4) AS EPR DWG # ABPT/HM/25-0265 C	N/A	Pcs	0	0	1	0	1
81	8242	1562	HDG HEAD FRAME BRACKET TO CARRY 2 NOS OF FL (LCLM-3) AS EPR DWG # ABPT/HM/25-0265 C	N/A	Pcs	0	0	1	0	1

Abmedqa hcy

82	8242	1563	HDG HEAD FRAME BRACKET TO CARRY 2 NOS OF FL (LCLM-5) AS EPR DWG # ABPT/HM/25-0265 C	N/A	Pcs	0	0	1	0	1
83	8242	6624	HDG ANCHOR PLATE & TEMPLATE AS PER DWG #ABPT/HM/25-0263 A	N/A	Pcs	0	0	5	0	5
84	8242	39371	HDG ANCHOR BOLT 1391000 AS PER DWG # ABPT/HM/25-0263 A	N/A	Pcs	0	0	60	0	60
85	8242	3690	25M HDG POLY LIGHTING CUM LIGHTING MAST (LCLM) BOT SEG C/W BP AS PER DWG #ABPT/HM/25-0263 A (1/1) (BRACKET N/A	N/A	Pcs	0	0	5	0	5
86	8242	2075	3.05M LIGHTING ROD AS PER DWG #ABPT/HM/25-0263 A	N/A	Pcs	0	0	5	0	5
87	8242	0	Capacitor Rack Bank -1.5N,2GPK00012562	N/A	Pallet	0	0	1	0	1
88	8242	0	Capacitor Rack Bank -2.5N,2GPK00012563	N/A	Pallet	0	0	1	0	1
89	8242	0	Capacitor Rack Bank -3.5N,2GPK00012564	N/A	Pallet	0	0	1	0	1
90	8242	0	Capacitor Rack Bank -4.5N,2GPK00012565	N/A	Pallet	0	0	1	0	1
91	8242	0	Capacitor Rack Bank -5.5N,2GPK00012566	N/A	Pallet	0	0	1	0	1
92	8242	0	Earthing Cable, 1x70mm ² , CU/XLPE/PVC, 5KV	1x70MM ²	Mtr	0	0	75	0	75
93	8242	0	Green Shrinkable Tube for 70mm ² cable	70MM ²	Mtr	0	0	75	0	75
94	8242	0	Cable Lug- 70mm ² , 12.5mm stud	N/A	Pcs	0	0	285	0	285
95	8242	0	B1 Metallic washer Cu/Al	N/A	Pcs	0	0	285	0	285
96	8242	0	70mm ² insulated power cable, XLPE, 0.6/1kV	70MM ²	Mtr	0	0	400	0	400
97	8242	0	Surge Arrestors with Accessories SA, EXLIM P018-GV018, 20KA (SA007026-SA007027-SA007028)	N/A	Pcs	0	0	1	0	1
98	8242	0	Surge Arrestors with Accessories SA, EXLIM P018-GV018, 20KA (SA007029-SA007030-SA007031)	N/A	Pcs	0	0	1	0	1
99	8242	0	Surge Arrestors with Accessories SA, EXLIM P018-GV018, 20KA (SA007032-SA007033-SA007034)	N/A	Pcs	0	0	1	0	1
100	8242	0	Surge Arrestors with Accessories SA, EXLIM P018-GV018, 20KA (SA007035-SA007036-SA007037)	N/A	Pcs	0	0	1	0	1
101	8242	0	CT, 10/1A,SP20, CAST RESIN, 50/125KV(64574)	N/A	Pcs	0	0	2	0	2
102	8242	0	CT, 10/1A,SP20, CAST RESIN, 50/125KV(64592)	N/A	Pcs	0	0	2	0	2
103	8242	0	CT, 10/1A,SP20, CAST RESIN, 50/125KV(64630)	N/A	Pcs	0	0	2	0	2
104	8242	0	CT, 10/1A,SP20, CAST RESIN, 50/125KV(64637)	N/A	Pcs	0	0	2	0	2
105	8242	0	CT, 10/1A,SP20, CAST RESIN, 50/125KV(64638)	N/A	Pcs	0	0	2	0	2
106	8242	0	VT, 13.8KV/ 3-120V&120V, Class 0.2/3P,Dry	N/A	Pcs	0	0	4	0	4
107	8242	0	VT, 13.8KV/ 3-120V&120V, Class 0.2/3P, Dry	N/A	Pcs	0	0	1	0	1
108	8242	0	Steel Assemblies	N/A	Pallet	0	0	5	0	5
109	8242	0	Main busbar-1 (middle)	N/A	Pcs	0	0	5	0	5

Ahmed gaffar