

71

S/N	Project Name	ITEM CODE	MATERIALS DESCRIPTION	Size	Unit	LOCATION N	Sup Location	Total Received	Total Issued	Balance
1	8171	EW43464	1 X50 MM2 CU/XLPE/PVC (NT/YG) FR 0.6/1 kV	1 X50 MM2	Mtr	0	0	98	70	28
2	8171	EW43468	1 X 95 MM2 CU / XLPE I PVC-0.6/1 kV	1 X 95 MM2	Mtr	0	0	205	205	0
3	8171	EW43602	1X120MM2 CU/XLPE/PVC (NT/YG) FR 0.6/1 kV	1X120MM2	Mtr	0	0	200	15	185
4	8171	C2W06066	1X240MM2 CU/XLPE/PVC-0.6/1kV-(NT-YIG)-SS	1X240MM2	Mtr	0	0	377	30	347
5	8171	5851	Single Receptacle, 20A, 250V, S/G Ivory PN 5851-1 Mfr: Legrand Pass & Seymour	N/A	Pcs	0	0	73	0	73
6	8171	TP7-1 Mfr	Wall Plat Cover for single Receptacle, PN TP7-1 Mfr: Legrand Pass & Seymour	N/A	Pcs	0	0	45	0	45
7	8171	58361 3/4 Mfr	Steel city 2x4 with 3/4" KO S PN-58361 3/4 Mfr: Steel city-ABR/ITCC	N/A	Pcs	0	0	85	0	85
8	8171	GFCIA-20L Mfr	GFCI socket 20A 250V SMA with metal Waterproof cover PN GFCIA-20L Mfr:JIERQI China	N/A	Pcs	0	0	23	0	23
9	8171	472831 Mfr	TAIS SWITCHED SOCKET IN THERMOSETTING PN 472831 Mfr: Palazzoli	N/A	Pcs	0	0	17	2	15
10	8171	C016760	FUSIBE 14* 51 32A Gg-C016760	N/A	Pcs	0	0	51	0	51
11	8171	581132	Uni Cable Gland Long Thread M32 x 1.5, IP68 PN 581132	N/A	Pcs	0	0	38	0	38
12	8171	760246	X-CEE Safety Performance Plug 32A 3P+N+E 400V 6H IP66/67 PN 760246	N/A	Pcs	0	0	17	0	17
13	8171	472832	Thermosetting Interlocked Socket 3P+N+E, 63A, 400V, 50/60Hz, 6H, IP67 PN 472832	N/A	Pcs	0	0	21	0	21
14	8171	P710346	MULTIMAX STRAIGHT PLUG 63A 3P+N+E 380-415V 50-60HZ 6H IP67 PN P710346	N/A	Pcs	0	0	21	0	21
15	8171	206323	Switch Disconnecter 32A 3P Metal Clad PN 206323,, Mfr: Lewden UK (Palazzoli Group)	N/A	Pcs	0	0	12	0	12
16	8171	206123	Switch disconnecter 125A 3P metal clad=206123	N/A	Pcs	0	0	4	0	4
17	8171	207216	Switch disconnecter 315A 3P+N Mfr:207216	N/A	Pcs	0	0	2	0	2
18	8171	472428	Aluminum Interlocked Socket Fuses 3P+N+E, 125A 380-415V 6H 50/60Hz PN 472428	N/A	Pcs	0	0	1	0	1
19	8171	339041	NH Fuses, High Breaking Capacity, 400V, 125A PN 339041	N/A	Pcs	0	0	3	0	3
20	8171	540190	ALUCASE RAISED FLANGE F3 M40 PN 540190	N/A	Pcs	0	0	1	0	1
21	8171	760446	Plug, 3P+N+E, 125A 380-415V 9H IP67 PN 760446 Old Part No 259538	N/A	Pcs	0	0	1	0	1
22	8171	WP833 Mfr	Weatherproof Box 1 Gang, 3 Hole 3/4"IP66 PN WP833 Mfr: Legrand Pass & Seymour	N/A	Pcs	0	0	28	0	28
23	8171	PS20AC3-1 Mfr	Switch 20A, 120/277V, 3W, Toggle S/G Ivory PN PS20AC3-1 Mfr: Legrand Pass & Seymour	N/A	Pcs	0	0	25	0	25
24	8171	TP1-1 Mfr	Wall Plat Cover for 1 Toggle switch, 2x4 Box PN TP1-1 Mfr: Legrand Pass & Seymour	N/A	Pcs	0	0	40	0	40
25	8171	PS20AC1-1	Switch 20A, 120/277V, 1W, Toggle S/G Ivory PN PS20AC1-1	N/A	Pcs	0	0	15	0	15

Ahmed Hassan

18
9525
Mohamed Hestuat

Emmanuel Ekanichin
1 NGL-02
Ahmed Gasser

26	8171	C016006	Diized fast fuses: 400v 63A E33 C016006	N/A	Pcs	0	0	63	0	63
27	8171	CA7-GV	Weatherproof Cover Single Receptacle, Vertical, Gray PN CA7-GV Mfr: Pass & Symour	N/A	Pcs	0	0	28	0	28
28	8171	CCN100	RMC Compression Connector Steel Zinc Plated	N/A	Pcs	0	0	335	335	0
29	8171	521711	JUNCTION BOX: 4 SQUARE; 2 1/8 DEEP WITH 1 KNOCKOUTSCHC	N/A	Pcs	0	0	457	250	407
30	8171	52C1	COVER: JUNCTION BOX; 4 SQUARE FLAT BLANK	N/A	Pcs	0	0	457	357	100
31	8171	FN231-021515	JUNCTION BOX: 15X15X7.5 CM X 0.9MM THKWITHOUT EARTH C/W COVE	N/A	Pcs	0	0	50	9	41
32	8171	FN231-012020	JUNCTION BOX: 20X20X5.5 CM X 0.9MM THKWITHOUT EARTH C/W cov	N/A	Pcs	0	0	20	0	20
33	8171	CFLT100	Liquid Tight Straight Connector Zinc Die Cast	N/A	Pcs	0	0	1150	600	550
34	8171	CRHGASK 573	GASKET: FOR FORM 7 OUTLET BODIES: 1 NEOPRENE	N/A	Pcs	0	0	660	280	380
35	8171	IDE30-452	WIRE CONNECTOR: RED; #18AWG-#8AWG	N/A	Pcs	0	0	2000	1000	1000
36	8171	IDE30-454	WIRE CONNECTOR: BLUE; #14AWG-#6AWG	N/A	Pcs	0	0	500	250	250
37	8171	C-R00100	Rigid Steel Conduit 1 UL 6-3.05 MTR	N/A	Pcs	0	0	1000	518	482
38	8171	C-RB1100	Insulated Rigid Bushing Zinc Die Cast	N/A	Pcs	0	0	600	600	0
39	8171	C-CP100	Rigid Couplings - Compressing Type - Steel 1	N/A	Pcs	0	0	685	0	685
40	8171	C-FLTC100	Liquid Tight Flexible Conduit(FLTC) 1 (30M/roll)- Non UL	N/A	Pcs	0	0	29	9	20
41	8171	MTSEGEK8NM2D160	E. GALV EXPANSION BOLT WITH NUT & WASHER, M20 X 160	N/A	Pcs	0	0	350	0	350
42	8171	CRHLT37	BODY: OUTLET; 1 HUB SIZE: FORM	N/A	Pcs	0	0	80	0	80
43	8171	27	RAY-HIGHILL LED 1-HBAY SUR-360MM-IP65-200W-2800LM-6500K	N/A	Pcs	0	0	15	15	0
44	8171	52	RAY-DAMP LED ADV SUR 1200MM IP66 40W 6500K	N/A	Pcs	0	0	194	176	18
45	8171	29	RAYON RAY BMOON BULKHEADS TP65 18W-6500K	N/A	Pcs	0	0	17	0	17
46	8171	930	RAY -CAN-LED-SUR-266MM-IP-20W-125VDC-DRIVER	N/A	Pcs	0	0	95	78	17
47	8171	21	OLYMPIA PLD-25/NIMH/M EXIT SIGN WALL LED 3.5W 26M VIEWING DISTANCE 220-240V/50-60HZ3HRS DURATION MINIMUM IP44-GREECE	N/A	Pcs	0	0	23	11	12
48	8171	34	RAY FL LED 4 250W AP66 6500K 35000LM	N/A	Pcs	0	0	89	0	89
49	8171	183	LED GLOBE 20W CFL IP65 LIFETIME: 50,000 IRS W ARRANTY:5YRS	N/A	Pcs	0	0	7	0	7
50	8171	C226AD10100N600UCS	American Copper Wire 1x10 AWG Red 500 Feet	N/A	Pcs	0	0	28	10	18
51	8171	C226AD10100N700UCS	American Copper Wire 1x10 AWG Yellow 500 Feet	N/A	Pcs	0	0	16	7	9
52	8171	C226AD10100N100UCS	American Copper Wire 1x10 AWG Blue 500 Feet	N/A	Pcs	0	0	16	6	10
53	8171	C226AD10100N800UCS	American Copper Wire 1x10 AWG Black 500 Feet	N/A	Pcs	0	0	59	17	42

10
12
6015
D. J. J.

18
E.M.F.
BY ENGR
10/11/17
Ah Mohamed

54	8171	C226AD10100NQ0UC5	American Copper Wire 1x10 SWG Y/G 500 Feet	N/A	Pcs	0	0	49	20	24
55	8171	C226AD10100NY00UC5	American Copper Wire 1x8 AWG Yellow 500 Feet	N/A	Pcs	0	0	1	1	0
56	8171	C226AD10100NL00UC5	American Copper Wire 1x8 AWG Blue 500 Feet	N/A	Pcs	0	0	1	1	0
57	8171	C226AD10100NB00UC5	American Copper Wire 1x8 AWG Black 500 Feet	N/A	Pcs	0	0	3	2	1
58	8171	C226AD10100NR00UC5	American Copper Wire 1x8 AWG Red 500 Feet	N/A	Pcs	0	0	1	1	0
59	8171	C226AD10100NQ00UC5	American Copper Wire 1x8 SWG Y/G 500 Feet	N/A	Pcs	0	0	3	2	1
60	8171	303399	10M HDG OCT LIGHTING POLE C/W BP AS PER DWG # ABPT/LC/25-0633 A	N/A	Pcs	0	0	3	0	1
61	8171	3579	25M HDG POLY LIGHTING CUM LIGHTING MAST (LCLM) TOP SEG AS PER DWG # ABPT/HM/25-0263 A	N/A	Pcs	0	0	5	0	5
62	8171	3580	25M HDG POLY LIGHTING CUM LIGHTING MAST (LCLM) MID SEG AS PER DWG # ABPT/HM/25-0263 A	N/A	Pcs	0	0	5	0	5
63	8171	3691	25M HDG POLY LIGHTING CUM LIGHTING MAST (LCLM) BOT SEG C/W BP AS PER DWG #ABPT/HM/25-0263 A (1/1) (BRACKET REF DWG # ABPT/HM/25-0 N/A	N/A	Pcs	0	0	5	0	5
64	8171	1554	HDG HEAD FRAME BRACKET TO CARRY 2 NOS OF FL (LCLM-1) AS EPR DWG # ABPT/HM/25-0265 C	N/A	Pcs	0	0	1	0	1
65	8171	1555	HDG HEAD FRAME BRACKET TO CARRY 4 NOS OF FL (LCLM-2) AS EPR DWG # ABPT/HM/25-0265 C	N/A	Pcs	0	0	1	0	1
66	8171	1556	HDG HEAD FRAME BRACKET TO CARRY 3 NOS OF FL (LCLM-3) AS EPR DWG # ABPT/HM/25-0265 C	N/A	Pcs	0	0	1	0	1
67	8171	1557	HDG HEAD FRAME BRACKET TO CARRY 2 NOS OF FL (LCLM-4) AS EPR DWG # ABPT/HM/25-0265 C	N/A	Pcs	0	0	1	0	1
68	8171	1558	HDG HEAD FRAME BRACKET TO CARRY 2 NOS OF FL (LCLM-5) AS EPR DWG # ABPT/HM/25-0265 C	N/A	Pcs	0	0	1	0	1
69	8171	31	HDG ARM BRACKET TO CARRY 3 NOS FLOODLIGHT AS PER DWG #ABPT/LC/24-0872 A	N/A	Pcs	0	0	2	0	2
70	8171	363	HDG BRACKET TO CARRYING 3 NOS FLOODLIGHT AS PER DWG #ABPT/LC/25-0598 A	N/A	Pcs	0	0	1	0	1
71	8171	6624	HDG ANCHOR PLATE & TEMPLATE AS PER DWG #ABPT/HM/25-0263 A	N/A	Pcs	0	0	5	0	5
72	8171	39371	HDG ANCHOR BOLT 1391000 AS PER DWG # ABPT/HM/25-0263 A	N/A	Pcs	0	0	60	0	60
73	8171	2075	3.05M LIGHTING ROD AS PER DWG #ABPT/HM/25-0263 A	N/A	Pcs	0	0	5	0	5
74	8171	39300	HDG ANCHOR BOLT124X500 AS PER DWG #ABPT/LC/25-0633 A	N/A	Pcs	0	0	12	0	12
75	8171	3334	HDG TEMPLATE AS PER DWG #ABPT/LC/25-0633 A	N/A	Pcs	0	0	1	0	1
76	8171	0	Capacitor Rack Bank -1-5N:2GPK00012562	N/A	Pallet	0	0	2	0	2
77	8171	0	Capacitor Rack Bank -2-5N:2GPK00012563	N/A	Pallet	0	0	2	0	2
78	8171	0	Capacitor Rack Bank -3-5N:2GPK00012564	N/A	Pallet	0	0	2	0	2
79	8171	0	Capacitor Rack Bank -4-5N:2GPK00012565	N/A	Pallet	0	0	2	0	2
80	8171	0	Capacitor Rack Bank -5-5N:2GPK00012566	N/A	Pallet	0	0	2	0	2
81	8171	0	Earthing Cable, 1x70mm2, CU/XLPE/PVC,5KV	1x70MM2	Mtr	0	0	75	0	75

10182025

[Signature]

[Signature]

FILE.

SC ENG B.

AL mod a user

82	8171	0	Green Shrinkable Tube for 70mm2 cable	
83	8171	0	Cable Lug, 70mm ² , 12.5mm stud	
84	8171	0	Bi-Metallic washer Cu/Al	
85	8171	0	70mm ² Insulated power cable, XLPE, 0.6/1kV	
86	8171	0	Surge Arrestors with Accessories SA, EXLIM P018-GV018, 20KA (SA007083-SA007084-SA007085)	
87	8171	0	Surge Arrestors with Accessories SA, EXLIM P018-GV018, 20KA (SA007086-SA007087-SA007088)	
88	8171	0	Surge Arrestors with Accessories SA, EXLIM P018-GV018, 20KA (SA007089-SA007090-SA007091)	
89	8171	0	Surge Arrestors with Accessories SA, EXLIM P018-GV018, 20KA (SA007092-SA007093-SA007094)	
90	8171	0	Surge Arrestors with Accessories SA, EXLIM P018-GV018, 20KA (SA007095-SA007096-SA007097)	
91	8171	0	CT, 10/1A, 5P20, CAST RESIN, 50/125KV(64695)	
92	8171	0	CT, 10/1A, 5P20, CAST RESIN, 50/125KV(64696)	
93	8171	0	CT, 10/1A, 5P20, CAST RESIN, 50/125KV(64697)	
94	8171	0	CT, 10/1A, 5P20, CAST RESIN, 50/125KV(64775)	
95	8171	0	CT, 10/1A, 5P20, CAST RESIN, 50/125KV(64791)	
96	8171	0	VT, 13.8kV/ 3-120V&120V, Class 0.2/3P, Dry (64569)	
97	8171	0	VT, 13.8kV/ 3-120V&120V, Class 0.2/3P, Dry (64748)	
98	8171	0	Steel Assemblies	
99	8171	0	Main busbar-1 (Middle)	
100	8171	0	Main busbar-2 (Side)	
101	8171	0	Neutral busbar	
102	8171	0	Capacitor Bank Nameplate	
103	8171	0	B-3 TOP ANGLE	
104	8171	0	B-11 TOP ANGLE	
105	8171	14110150	240 mm ² Soft Annealed Copper Conductor, Round Non-Compacted	
106	8171	480550	Alumax Heavy Duty Interlocked Wall Socket with MCCB 3P+N+E, 250A, 400V, IP65	
107	8171	750550	Alumax Heavy Duty Plug in Aluminium 3P+N+E, 250A, IP67 PN 750550	
108	8171	K56420	Weather Proof enclosure for 1 switch module, Master seal, PN K56420, GRV Mfr: MK Electric	
109	8171	K4910WHI	Push Button, 20A, Push to Make, white PN K4910WHI Mfr: MK Electric Made in UK	

70MM2	Mtr	0	0	75	0	75
N/A	Pcs	0	0	285	0	285
N/A	Pcs	0	0	285	0	285
70MM ²	Mtr	0	0	400	0	400
N/A	Pcs	0	0	1	0	1
N/A	Pcs	0	0	1	0	1
N/A	Pcs	0	0	1	0	1
N/A	Pcs	0	0	1	0	1
N/A	Pcs	0	0	2	0	2
N/A	Pcs	0	0	2	0	2
N/A	Pcs	0	0	2	0	2
N/A	Pcs	0	0	2	0	2
N/A	Pcs	0	0	2	0	2
N/A	Pcs	0	0	2	0	2
N/A	Pcs	0	0	4	0	4
N/A	Pcs	0	0	1	0	1
N/A	Pallet	0	0	5	0	5
N/A	Pcs	0	0	5	0	5
N/A	Pcs	0	0	10	0	10
N/A	Pcs	0	0	10	0	10
N/A	Pcs	0	0	5	0	5
N/A	Pcs	0	0	5	0	5
N/A	Pcs	0	0	5	0	5
N/A	Pcs	0	0	5	0	5
240 MM ²	Mtr	0	0	1010	0	1010
N/A	Pcs	0	0	7	0	7
N/A	Pcs	0	0	7	0	7
N/A	Pcs	0	0	175	2	177
N/A	Pcs	0	0	175	35	210

10/12/2024


Approved by


 P.H.H.
 E.M.E.
 & C. ENG.

110	8171	HTTENC 150x150x150M 150x150x150mm SS201 Endosure	N/A	Pcs	0	0	80	0	80
111	8171	CRHLL37 BODY: OUTLET, 1 HUB SIZE; FORM	N/A	Pcs	0	0	250	35	215
112	8171	CRH370 VOVER, FOR FORM 7 OUTLET BODIES; 1 SHEET STEEL	N/A	Pcs	0	0	660	240	420
113	8171	RS2200 Rigid Strap Snap-Sn type Two hole-steel size: 1	N/A	Pcs	0	0	650	0	650
114	8171	CRHLR37 BODY: OUTLET, 1 HUB SIZE; FORM	N/A	Pcs	0	0	85	35	50
115	8171	BCT-13-8-C-UL Bare Copper Tape, Conductor Width=40mm, Conductor Thickness=6mm-(25mtr/roll) with UL	N/A	Pcs	0	0	75	0	75
116	8171	CR TH-16-H150 Exothermic Weld System, Cable to Rebar-Tee Horizontal, Re-Bar Diameter=16mm, Cable Size=150mm²	N/A	Pcs	0	0	20	0	20
117	8171	HC M Mould Handle Clamp Medium	N/A	Pcs	0	0	5	0	5
118	8171	P-200C10 Exothermic welding powder 200g-(10 Pcs/Box)	N/A	Pcs	0	0	40	0	40
119	8171	MIB Mould brush	N/A	Pcs	0	0	20	0	20
120	8171	CCB Conductor Cleaning Brush	N/A	Pcs	0	0	20	0	20
121	8171	MS Mould Scraper	N/A	Pcs	0	0	20	0	20
122	8171	IL Ignition lighter	N/A	Pcs	0	0	20	0	20
123	8171	DT-510 TAPE SIZE: 2" (50 MM) x 10 METER, DENSIVL TAPE, MADE IN UK	N/A	Pcs	0	0	72	0	72
124	8171	1200004048 EarthRod Cu-Bond 3/4" x 2.4m WallisERB24	N/A	Pcs	0	0	91	0	91
125	8171	1200502928 Cu-Bond Threaded EarthRod ERB215 Wallis 3/4" x 1.5m	N/A	Pcs	0	0	129	0	129
126	8171	1200006201 Welding powder Wallis WEP250 Powder 250g Copper GB	N/A	Pcs	0	0	86	0	86
127	8171	1200006171 Exothermic mould Wallis CC2-C-150150	N/A	Pcs	0	0	34	0	34
128	8171	120006191 Threaded Coupling 3/4" Wallis ERBO20	N/A	Pcs	0	0	45	0	45
129	8171	159135 TRF_OIL_13.8/0.4KV_M07 50-SGC-013H52	N/A	Pcs	0	0	2	0	2
130	8171	1127416 METROSIL	N/A	Pcs	0	0	5	0	5
131	8171	1291005 VARIABLE RESISTOR	N/A	Pcs	0	0	15	0	15
132	8171	1263519 VARIABLE RESISTOR	N/A	Pcs	0	0	15	0	15
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

Handwritten signature and date 20.6.5

Handwritten signature and text: F.M.E. QC ENGR

N L Mod 9 a haan