

Round 1B 2010

**A. File Fix-it**[B. Picking Up Chicks](#)[C. Your Rank is Pure](#)[Contest Analysis](#)[Questions asked](#) **1**

## Submissions

## File Fix-it

12pt	Not attempted 3049/3404 users correct (90%)
14pt	Not attempted 2909/3047 users correct (95%)

## Picking Up Chicks

13pt	Not attempted 1430/1965 users correct (73%)
17pt	Not attempted 1393/1424 users correct (98%)

## Your Rank is Pure

14pt	Not attempted 1036/1705 users correct (61%)
30pt	Not attempted 502/827 users correct (61%)

## Top Scores

Gluk	100
yuhch123	100
Gennady.Korotkevich	100
SergeyRogulenko	100
andrewzta	100
vepifanov	100
burunduk3	100
nika	100
mystic	100
Vasyl	100

**Problem A. File Fix-it**

This contest is open for practice. You can try every problem as many times as you like, though we won't keep track of which problems you solve. Read the [Quick-Start Guide](#) to get started.

Small input  
12 points

Solve A-small

Large input  
14 points

Solve A-large

**Problem**

On Unix computers, data is stored in *directories*. There is one *root directory*, and this might have several directories contained inside of it, each with different names. These directories might have even more directories contained inside of them, and so on.

A directory is uniquely identified by its name and its parent directory (the directory it is directly contained in). This is usually encoded in a *path*, which consists of several parts each preceded by a forward slash ('/'). The final part is the name of the directory, and everything else gives the path of its parent directory. For example, consider the path:

```
/home/gcj/finals
```

This refers to the directory with name "finals" in the directory described by "/home/gcj", which in turn refers to the directory with name "gcj" in the directory described by the path "/home". In this path, there is only one part, which means it refers to the directory with the name "home" in the root directory.

To create a directory, you can use the `mkdir` command. You specify a path, and then `mkdir` will create the directory described by that path, but *only if* the parent directory already exists. For example, if you wanted to create the "/home/gcj/finals" and "/home/gcj/quals" directories from scratch, you would need four commands:

```
mkdir /home
mkdir /home/gcj
mkdir /home/gcj/finals
mkdir /home/gcj/quals
```

Given the full set of directories already existing on your computer, and a set of new directories you want to create if they do not already exist, how many `mkdir` commands do you need to use?

**Input**

The first line of the input gives the number of test cases, **T**. **T** test cases follow. Each case begins with a line containing two integers **N** and **M**, separated by a space.

The next **N** lines each give the path of one directory that already exists on your computer. This list will include every directory already on your computer other than the root directory. (The root directory is on every computer, so there is no need to list it explicitly.)

The next **M** lines each give the path of one directory that you want to create.

Each of the paths in the input is formatted as in the problem statement above. Specifically, a path consists of one or more lower-case alpha-numeric strings (i.e., strings containing only the symbols 'a'-'z' and '0'-'9'), each preceded by a single forward slash. These alpha-numeric strings are never empty.

### Output

For each test case, output one line containing "Case #x: y", where x is the case number (starting from 1) and y is the number of *mkdir* you need.

### Limits

$1 \leq T \leq 100$ .

No path will have more than 100 characters in it.

No path will appear twice in the list of directories already on your computer, or in the list of directories you wish to create. A path may appear once in both lists however. (See example case #2 below).

If a directory is listed as being on your computer, then its parent directory will also be listed, unless the parent is the root directory.

The input file will be no longer than 100,000 bytes in total.

### Small dataset

$0 \leq N \leq 10$ .

$1 \leq M \leq 10$ .

### Large dataset

$0 \leq N \leq 100$ .

$1 \leq M \leq 100$ .

### Sample

Input	Output
3	Case #1: 4
0 2	Case #2: 0
/home/gcj/finals	Case #3: 4
/home/gcj/quals	
2 1	
/chicken	
/chicken/egg	
/chicken	
1 3	
/a	
/a/b	

/a/c  
/b/b

---

All problem statements, input data and contest analyses are licensed under the [Creative Commons Attribution License](#).

© 2008-2013 Google [Google Home](#) - [Terms and Conditions](#) - [Privacy Policies and Principles](#)

