## SAFETY DATA SHEET



## 1. Identification

**Product identifier EZ Grout Hardener** 

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

**Address** 2829 Lakeland Drive Jackson, MS 39232

**USA** 

1-800-222-7122

1-877-982-7667

After hours telephone

number

**Normal work hours** 

telephone number

Website www.ergonarmor.com E-mail sds@ergon.com

**Emergency 24-hour** 

telephone number

Information on operation

8:00 a.m. to 5:00 p.m.

hours

## 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Acute toxicity, inhalation Category 2

> Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Sensitization, skin Category 1 Reproductive toxicity Category 2

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 



Signal word

**Hazard statement** Fatal if inhaled. Causes serious eye damage. Suspected of damaging fertility or the unborn child.

May cause an allergic skin reaction. Causes severe skin burns and eye damage.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face

protection. In case of inadequate ventilation wear respiratory protection.

Material name: EZ Grout Hardener SDS US Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment see Section 4 of this SDS. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. IF exposed or concerned: Get medical advice/attention.

**Storage** 

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

**Supplemental information** 

None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Tofa, reaction products with TEPA		68953-36-6	20 - 40
Diethylenetriamine		111-40-0	0 - 20
Phenol, 4,4'-(1-methylethylidene)bis-		80-05-7	0 - 20
TETRAETHYLENE PENTAMINE		112-57-2	2 - 12
Other components below reportable	levels		47.5

#### **Composition comments**

The full text for all R- and H-phrases is displayed in section 16

#### 4. First-aid measures

**Inhalation** 

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing. Remove and isolate contaminated clothing and shoes. Immediately flush skin with plenty of water. Wash off with soap and plenty of water. Wash off with soap and water. Rinse skin with water/shower. Get medical attention immediately. For minor skin contact, avoid spreading material on unaffected skin. Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation occurs: Get medical advice/attention. Get medical attention if irritation develops and persists. Wash clothing separately before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Rinse cautiously with water for several minutes. Rinse with water. Flush eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately. Get medical attention if irritation develops and persists.

**Ingestion** 

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If ingestion of a large amount does occur, call a poison control center immediately. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Irritation of eyes and mucous membranes. Irritant effects.

Indication of immediate medical attention and special treatment needed

Material name: EZ Grout Hardener

In case of shortness of breath, give oxygen. Keep victim warm. Symptoms may be delayed.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If you feel unwell, seek medical advice (show the label where possible). Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Carbon dioxide or dry powder.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Irritating and toxic gases or fumes may be released during a fire.

Special protective equipment

and precautions for firefighters

Wear suitable protective equipment.

Fire fighting

equipment/instructions

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Keep upwind. Keep out of low areas. Ventilate closed spaces before entering them. Ensure adequate ventilation.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent further leakage or spillage if safe to do so. No special environmental precautions required.

### 7. Handling and storage

Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapors/spray. Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not taste or swallow. Avoid contact with skin. Avoid contact with eyes. Do not get this material on clothing. Avoid contact with clothing. Wear personal protective equipment. Do not use in areas without adequate ventilation. Wear positive pressure self-contained breathing apparatus (SCBA). When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Wash thoroughly after handle and open container with care. Use care in handling/storage.

Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Store in original tightly closed container. Keep container tightly closed. Keep container dry. Store in a closed container away from incompatible materials. Keep out of the reach of children. Use care in handling/storage. Store in accordance with local/regional/national/international regulation.

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

PENTAMINE (CAS 112-57-2)

#### **US. ACGIH Threshold Limit Values**

Components	Туре	Value		
Diethylenetriamine (CAS 111-40-0)	TWA	1 ppm		
US. NIOSH: Pocket Guide to Ch	nemical Hazards			
Components	Туре	Value		
Diethylenetriamine (CAS 111-40-0)	TWA	4 mg/m3		
		1 ppm		
US. Workplace Environmental	Exposure Level (WEEL) Guides			
Components	Туре	Value	Form	
TETRAETHYLENE	TWA	5 mg/m3	Aerosol.	

Material name: EZ Grout Hardener

**Form** Components Value Type

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** No exposure standards allocated.

US - California OELs: Skin designation

Diethylenetriamine (CAS 111-40-0) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Diethylenetriamine (CAS 111-40-0) Skin designation applies.

**US ACGIH Threshold Limit Values: Skin designation** 

Diethylenetriamine (CAS 111-40-0) Can be absorbed through the skin.

**US NIOSH Pocket Guide to Chemical Hazards: Skin designation** 

Diethylenetriamine (CAS 111-40-0) Can be absorbed through the skin.

**US WEEL Guides: Skin designation** 

TETRAETHYLENE PENTAMINE (CAS 112-57-2) Can be absorbed through the skin.

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. General ventilation normally adequate.

1 ppm

Aerosol.

Provide adequate general and local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear eye/face protection. Chemical goggles are recommended. Wear

safety glasses with side shields (or goggles). Face-shield. Not normally needed.

Skin protection

Hand protection Wear protective gloves. Not normally needed.

Other Wear suitable protective clothing. Wear protective gloves. Wear chemical protective equipment that

is specifically recommended by the manufacturer. It may provide little or no thermal protection.

Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards Not available.

General hygiene considerations

When using, do not eat, drink or smoke. Avoid contact with eyes. Avoid contact with skin. Avoid contact with clothing. Wash hands after handling and before eating. Keep away from food and

drink. Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Liquid. **Appearance Physical state** Liquid. **Form** Liquid. Color Amber. Odor Ammoniacal Odor threshold Not available.

> 7 pН

Melting point/freezing point Not available.

Initial boiling point and

> 374 °F (> 190 °C)

boiling range

259.0 °F (126.1 °C) Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit -

Not available.

upper (%)

**Explosive limit - lower** Not available.

(%)

Material name: EZ Grout Hardener SDS US **Explosive limit - upper** 

(%)

Not available.

Vapor pressure< 5.17 mm Hg</th>Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water)Not available.Partition coefficientNot available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Specific gravity** 0.99

# 10. Stability and reactivity

**Reactivity** Not available.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

Not available.

**Conditions to avoid**None under normal conditions.

**Incompatible materials** Avoid contact with acids and alkalies. Strong oxidizing substances. Copper.

**Hazardous decomposition**No dangerous reaction known under conditions of normal use. No hazardous decomposition

**products** products are known.

### 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** Fatal if inhaled.

**Skin contact** Causes skin burns. May cause sensitization by skin contact.

**Eve contact** Causes serious eve damage.

**Ingestion** Harmful if swallowed. Not classified.

Symptoms related to the physical, chemical and toxicological characteristics

Irritating to eyes, respiratory system and skin.

## Information on toxicological effects

Acute toxicity Fatal if inhaled.

Components Species Test Results

Phenol, 4,4'-(1-methylethylidene)bis- (CAS 80-05-7)

Acute Oral

LD50 Rat 3300 mg/kg

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/eye

Causes serious eye damage.

irritation

### Respiratory or skin sensitization

**Respiratory sensitization** Not classified.

**Skin sensitization** Causes severe skin burns. May cause sensitization by skin contact.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic. Not available.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Material name: EZ Grout Hardener SDS US

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Not available. Not classified. Reproductive toxicity

Specific target organ toxicity

Not available.

- single exposure

**Aspiration hazard** 

Draduct

Specific target organ toxicity

Not available.

- repeated exposure

Not available.

**Further information** Acute dermal irritation/corrosion.

## 12. Ecological information

**Ecotoxicity** Not expected to be harmful to aquatic organisms.

Charias

Product		Species	Test Results
EZ Grout Hardener			
Aquatic			
Crustacea	EC50	Daphnia	92 mg/l, 48 hours estimated
Fish	LC50	Fish	52.5877 mg/l, 96 hours estimated
Components		Species	Test Results
Diethylenetriamine (C.	AS 111-40-0)		
Aquatic			
Fish	LC50	Guppy (Poecilia reticulata)	1014 mg/l, 96 hours
Phenol, 4,4'-(1-methy	lethylidene)bis- (CA	S 80-05-7)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	9.2 - 11.4 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	3.6 - 5.4 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** Not available.

Partition coefficient n-octanol / water (log Kow)

Phenol, 4,4'-(1-methylethylidene)bis-3.32 TETRAETHYLENE PENTAMINE 1.503

Mobility in soil Not available. Other adverse effects Not available.

### 13. Disposal considerations

**Disposal instructions** Do not allow this material to drain into sewers/water supplies. Dispose of contents/container in

accordance with local/regional/national/international regulations. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the

Toot Doculto

time of disposal, whether the product meets RCRA criteria for hazardous waste.

Waste from residues /

Dispose of in accordance with local regulations. Empty containers or liners may retain some product unused products residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions). Not applicable.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

DOT

**UN number** UN2735

5278 Version #: 04 Revision date: 12-14-2021 Issue date: 04-12-2019 6/9 **UN proper shipping name** Amines, liquid, corrosive, n.o.s (Polyamidoamine)

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group II

**Special precautions for** Not available.

user

**Special provisions** B2, IB2, T11, TP1, TP27

Packaging exceptions154Packaging non bulk202Packaging bulk242

**IATA** 

**UN number** UN2735

**UN proper shipping name** Amines, liquid, corrosive, n.o.s.

Transport hazard class(es)
Class 8
Subsidiary risk Packing group II
Environmental hazards No.
ERG Code 8L

**Special precautions for** Not available.

user

Other information

**Passenger and cargo** Allowed with restrictions.

aircraft

**Cargo aircraft only** Allowed with restrictions.

**IMDG** 

**UN number** UN2735

**UN proper shipping name** AMINES, LIQUID, CORROSIVE, N.O.S.

Transport hazard class(es)
Class 8
Subsidiary risk Packing group II

**Environmental hazards** 

Marine pollutant No.

EmS F-A, S-B

Special precautions for Not available.

ıser

Transport in bulk according to Not available. Annex II of MARPOL 73/78

and the IBC Code

DOT



Material name: EZ Grout Hardener SDS US

### IATA; IMDG



# 15. Regulatory information

**US federal regulations**This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**TSCA Chemical Action Plans, Chemicals of Concern** 

Phenol, 4,4'-(1-methylethylidene)bis- (CAS 80-05-7)

Bisphenol A Action Plan

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Phenol, 4,4'-(1-methylethylidene)bis- (CAS 80-05-7) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **SARA 302 Extremely hazardous substance**

Not listed.

SARA 311/312

Yes

**Hazardous chemical** 

Classified hazard categories

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Reproductive toxicity

### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Phenol, 4,4'-(1-methylethylidene)bis-	80-05-7	0 - 20	

### Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Phenol, 4,4'-(1-methylethylidene)bis- (CAS 80-05-7)

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

(SDWA)

Not regulated.

**US state regulations**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is

not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## **California Proposition 65**

#### California Proposition 65 - CRT: Listed date/Female reproductive toxin

Phenol, 4,4'-(1-methylethylidene)bis- (CAS 80-05-7) Listed: May 11, 2015

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Phenol, 4,4'-(1-methylethylidene)bis- (CAS 80-05-7)

5278 Version #: 04 Revision date: 12-14-2021 Issue date: 04-12-2019 8 / 9

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Furone	Furnnean List of Notified Chemical Substances (FLINCS)	No

Lurope European List of Notified Chemical Substances (ELINCS) No Inventory of Existing and New Chemical Substances (ENCS) Japan No Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Taiwan Chemical Substance Inventory (TCSI) **Taiwan** Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

## 16. Other information, including date of preparation or last revision

**Issue date** 04-12-2019 **Revision date** 12-14-2021

Version #

**Further information** HMIS® is a registered trade and service mark of the NPCA.

NFPA ratings Health: 3 Flammability: 0 Instability: 0

References **ACGIH** 

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** Physical & Chemical Properties: Multiple Properties

Stability and reactivity: Incompatible materials

GHS: Classification

Material name: EZ Grout Hardener SDS US 9/9

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).