

No password set!

There is no password set on this router. Please configure a root password to protect the web interface.

Firewall Status

IPv4 Firewall

IPv6 Firewall

Show empty chains

Reset Counters

Restart Firewall

Table: Filter

Chain *INPUT* (Policy: *ACCEPT*, 0 Packets, 0 B Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	ACCEPT	all	lo	*	::/0	::/0	-	-
837	68.76 KB	input_rule	all	*	*	::/0	::/0	-	Custom input rule chain
6	579 B	ACCEPT	all	*	*	::/0	::/0	ctstate RELATED,ESTABLISHED	-
13	1.04 KB	syn_flood	tcp	*	*	::/0	::/0	tcp flags:0x17/0x02	-
767	62.84 KB	zone_lan_input	all	br-lan	*	::/0	::/0	-	-
64	5.34 KB	zone_wan_input	all	eth0.2	*	::/0	::/0	-	-

Chain *FORWARD* (Policy: *DROP*, 0 Packets, 0 B Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	forwarding_rule	all	*	*	::/0	::/0	-	Custom forwarding rule chain
0	0 B	ACCEPT	all	*	*	::/0	::/0	ctstate RELATED,ESTABLISHED	-
0	0 B	zone_lan_forward	all	br-lan	*	::/0	::/0	-	-
0	0 B	zone_wan_forward	all	eth0.2	*	::/0	::/0	-	-
0	0 B	reject	all	*	*	::/0	::/0	-	-

Chain *OUTPUT* (Policy: *ACCEPT*, 0 Packets, 0 B Traffic)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	ACCEPT	all	*		::/0	::/0	-	-

OpenWrt	Status	System	Network	Logout		REFRESHING			
819	101.30 KB	output_rule	all	*	*	::/0	::/0	-	Custom output rule chain
524	79.92 KB	ACCEPT	all	*	*	::/0	::/0	ctstate RELATED,ESTABLISHED	-
272	19.71 KB	zone_lan_output	all	*	<div>br-lan</div>	::/0	::/0	-	-
23	1.68 KB	zone_wan_output	all	*	<div>eth0.2</div>	::/0	::/0	-	-

Chain *reject* ([3 References](#))

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
13	1.04 KB	REJECT	tcp	*	*	::/0	::/0	reject-with tcp-reset	-
7	448 B	REJECT	all	*	*	::/0	::/0	reject-with icmp6-port-unreachable	-

Chain *syn_flood* ([1 References](#))

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
13	1.04 KB	RETURN	tcp	*	*	::/0	::/0	tcp flags:0x17/0x02 limit: avg 25/sec burst 50	-
0	0 B	DROP	all	*	*	::/0	::/0	-	-

Chain *zone_lan_dest_ACCEPT* ([4 References](#))

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
272	19.71 KB	ACCEPT	all	*	<div>br-lan</div>	::/0	::/0	-	-

Chain *zone_lan_forward* ([1 References](#))

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	forwarding_lan_rule	all	*	*	::/0	::/0	-	Custom lan forwarding rule chain
0	0 B	zone_wan_dest_ACCEPT	all	*	*	::/0	::/0	-	Zone lan to wan forwarding policy
0	0 B	zone_lan_dest_ACCEPT	all	*	*	::/0	::/0	-	-

Chain *zone_lan_input* ([1 References](#))

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
-------	---------	--------	-------	----	-----	--------	-------------	---------	---------

OpenWrt

Status

System

Network

Logout

REFRESHING

767	62.84 KB	zone_lan_src_ACCEPT	all	*	*	::/0	::/0	-	-
-----	----------	-------------------------------------	-----	---	---	------	------	---	---

Chain [zone_lan_output](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
272	19.71 KB	output_lan_rule	all	*	*	::/0	::/0	-	Custom lan output rule chain
272	19.71 KB	zone_lan_dest_ACCEPT	all	*	*	::/0	::/0	-	-

Chain [zone_lan_src_ACCEPT](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
767	62.84 KB	ACCEPT	all	br-lan	*	::/0	::/0	ctstate NEW,UNTRACKED	-

Chain [zone_wan_dest_ACCEPT](#) (2 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	DROP	all	*	eth0.2	::/0	::/0	ctstate INVALID	Prevent NAT leakage
23	1.68 KB	ACCEPT	all	*	eth0.2	::/0	::/0	-	-

Chain [zone_wan_dest_REJECT](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	reject	all	*	eth0.2	::/0	::/0	-	-

Chain [zone_wan_forward](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	forwarding_wan_rule	all	*	*	::/0	::/0	-	Custom wan forwarding rule chain
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 128 limit: avg 1000/sec burst 5	Allow-ICMPv6-Forward
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 129 limit: avg 1000/sec burst 5	Allow-ICMPv6-Forward
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 1 limit: avg 1000/sec	Allow-ICMPv6-

OpenWrt	Status	System	Network	Logout	REFRESHING				
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 2 limit: avg 1000/sec burst 5	Allow-ICMPv6-Forward
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 3 limit: avg 1000/sec burst 5	Allow-ICMPv6-Forward
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 4 code 0 limit: avg 1000/sec burst 5	Allow-ICMPv6-Forward
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 4 code 1 limit: avg 1000/sec burst 5	Allow-ICMPv6-Forward
0	0 B	zone_lan_dest ACCEPT	esp	*	*	::/0	::/0	-	Allow-IPSec-ESP
0	0 B	zone_lan_dest ACCEPT	udp	*	*	::/0	::/0	udp dpt:500	Allow-ISAKMP
0	0 B	zone_wan_dest REJECT	all	*	*	::/0	::/0	-	-

Chain [zone_wan_input](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
64	5.34 KB	input_wan_rule	all	*	*	::/0	::/0	-	Custom wan input rule chain
0	0 B	ACCEPT	udp	*	*	fc00::/6	fc00::/6	udp dpt:546	Allow-DHCPv6
0	0 B	ACCEPT	icmpv6	*	*	fe80::/10	::/0	ipv6-icmp type 130 code 0	Allow-MLD
0	0 B	ACCEPT	icmpv6	*	*	fe80::/10	::/0	ipv6-icmp type 131 code 0	Allow-MLD
0	0 B	ACCEPT	icmpv6	*	*	fe80::/10	::/0	ipv6-icmp type 132 code 0	Allow-MLD
0	0 B	ACCEPT	icmpv6	*	*	fe80::/10	::/0	ipv6-icmp type 143 code 0	Allow-MLD
1	104 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 128 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
0	0 B	ACCEPT	icmpv6	*	*	::/0	::/0	ipv6-icmp type 129 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input

OpenWrt	Status	System	Network	Logout	REFRESHING					
									burst 5	Input
0	0 B	ACCEPT		icmpv6	*	*	::/0	::/0	ipv6-icmp type 2 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
0	0 B	ACCEPT		icmpv6	*	*	::/0	::/0	ipv6-icmp type 3 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
0	0 B	ACCEPT		icmpv6	*	*	::/0	::/0	ipv6-icmp type 4 code 0 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
0	0 B	ACCEPT		icmpv6	*	*	::/0	::/0	ipv6-icmp type 4 code 1 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
4	192 B	ACCEPT		icmpv6	*	*	::/0	::/0	ipv6-icmp type 133 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
4	288 B	ACCEPT		icmpv6	*	*	::/0	::/0	ipv6-icmp type 135 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
11	1.67 KB	ACCEPT		icmpv6	*	*	::/0	::/0	ipv6-icmp type 134 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
24	1.60 KB	ACCEPT		icmpv6	*	*	::/0	::/0	ipv6-icmp type 136 limit: avg 1000/sec burst 5	Allow-ICMPv6-Input
20	1.49 KB	zone wan src REJECT	all	*	*	::/0	::/0	-	-	-

Chain [zone_wan_output](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
23	1.68 KB	output wan rule	all	*	*	::/0	::/0	-	Custom wan output rule chain
23	1.68 KB	zone wan dest ACCEPT	all	*	*	::/0	::/0	-	-

Chain [zone_wan_src_REJECT](#) (1 References)

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
20	1.49 KB	reject	all	eth0.2	*	::/0	::/0	-	-

Table: Mangle

OpenWrt

StatusSystemNetworkLogout

REFRESHING

Pkts.	Traffic	Target	Prot.	In	Out	Source	Destination	Options	Comment
0	0 B	TCPMSS	tcp	*	eth0.2	::/0	::/0	tcp flags:0x06/0x02 TCPMSS clamp to PMTU	Zone wan MTU fixing
0	0 B	TCPMSS	tcp	eth0.2	*	::/0	::/0	tcp flags:0x06/0x02 TCPMSS clamp to PMTU	Zone wan MTU fixing