



Attachment 5-MS-0046851-Rev.1

CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No.: **TRG08C2026-2443**Date of Inspection: **13-Aug-2026**

<u>Name and Address of the Owner:</u> M/s. SULZER ROTATING EQUIPMENT SERVICES P.O. BOX 12975 DOHA STATE OF QATAR		<u>Place of Inspection:</u> Ras Jaffan WO# :17462209704 <u>Requested By:</u> DUTEST		
<u>Maker or Supplier</u> DUTEST QATAR WLL		<u>Ref. Standard/Ref</u> BS EN 13414-1:2003+A2:2008 / CORP-PAI-STD-005 Rev.00		
ID No.:	Qty.	Description	Proof Load Applied	SWL
DQ098708 DQ098709	02	<u>WIRE ROPE SLING</u> Type : Single leg Nominal Diameter : 13.0 mm Construction : 6x19, Preformed, Galvanized Lay Direction/Core : RHRL / IWRC E.W.L. : 1.5 m Tensile Strength : 1960 N/mm ² YOM : 07/2025 Terminated with aluminium ferrule secured soft eye both Break Test Cert. No : BVI.DOA.21.IVS.054.80.WR-4546 Date : 18.10.2021 Mill Test Cert. No : CN D034650102 Date: 29.06.2021 COC No. : DQ-202501543 Date : 27.07.2025 TC No.: N/A	NIL	2.1 t (Straight lift)
Insp. Pr. No.: MS-0046851 LEI-021-7		Checklist No.: CLTRG08C2026-2443	Tool kit No.: 08	Date of Issue: 14-Aug-2026
Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test	
02-February-2026	12-Feb-2027	Not applicable	Not applicable	

Authorized Name: **Udayakumar. G**Surveyor's Name: **M Ali Inam**Authorized Signature: Surveyor's Signature: 

THIS IS TO CERTIFY THAT the above competent surveyor thoroughly examined & tested the lifting equipment in the above-mentioned place as per relevant International Standard and Code. The liabilities & insurance is as per TUV Rheinland Gulf General Conditions of Services.



CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No:
 N143A9G1


Date of Inspection:
 02-February-2026

Name and Address of the Owner: M/s. SULZER ROTATING EQUIPMENT SERVICES P.O. BOX 12975 DOHA STATE OF QATAR	Place of Inspection: DUTEST YARD, INDUSTRIAL AREA DOHA, QATAR W.O# 17462209221 DNV Order No.: A1857569
Manufacturer OR Supplier: DUTEST QATAR W.L.L.	Reference Standard: BS EN 13414-1:2003+A2:2008 / CORP-PAI-STD-005 REV 00

ID No.	Qty.	Equipment Description	Test Load Applied (Tonne)	SWL (Tonne)
DQ098708 DQ098709	02	WIRE ROPE SLING Type : Single leg Nominal Diameter : 13.0 mm Construction : 6x19, Preformed, Galvanized Lay Direction/Core : RHRL / IWRC E.W.L. : 1.5 m Tensile Strength : 1960 N/mm ² YOM : 07/2025 Terminated with aluminium ferrule secured soft eye both ends. Break Test Cert. No : BVI.DOA.21.IVS.054.80.WR-4546 Date : 18.10.2021 Mill Test Cert. No. : CN D034650102 Date : 29.06.2021 COC No. : DQ-202501543 Date : 27.07.2025 Identification of Measuring/Testing Tools: Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026 Vernier Caliper Sl. N°: TN28152, Due Date: 04.02.2026	NIL	2.1 t (Straight lift)

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
27.07.2025 A1747581-23	02.08.2026	Not applicable	Not applicable

Authorized Name: ROBIN JOHNY

Authorized Signature:


Surveyor's Name: MANOJ MATHEW

Surveyor's Signature:


LEGAL DISCLAIMER: **THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar
 Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Form code: ISI-INSP-5-7-A1-QA V1 Revision: 06 Date: 2024-10

www.dnv.com

Page 1 of 1

Copyright © DNV 2021. All rights reserved.

The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client

CERTIFICATE OF TEST AND THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No:
A1747581-23

Date of Inspection:
27-July-2025

Name and Address of the Owner: M/s. SULZER ROTATING EQUIPMENT SERVICES P.O. BOX 12975 DOHA STATE OF QATAR	Place of Inspection: DUTEST YARD, INDUSTRIAL AREA DOHA, QATAR W.O# 17462208717 DNV Order No.: A1747581
Manufacturer OR Supplier: DUTEST QATAR W.L.L.	Reference Standard: BS EN 13414-1:2003+A2:2008 / QP-PAI-STD-005 REV 00

ID No.	Qty.	Equipment Description	Test Load Applied (Tonne)	SWL (Tonne)
DQ098708 DQ098709	02	WIRE ROPE SLING Type : Single leg Nominal Diameter : 13.0 mm Construction : 6x19, Preformed, Galvanized Lay Direction/Core : RHRL / IWRC E.W.L : 1.5 m Tensile Strength : 1960 N/mm ² YOM : 07/2025 Terminated with aluminium ferrule secured soft eye both ends. Break Test Cert. No : BVI.DOA.21.IVS.054.80.WR-4546 Date : 18.10.2021 Mill Test Cert. No. : CN D034650102 Date : 29.06.2021 COC No. : DQ-202501543 Date : 27.07.2025 Identification of Measuring/Testing Tools: Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026 Vernier Caliper Sl. N°: TN28152, Due Date: 04.02.2026	4.2 t	2.1 t (Straight lift)
Date of Last Examination		Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
New		27.01.2026	New	Not Applicable

Authorized Name:

ROBIN JOHNY

Authorized Signature:




Surveyor's Name: MANOJ MATHEW

Surveyor's Signature:



LEGAL DISCLAIMER: THIS IS TO CERTIFY THAT the above competent surveyor tested and thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Form code: ISI-INSP-5-7-A1-QA V2 Revision: 06 Date: 2024-10

www.dnv.com

Page 1 of 1

Copyright © DNV 2021. All rights reserved.

The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client



DUTEST QATAR W.L.L.
CRANE & LIFTING EQUIPMENT ENGINEERS
GENERAL MECHANICAL WORKS

TEYSEER GROUP

P. O. Box : 40523 Al-Wakalat Street (Between 18 & 19) Ind. Area, State of Qatar
Tel. : 4458 5497 / 4458 5473
Fax : 4458 5467 / 4460 1445
C. R. No. : 19218
Capital : QR. 1,000,000



www.dutestqatar.com
operations@dutestqatar.com



دوتست قطر ذ.م.م.
مهندسون معدات الآلات الرافعة
عمل ميكانيكا عام

ص.ب: ٤٠٥٢٣، شارع الوكالات (بين ١٨-١٩) المنطقة الصناعية
الدوحة - قطر
تليفون : ٤٤٥٨ ٥٤٩٧ / ٤٤٥٨ ٥٤٧٣
فاكس : ٤٤٥٨ ٥٤٦٧ / ٤٤٦٠ ١٤٤٥
رخصة تجارية رقم: ١٩٢١٨
رأس المال: ١.٠٠٠.٠٠٠ ريال قطري

CERTIFICATE OF CONFORMITY

CERTIFICATE NUMBER: DQ-202501543

Manufacturer	DUTEST QATAR W.L.L		
Item	Wire rope sling	Description	Single leg wire rope sling, both end of wire rope terminated with ferrule secured soft eye.
Wire rope Construction/Core	6X19, Preformed / IWRC	Wire rope Lay Direction	RHRL
Wire rope Tensile Grade	1960 N/mm²	Wire rope Finish	Galvanized Steel Wire Ropes
S.W.L	2.1 t (Straight Lift)	Manufactured Standard	BS EN 13414-1:2003 + A2:2008
Wire rope Diameter	13 mm	E.W.L	1.5 m
Minimum Breaking Strength of the wire rope	118.00 kN	Reel No.	D034650102
Quantity	02 Nos.	Mill Test Cert. No.	CN D034650102
Batch I.D No.	DQ098708 to DQ098709		
Components Traceability Code / Batch No.			
Ferrule		FGG	

- (1) Manufactured by DUTEST QATAR W.L.L.
- (2) This is to certify that the above described material was meeting the above mentioned standard
- (3) Name, position and qualification of person who carried out the test or examination.
Company approved Inspector: Yadhu Krishna
QA/QC
- (4) I certify on behalf of company, that the item described herein Manufacture and conforms to the above referred standard.

Signature:


QA/QC

Date:

27/07/2025





**BUREAU
VERITAS**

IVS/LG/T/QP/REV0

CERTIFICATE

Of Break Test of Lifting Gear

Certificate No.: **BVI.DOA.21.IVS.054.80. WR-4546**

Date of Inspection: **18th October 2021**

Name & Address of the Owner: DUTEST QATAR W.L.L P.O BOX 40523, DOHA, STATE OF QATAR		Place of Inspection: DUTEST YARD INDUSTRIAL AREA, STREET NO.10	
Maker or Supplier: BRUNTON WIRE ROPES FZCO.		Standard: BS EN 12385-4: 2002 / QP-PAI-STD-005 REV 00	
ID No.:	Qty.	Description	Actual Breaking Load
4546	01	WIRE ROPE A Sample Length of 3 m Galvanized steel wire rope was taken, and Destruction test was carried out on a hydraulic test bed. Maker or Supplier : Brunton Wire Ropes FZCo. Reel No. : D034650102 Diameter : 13 mm Ø Rope Construction : 6X19, Preformed, IWRC Tensile Grade : 1960 N/mm² Type of Lay : RHR Minimum Breaking Load : 12.03 t Actual Breaking Load : 12.5 t Length : 1000 m Test Bed SL.No : 677938 Calibrated On : 12th May 2021 Test bed calibration cert No. : BVI.DOA.21.IVS.054.80.LC.677938 Test bed calibration certificate reviewed. (Remaining Length of the Rope has 997 m) Wire Rope Mill Test Certificate No.: CN D034650102, Date: 29/06/2021 Instruments: Vernier Caliper Sl. No.: 12081587, Cert. No.: 92616, Due Date: 24.02.2022	tonne 12.5 t

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
NEW	N/A	NEW	N/A

Authorized Name: **Anil V. John**

Surveyor's Name: **M. Vinoth Jebakumar**

Authorized Signature:

Surveyor's Signature:



THIS IS TO CERTIFY THAT the above signed competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QP Standard for Lifting Equipment and Operations & International Standard and found satisfactory. The liabilities & insurance is as per Bureau Veritas International Doha L.L.C General Conditions of Services.

برنتون وایر راپس ش م ح



**Brunton Wire
Ropes FZCo.**

P.O. Box: 17491 Jebel Ali Free Zone
Dubai - United Arab Emirates
Tel. : +971 4 8838755, 8838151
Fax : +971 4 8838152
E-mail : wireropes@bsme-uae.com
Website : www.bruntonwire.com
(Formerly known as Brunton Wolf Wire Ropes FZCo.)

**MILL TEST CERTIFICATE
(TO EN 10204 : 2004/3.1)**

Certificate Number	: CN D034650102	Date	: 29-06-2021
Customer Name	: DUTEST QATAR WLL	Customer order ref#	: 17413620 1
Sales order	: 3131005020/120	SO Date	: 28-06-2021
Reel Number	: D034650102	Date Of Test	: 12-06-2021
Manufacturer	BRUNTON WIRE ROPES FZCo		

SPECIFICATION

Product	: STEEL WIRE ROPE
Applied Standard	: EN12385/4/2002
Nominal Diameter of Rope	: 13 mm
Construction	: 6X19, Preformed
Strand Construction	: 12-6F-6-1
Rope Grade	: 1960
Wire Finish/ Material Grade	: Galvanized
Type of Core /Lay Direction	: IWRC / RHR
Length of Rope	: 1000 Mtrs
Mass Per Unit Length(Approx)	: 0.702 kg/m
Type of Lubrication	: A2
Minimum breaking Force	: 118 KN 12.056

RESULT OF TEST & EXAMINATION

Measured Dia Off Tension	: 13.3 mm
Measured Lay Off Tension	: 85 mm
Measured Breaking Force	: 128.4 KN

This is to certify that the above test have been carried out in accordance with the specification

2-17 T

AS ✓
12.56

	DUTEST QATAR www.dutestqatar.com
TEYSEER GROUP DESIGN VERIFICATION REPORT - QUALITY ASSURANCE / QUALITY CONTROL	
Customer P.O. No.:	_____
Dutest Reference No.:	17462208717
Date:	31.07.2025

Signature of
Competent Person



an usha martin group company



No. 806, Fengping 1st Rd., Kaohsiung City 83141, Taiwan
TEL : +886-7-7019369 FAX : +886-7-7019623
E-mail: wirop@wirop.com.tw http://www.wirop.com.tw/

QUALITY AND QUANTITY CERTIFICATE

Certificate No. : CER11308012 -01

To Messrs.: DUTEST QATAR W.L.L. (Crane & Lifting Equipment Engineers)
PO BOX. 40523, Door no : 55 , Between 18 & 19 Al -Wakalat street, Salwa Industrial area Doha,
State of Qatar.

Tel: 974-4458-5497 / 974-4458-5473

FAX: 974-4460-1445

Order No. : 17419004

Invoice No. : V11308012

We hereby certify that the material used for following aluminum ferrules are according to EN 10204:2004/3.1, EN 13411-3:2004 and EN13411-3(DIN 3093) specification & order:

Description of Goods	Q'y	Net Weight	Measurement	Batch No.
#2 mm	10,000 pcs	3 kgs	300x250x205mm/ carton	RJB
#13 mm	200 pcs	13 kgs	300x250x205mm/ carton	ELD
#14 mm	400 pcs	31 kgs	300x250x205mm/ carton	FGG
#16 mm	360 pcs	43 kgs	300x250x205mm/ carton	FIB
#22 mm	1,000 pcs	306 kgs	300x250x205mm/ carton	FGF
#28 mm	210 pcs	129 kgs	300x250x205mm/ carton	GED
#30 mm	110 pcs	84 kgs	300x250x205mm/ carton	GEF,FFD
#34 mm	98 pcs	111 kgs	300x250x205mm/ carton	GFB,GEE
#40 mm	30 pcs	54 kgs	300x250x205mm/ carton	EKB



WIROP INDUSTRIAL CO., LTD.
806, Feng-Pin 1st Rd., Kaohsiung
Town, R.O.C.
TEL: +886-7-7019369 FAX: +886-7-7019623
E-mail: wirop@wirop.com.tw