



Attachment 5-MS-0046851-Rev.1

## CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No.: **TRG08C2026-2440**

Date of Inspection: **13-Aug-2026**

|                                                                                                                                |      |                                                                                                                                                                                                                                                                                                                   |                              |                              |
|--------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------|
| <u>Name and Address of the Owner:</u><br><b>M/s. SULZER ROTATING EQUIPMENT SERVICES<br/>P.O. BOX 12975 DOHA STATE OF QATAR</b> |      | <u>Place of Inspection:</u><br><b>Ras Jaffan WO# :17462209704</b><br><u>Requested By:</u><br><b>DUTEST</b>                                                                                                                                                                                                        |                              |                              |
| <u>Maker or Supplier</u><br><b>CROSBY</b>                                                                                      |      | <u>Ref. Standard/Ref</u><br><b>ASME B30.26 / CORP-PAI-STD-005 REV.00</b>                                                                                                                                                                                                                                          |                              |                              |
| ID No.:                                                                                                                        | Qty. | Description                                                                                                                                                                                                                                                                                                       | Proof Load Applied           | SWL                          |
| K 4215<br>K 4216<br>K 4217<br>K 4218                                                                                           | 04   | <b>EYE BOLT</b><br>Type : Shoulder Type Machinery Eyebolt<br>Make : Crosby<br>Model : S279<br>Thread Diameter : 3/8"<br>Thread Length: 31.8 mm<br>Stock Number : 9900208<br>Factor of Safety : 5:1<br>Traceability Code : 5ZB<br>COC No. : CC5-2025020500029<br>Date : 05.02.2025<br><br>TC No.: VQ/AAES/79/13828 | NIL                          | 700 kg                       |
| Insp. Pr. No.: MS-0046851 LEI-021-7    Checklist No.: CLTRG08C2026-2440    Tool kit No.: 08    Date of Issue: 14-Aug-2026      |      |                                                                                                                                                                                                                                                                                                                   |                              |                              |
| Date of Last Examination                                                                                                       |      | Date of Next Examination                                                                                                                                                                                                                                                                                          | Date of Last Proof Load Test | Date of Next Proof Load Test |
| <b>02-February-2026</b>                                                                                                        |      | <b>12-Feb-2027</b>                                                                                                                                                                                                                                                                                                | <b>05.02.2025</b>            | <b>Not Applicable</b>        |

Authorized Name: **Udayakumar. G**

Surveyor's Name: **M Ali Inam**

Authorized Signature:



Surveyor's Signature:



**THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined & tested the lifting equipment in the above-mentioned place as per relevant International Standard and Code. The liabilities & insurance is as per TUV Rheinland Gulf General Conditions of Services.



# CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

**Certificate No:**  
N143A9FS

**Date of Inspection:**  
02-February-2026

|                                                                                                                        |                                                                                                                               |
|------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>Name and Address of the Owner:</b><br>M/s. SULZER ROTATING EQUIPMENT SERVICES<br>P.O. BOX 12975 DOHA STATE OF QATAR | <b>Place of Inspection:</b><br>DUTEST YARD, INDUSTRIAL AREA<br>DOHA, QATAR W.O# 17462209221<br><b>DNV Order No.:</b> A1857569 |
| <b>Manufacturer OR Supplier:</b><br>CROSBY                                                                             | <b>Reference Standard:</b><br>ASME B30.26 / CORP-PAI-STD-005 REV 00                                                           |


| ID No.                               | Qty. | Equipment Description                                                                                                                                                                                                                                                                                                                                                                                        | Test Load Applied<br>(Kilogram) | SWL<br>(Kilogram) |
|--------------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|-------------------|
| K 4215<br>K 4216<br>K 4217<br>K 4218 | 04   | <b>EYE BOLT</b><br><br>Type : Shoulder Type Machinery Eyebolt<br>Make : Crosby<br>Model : S279<br>Thread Diameter : 3/8"<br>Thread Length : 31.8 mm<br>Stock Number : 9900208<br>Factor of Safety : 5:1<br>Traceability Code : 5ZB<br><br>COC No. : CC5-2025020500029<br>Date : 05.02.2025<br><br><b>Identification of Measuring/Testing Tools:</b><br>Vernier Caliper Sl. N°: TN28152, Due Date: 04.02.2026 | NIL                             | 700 kg            |

| Date of Last Examination  | Date of Next Examination | Date of Last Proof Load Test    | Date of Next Proof Load Test |
|---------------------------|--------------------------|---------------------------------|------------------------------|
| 14.07.2025<br>A1763017-59 | 02.08.2026               | 05.02.2025<br>VQI/AAES/79/13628 | Not Applicable               |

**Authorized Name:**

**ROBIN JOHNY**

**Authorized Signature:**




**Surveyor's Name:**

**MANOJ MATHEW**

**Surveyor's Signature:**



LEGAL DISCLAIMER: **THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar  
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Form code: ISI-INSP-5-7-A1-QA V1 Revision: 06 Date: 2024-10

[www.dnv.com](http://www.dnv.com)

Page 1 of 1

Copyright © DNV 2021. All rights reserved.

The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client



# CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

**Certificate No:**  
A1763017-59

**Date of Inspection:**  
14-July-2025

|                                                                                                         |                                                                                                                               |
|---------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>Name and Address of the Owner:</b><br>M/s. SULZER ROTATING EQUIPMENT SERVICES<br>DOHA STATE OF QATAR | <b>Place of Inspection:</b><br>DUTEST YARD, INDUSTRIAL AREA<br>DOHA, QATAR W.O# 17462208717<br><b>DNV Order No.:</b> A1763017 |
| <b>Manufacturer OR Supplier:</b><br>CROSBY                                                              | <b>Reference Standard:</b><br>ASME B30.26 / QP-PAI-STD-005 REV 00                                                             |

| ID No.                                                           | Qty.      | Equipment Description                                                                                                                                                                                                                                                                                                                                                                                        | Test Load Applied<br>(Kilogram) | SWL<br>(Kilogram) |
|------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|-------------------|
| <b>K 4215</b><br><b>K 4216</b><br><b>K 4217</b><br><b>K 4218</b> | <b>04</b> | <b>EYE BOLT</b><br><br>Type : Shoulder Type Machinery Eyebolt<br>Make : Crosby<br>Model : S279<br>Thread Diameter : 3/8"<br>Thread Length : 31.8 mm<br>Stock Number : 9900208<br>Factor of Safety : 5:1<br>Traceability Code : 5ZB<br><br>COC No. : CC5-2025020500029<br>Date : 05.02.2025<br><br><b>Identification of Measuring/Testing Tools:</b><br>Vernier Caliper Sl. N°: TN28152, Due Date: 04.02.2026 | <b>NIL</b>                      | <b>700 kg</b>     |

| Date of Last Examination        | Date of Next Examination | Date of Last Proof Load Test    | Date of Next Proof Load Test |
|---------------------------------|--------------------------|---------------------------------|------------------------------|
| 05.02.2025<br>VQI/AAES/79/13628 | 14.01.2026               | 05.02.2025<br>VQI/AAES/79/13628 | Not applicable               |

**Authorized Name:** **NITHIN RAVINDRAN**
**Authorized Signature:**
**Surveyor's Name:** **MANOJ MATHEW**
**Surveyor's Signature:**

LEGAL DISCLAIMER: **THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar  
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Form code: ISI-INSP-5-7-A1-QA V1 Revision: 06 Date: 2024-10

[www.dnv.com](http://www.dnv.com)

Page 1 of 1

Copyright © DNV 2021. All rights reserved.

**The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client**



# CERTIFICATE

## of Test and Thorough Examination of Lifting Gear

**L5-QAT-018a Rev. 0**

Certificate No.: VQI/AES/79/13628

Date of Inspection: 05.02.2025

| <b>Name &amp; Address of the Owner:</b><br><p style="text-align: center;"><b>AL HABARI ENGINEERING<br/>DOHA-QATAR</b></p> |           | <b>Place of Inspection:</b><br><p style="text-align: center;"><b>ABU ADEL ENGINEERING &amp; MECH SERVICES YARD,<br/>DOHA-QATAR</b></p>                                                                                                                                                        |                    |               |
|---------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------|
| <b>Maker or Supplier:</b><br><p style="text-align: center;"><b>Crosby</b></p>                                             |           | <b>Ref. Standard:</b><br><p style="text-align: center;"><b>ASME B30.26 / QP-PAI-STD-005 REV.00</b></p>                                                                                                                                                                                        |                    |               |
| ID No.:                                                                                                                   | Qty.      | Description                                                                                                                                                                                                                                                                                   | Proof Load Applied | S.W.L         |
| <b>K 4215<br/>K 4216<br/>K 4217<br/>K 4218</b>                                                                            | <b>04</b> | <p style="text-align: center;"><b><u>EYE BOLT</u></b></p> <p>TYPE : S-279, SHOULDER TYPE MACHINERY EYE BOLT.<br/> STOCK No. : 9900208<br/> THREAD DIAMETER : 3/8 INCH (UNC)<br/> THREAD LENGTH: 31.8 mm<br/> TRACEABILITY CODE : 5ZB</p> <p>COC No.: CC5-2025020500029, Dated: 05.02.2025</p> | 1400 kg            | <b>700 kg</b> |

| Date of Last Examination | Date of Next Examination | Date of Last Proof Load Test | Date of Next Proof Load Test |
|--------------------------|--------------------------|------------------------------|------------------------------|
| NEW                      | 05.08.2025               | NEW                          | NOT APPLICABLE               |

Authorized Name: EZHIL AMUTHAN



Surveyor's Name: K. VENKATESAN

Authorized Signature: \_\_\_\_\_

Surveyor's Signature: \_\_\_\_\_

**THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined and tested the lifting equipment in the above-mentioned place as per Corporate Standard for Lifting Equipment and Operations. The liabilities and insurance are as per Velosi Certification LLC General Conditions of Services.



## Certificate of Conformity

Certificate Number: CC5-2025020500029  
Location of Issue: TECHNICAL SUPPLIES & SERVICES CO. WLL  
P.O. BOX 24770  
DOHA, Qatar  
Phone: 00974.44439898 Fax: 00974.44437676

Stock No: 9900208

Description of Gear: S279 9.53X31.8 Shoulder Type Machinery Eye Bolt

Working Load Limit: .7t Max. Allowed Proof Load: 1.4t

t indicates metric tons

Comments: 5:1 Design Factor. Temperature range of -40 F (-40 C)  
to 400 F (204 C). Tensile tested at -40 degrees.

Note: Meets or exceeds all requirements of ASME B30.26.

ASTM 489M - Meets the performance requirements and NAS1053 Eye dimensions.

Has not been contaminated by Mercury or Asbestos in the manufacturing process.

Number of Pieces: 4 Eye Bolt: 5ZB

PICs are based on visual observation

Certificate based on item being the Crosby product described above.

Mentioned products are in conformity to the Crosby literature available at the time of manufacture. We hereby certify that the above described material was manufactured and processed in a manner compatible to meeting the specified load ratings when use under normal and proper applications. This product at the time of manufacture does not contain any ozone-depleting substances.

This product at the time of manufacture does not exceed the threshold for any of the hazardous listed chemicals in Appendix 1 of MEPC.269(68) 2015 Guidelines.



For Product Delivered To: A A Engineering & Mechanical Services  
Industrial Area Street 15  
Gate 35  
Doha 40541 Qatar

Date: February 05, 2025  
Date of Issuance

Signature:   
Lillemor Hjalmejord, Quality Assurance