



Attachment 5-MS-0046851-Rev.1

CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No.: **TRG08C2026-2431**

Date of Inspection: **13-Aug-2026**

<u>Name and Address of the Owner:</u> M/s. SULZER ROTATING EQUIPMENT SERVICES P.O. BOX 12975 DOHA STATE OF QATAR		<u>Place of Inspection:</u> Ras Jaffan WO# :17462209704 <u>Requested By:</u> DUTEST		
<u>Maker or Supplier</u> HEROLIFT TRADING AND SERVICES W.L.L		<u>Ref. Standard/Ref</u> BS EN 1492-2:2000+A1:2008 / CORP-PAI-STD-005 REV. 00		
ID No.:	Qty.	Description	Proof Load Applied	SWL
2308020022 2308020023 2308020024 2308020025	04	<u>ENDLESS ROUND SLING</u> Type : Endless Polyester Round Sling Circumference : 4.0 m E.W.L. : 2.0 m Colour : Blue Y.O.M : 12-2023 Factor of Safety : 7:1 Date of Initial Use : 02.2025 Discard Date : 05.02.2029 Conformity Certificate No : HL23 RS230046 Dated: 21.12.2023 Break Test Certificate No : QD-MM-23-90854/113746/29-WA-REV-01 Dated : 28.12.2023 TC No.: N/A	NIL	8.0 t (Straight lift)
Insp. Pr. No.: MS-0046851 LEI-021-7		Checklist No.: CLTRG08C2026-2431	Tool kit No.: 08	Date of Issue: 14-Aug-2026
Date of Last Examination		Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
02-February-2026		12-Feb-2027	Not Applicable	Not Applicable

Authorized Name: **Udayakumar. G**

Surveyor's Name: **M Ali Inam**

Authorized Signature: 

Surveyor's Signature: 

THIS IS TO CERTIFY THAT the above competent surveyor thoroughly examined & tested the lifting equipment in the above-mentioned place as per relevant International Standard and Code. The liabilities & insurance is as per TUV Rheinland Gulf General Conditions of Services.



CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No:
N143A9F8

Date of Inspection:
02-February-2026

Name and Address of the Owner: M/s. SULZER ROTATING EQUIPMENT SERVICES P.O. BOX 12975 DOHA STATE OF QATAR	Place of Inspection: DUTEST YARD, INDUSTRIAL AREA DOHA, QATAR W.O# 17462209221 DNV Order No.: A1857569
Manufacturer OR Supplier: HEROLIFT TRADING AND SERVICES W.L.L	Reference Standard: BS EN 1492-2:2000+A1:2008 / CORP-PAI-STD-005 REV 00


ID No.	Qty.	Equipment Description	Test Load Applied (Tonne)	SWL (Tonne)
2308020022 2308020023 2308020024 2308020025	04	ENDLESS ROUND SLING Type : Endless Polyester Round Sling Circumference : 4.0 m E.W.L. : 2.0 m Colour : Blue Y.O.M : 12-2023 Factor of Safety : 7:1 Date of Initial Use : 02.2025 Discard Date : 05.02.2029 Conformity Certificate No.: HL23 RS230046 Dated : 21.12.2023 Break Test Certificate No.: QD-MM-23-90854/113746/29-WA-REV-01 Dated : 28.12.2023 Identification of Measuring/Testing Tools: Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026	NIL	8.0 t (Straight lift)

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
14.07.2025 A1763017-46	02.08.2026	Not Applicable	Not Applicable

Authorized Name:


ROBIN JOHNY

Authorized Signature:




Surveyor's Name: MANOJ MATHEW

Surveyor's Signature:



LEGAL DISCLAIMER: **THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Form code: ISI-INSP-5-7-A1-QA V1 Revision: 06 Date: 2024-10

www.dnv.com

Page 1 of 1

Copyright © DNV 2021. All rights reserved.

The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client

CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No:
A1763017-46

Date of Inspection:
14-July-2025

Name and Address of the Owner: M/s. SULZER ROTATING EQUIPMENT SERVICES DOHA STATE OF QATAR	Place of Inspection: DUTEST YARD, INDUSTRIAL AREA DOHA, QATAR W.O# 17462208717 DNV Order No.: A1763017
Manufacturer OR Supplier: HEROLIFT TRADING AND SERVICES W.L.L	Reference Standard: BS EN 1492-2:2000+A1:2008 / QP-PAI-STD-005 REV 00

ID No.	Qty.	Equipment Description	Test Load Applied (Tonne)	SWL (Tonne)
2308020022 2308020023 2308020024 2308020025	04	ENDLESS ROUND SLING Type : Endless Polyester Round Sling Circumference : 4.0 m E.W.L. : 2.0 m Colour : Blue Y.O.M : 12-2023 Factor of Safety : 7:1 Date of Initial Use : 05.02.2025 Discard Date : 05.02.2029 Conformity Certificate No.: HL23 RS230046 Dated : 21.12.2023 Break Test Certificate No.: QD-MM-23-90854/113746/29-WA-REV-01 Dated : 28.12.2023 Identification of Measuring/Testing Tools: Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026	NIL	8.0 t (Straight lift)

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
05.02.2025 VQI/AES/79/13645/Rev-1	14.01.2026	Not Applicable	Not Applicable

Authorized Name: NITHIN RAVINDRAN

Authorized Signature:

Surveyor's Name: MANOJ MATHEW

Surveyor's Signature:

LEGAL DISCLAIMER: **THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Form code: ISI-INSP-5-7-A1-QA V1 Revision: 06 Date: 2024-10

www.dnv.com

Page 1 of 1

Copyright © DNV 2021. All rights reserved.

The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client



CERTIFICATE

of Thorough Examination of Lifting Gear

L5-QAT-039d Rev. 0

Certificate No.: VQI/AAES/79/13645/Rev-1

Date of Inspection: 05.02.2025

Name & Address of the Owner: AL HABARI ENGINEERING DOHA - QATAR		Place of Inspection: ABU ADEL ENGINEERING & MECH SERVICES YARD, DOHA-QATAR		
Maker or Supplier: HEROLIFT TRADING AND SERVICES W.L.L		Ref. Standard: BS EN 1492-2:2000+A1:2008 / QP-PAI-STD-005 Rev.00		
ID No.:	Qty.	Description	Proof Load Applied	S.W.L
2308020022 2308020023 2308020024 2308020025	04	<u>ROUND SLING</u> TYPE : POLYESTER ENDLESS ROUND SLING EFFECTIVE LENGTH : 2.0 m CIRCUMFERENCE: 4.0 m COLOUR: BLUE YEAR OF MANUFACTURE : 12/2023 INITIAL USE DATE : 05.02.2025 DISCARD DATE : 05.02.2029 SAFETY FACTOR 7:1 Break Test Cert No.: QD-MM-23-90854/113746/29-WA-Rev-01 Dated: 28.12.2023 COC No.: HL23 RS230046, Dated: 21.12.2023	NOT APPLICABLE	8.0 t (STRAIGHT LIFT)

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
NEW	05.08.2025	NOT APPLICABLE	NOT APPLICABLE

Authorized Name: EZHIL AMUTHAN



Surveyor's Name: K. VENKATESAN

Authorized Signature:

Surveyor's Signature:

THIS IS TO CERTIFY THAT the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per Corporate Standard for Lifting Equipment and Operations. The liabilities and insurance are as per Velloşi Certification LLC General Conditions of Services.



TÜV SÜD MIDDLE EAST LLC

Office No.: SY36-C101, 1st Floor Block 36, Building Type-Sayer
The Commercial Avenue
P.O Box: 24240, Doha - Qatar

Tel.: +974 40052 000 | Fax: +974 40052 020

Email: info.q@tuv-sud.com

Website: www.tuvsud.com

Share Capital : QAR 300,000.00

Paid Up Capital : QAR 300,000.00



Add value.
Inspire trust.

TÜV®

نوف سود ميثل ايست ذ.م.م.
صندوق البريد ٢٤٢٤٠ الدوحة-قطر
هاتف: +٩٧٤٤٠٠٥٢٠٠٠ فاكس: +٩٧٤٤٠٠٥٢٠٢٠

REVISION NO.: 1
CERTIFICATE NO. **PREVIOUS REVISION WITHDRAWN**
QD-MM-23-90854/113746/29-WA

Timesheet No.: 1159612

CERTIFICATE

Of Break Load Test of Lifting Gear

Date of Inspection: 28-12-2023

Name & Address of the Owner: HEROLIFT TRADING AND SERVICES W.L.L DOHA- QATAR		Place of Inspection: TSS YARD UMM SLAL INDUSTRIAL AREA		
Maker or Supplier: HEROLIFT TRADING AND SERVICES W.L.L		Standard: BS EN 1492-2:2000+A1:2008 / QP-PAI-STD-005 Rev.00		
ID No.:	Qty.	Description	Actual Breaking Load	Minimum Breaking Load
2308020001	01	SAMPLE OF ENDLESS ROUND SLING Manufacturer or supplier : Herolift Trading And Services W.L.L Type : Endless Round Sling Material : Polyester Capacity : 8.0 t Length : 2.0 m Circumference : 4.0 m Color : Blue Batch No : HL23195/2023 Mfg. Year : December 2023 Min Breaking Load : 56.0 t Factor of safety : 7:1 Conformity Certificate no : HL23 RS230046 Date : 21-12-2023 Note: - One Sample Piece tested from a lot of 50 pieces. Range of Serial No: 2308020001 To 2308020050 Test Bed Load Cell Sr. No.: 504925 Calibration Cert No. : BVI.DOA.23.IVS.223B.80.LC.504925 Dated : 02-02-2023 TUV Reference No. Of The measurement tools: NIL	59.0 t	56.0 t

Authorized Name:

WILFREDO L. VIAS

Surveyor's Name:

MAHMOUD MERHI

Authorized Signature:

Surveyor's Signature:

THIS IS TO CERTIFY THAT the above signed competent surveyor Break Tested the lifting Gear in the above-mentioned place as per QatarEnergy standard for lifting equipment & Ref.Standard. The liabilities and insurance is as per TUV SUD Middle East, L.L.C. General Conditions of Services.

Date of Issue: 2/6/2025



هيروليفت للتجارة والخدمات ذ.م.م HEROLIFT TRADING AND SERVICES W.L.L

CERTIFICATE OF CONFORMITY AND MANUFACTURER'S REPORT OF EXAMINATION ACCORDING TO BS EN 1492-2:2000+A1:2008 & ASME B30.9

Report Reference No.: HL23 RS230046

Date: 21st December 2023

Customers Name and Address: M/s. HEROLIFT TRADING AND SERVICES W.L.L BUILDING 7, STREET 2041, ZONE 91, P.O. BOX: 40509, DOHA, QATAR		Manufacturer's Name: M/s. HEROLIFT TRADING AND SERVICES W.L.L BUILDING 7, STREET 2041, ZONE 91, P.O. BOX: 40509, DOHA, QATAR
Product Reference: HL23195/2023	Order Reference: WO 0065	Customer Reference: -
POLYESTER ROUND ENDLESS SLING		

Break test Cert. No.:	Date of Test:
------------------------------	----------------------

Distinguishing Number or Mark	Quantity	Product Description	Safe Working Load in Tonne
2308020001 TO 2308020050	50	Type : Tubular Polyester Round Endless sling Circumference : 4.0 m EWL : 2.0 m Colour : Blue Date of Mfg. : 12/2023 SWL : 8.0 Tonne MBL : 56.0 t Safety Factor : 7:1	8.0 t (Straight Lift) 16.0 t (Basket Hitch) 6.4 t (Choke Hitch)

Quality Manager

We certify that the slings listed above have been produced in accordance with the requirements of the above-mentioned standard.

DIRECTIONS FOR USE

Use only identified slings with a visible Safe Working Load (SWL).

Do not use damaged slings.

Use only a slip knot for a choker lift.

Do not use the sling on sharp-edged and rough surfaces without an additional protective sleeve.

Do not forcibly pull out a sling that is jammed under a load.

Take into account the lifting angles.

Do not use slings in temperatures above 100 degrees Celsius or below -40 degrees Celsius.

Before each use, the sling should be inspected for defects and to ensure that the identification and specification are correct.

A sling that is unidentified or defective should never be used and should be referred to a competent person for examination.

During the period of use, frequent checks should be made for defects or damage, including damage concealed by soiling, which might affect the continued safe use of the sling.

These checks should also extend to any fittings and lifting accessories used in association with the sling.

If any doubt exists as to the fitness for use, or if any of the required markings have been lost or become illegible, the sling should be removed from service for examination by a competent person.

Upon completion of the lifting operation, the sling should be returned to proper storage.

When not in use, slings should be stored in clean, dry, and well-ventilated conditions at ambient temperature on a rack, away from any heat sources, contact with chemicals, fumes, corrodible surfaces, direct sunlight, or other sources of ultraviolet radiation.

Avoid shock loading.

HL/COC/RS/23/Rev.0

Signature :



C.R.No: 178754 | P.O.Box: 40509 | Doha - Qatar | ص.ب: ٤٠٥٠٩ | ١٧٨٧٥٤ |

E-mail: info@heroliftqatar.com - www.heroliftqatar.com