



Attachment 5-MS-0046851-Rev.1

## CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No.: **TRG08C2026-2428**

Date of Inspection: **13-Aug-2026**

|                                                                                                                                    |      |                                                                                                                                                                                                                                                                                                                                                                                                                |                              |                              |
|------------------------------------------------------------------------------------------------------------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------|
| <u>Name and Address of the Owner:</u><br><br><b>M/s. SULZER ROTATING EQUIPMENT SERVICES<br/>P.O. BOX 12975 DOHA STATE OF QATAR</b> |      | <u>Place of Inspection:</u><br><b>Ras Jaffan WO# :17462209704</b><br><u>Requested By:</u><br><b>DUTEST</b>                                                                                                                                                                                                                                                                                                     |                              |                              |
| <u>Maker or Supplier</u><br><b>RV INDUSTRIES</b>                                                                                   |      | <u>Ref. Standard/Ref</u><br><b>BS EN 1492-2:2000+A1:2008 / CORP-PAI-STD-005 REV. 00</b>                                                                                                                                                                                                                                                                                                                        |                              |                              |
| ID No.:                                                                                                                            | Qty. | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Proof Load Applied           | SWL                          |
| 2402030168<br>2402030166<br>2402030169                                                                                             | 03   | <b>ENDLESS ROUND SLING</b><br><br>Type: Endless Polyester Round Sling<br>Circumference: 6.0 m<br>E.W.L. : 3.0 m<br>Colour : Green<br>Y.O.M : 03-2024<br>Factor of Safety : 7:1<br>Date of Initial Use : 05.02.2025<br>Discard Date: 05.02.2029<br>Conformity Certificate No. : HL24 RS240040<br>Dated: 06.03.2024<br>Break Test Certificate No. : VQI/AAES/2312032429<br>Dated : 12.03.2024<br><br>TC No.: N/A | NIL                          | 2.0 t<br>(Straight lift)     |
| Insp. Pr. No.: MS-0046851 LEI-021-7                                                                                                |      | Checklist No.: CLTRG08C2026-2428                                                                                                                                                                                                                                                                                                                                                                               | Tool kit No.: 08             | Date of Issue: 14-Aug-2026   |
| Date of Last Examination                                                                                                           |      | Date of Next Examination                                                                                                                                                                                                                                                                                                                                                                                       | Date of Last Proof Load Test | Date of Next Proof Load Test |
| 02-February-2026                                                                                                                   |      | 12-Feb-2027                                                                                                                                                                                                                                                                                                                                                                                                    | Not Applicable               | Not Applicable               |

Authorized Name: **Udayakumar. G**

Surveyor's Name: **M Ali Inam**

Authorized Signature:



Surveyor's Signature:



**THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined & tested the lifting equipment in the above-mentioned place as per relevant International Standard and Code. The liabilities & insurance is as per TUV Rheinland Gulf General Conditions of Services.



# CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

**Certificate No:**  
N143A9FB


**Date of Inspection:**  
02-February-2026

|                                                                                                                        |                                                                                                                         |
|------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Name and Address of the Owner:</b><br>M/s. SULZER ROTATING EQUIPMENT SERVICES<br>P.O. BOX 12975 DOHA STATE OF QATAR | <b>Place of Inspection:</b><br>DUTEST YARD, INDUSTRIAL AREA<br>DOHA, QATAR W.O# 17462209221                             |
| <b>Manufacturer OR Supplier:</b><br>RV INBDUSTRIES                                                                     | <b>DNV Order No.:</b> A1857569<br><br><b>Reference Standard:</b><br>BS EN 1492-2:2000+A1:2008 / CORP-PAI-STD-005 REV 00 |

| ID No.                                 | Qty. | Equipment Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Test Load Applied<br>(Tonne) | SWL<br>(Tonne)                  |
|----------------------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------------------------------|
| 2402030168<br>2402030166<br>2402030169 | 03   | <b>ENDLESS ROUND SLING</b><br><br>Type : Endless Polyester Round Sling<br>Circumference : 6.0 m<br>E.W.L. : 3.0 m<br>Colour : Green<br>Y.O.M : 03-2024<br>Factor of Safety : 7:1<br>Date of Initial Use : 05.02.2025<br>Discard Date : 05.02.2029<br><br>Conformity Certificate No.: HL24 RS240040<br>Dated : 06.03.2024<br>Break Test Certificate No.: VQI/AAES/2312032429<br>Dated : 12.03.2024<br><b>Identification of Measuring/Testing Tools:</b><br>Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026 | NIL                          | <b>2.0 t</b><br>(Straight lift) |

| Date of Last Examination  | Date of Next Examination | Date of Last Proof Load Test | Date of Next Proof Load Test |
|---------------------------|--------------------------|------------------------------|------------------------------|
| 14.07.2025<br>A1763017-43 | 02.08.2026               | Not Applicable               | Not Applicable               |

**Authorized Name:**
**ROBIN JOHNY**
**Authorized Signature:**


**Surveyor's Name:**
**MANOJ MATHEW**
**Surveyor's Signature:**


**LEGAL DISCLAIMER: THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar  
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Form code: ISI-INSP-5-7-A1-QA V1 Revision: 06 Date: 2024-10

[www.dnv.com](http://www.dnv.com)

Page 1 of 1

Copyright © DNV 2021. All rights reserved.

**The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client**

# CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

**Certificate No:**  
A1763017-43

**Date of Inspection:**  
14-July-2025

|                                                                                                         |                                                                                                                               |
|---------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>Name and Address of the Owner:</b><br>M/s. SULZER ROTATING EQUIPMENT SERVICES<br>DOHA STATE OF QATAR | <b>Place of Inspection:</b><br>DUTEST YARD, INDUSTRIAL AREA<br>DOHA, QATAR W.O# 17462208717<br><b>DNV Order No.:</b> A1763017 |
| <b>Manufacturer OR Supplier:</b><br>HEROLIFT TRADING AND SERVICES W.L.L                                 | <b>Reference Standard:</b><br>BS EN 1492-2:2000+A1:2008 / QP-PAI-STD-005 REV 00                                               |

| ID No.                                                                           | Qty.      | Equipment Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Test Load Applied<br>(Tonne) | SWL<br>(Tonne)                  |
|----------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------------------------------|
| <b>2402030167</b><br><b>2402030168</b><br><b>2402030166</b><br><b>2402030169</b> | <b>04</b> | <p style="text-align: center;"><b>ENDLESS ROUND SLING</b></p> <p>Type : Endless Polyester Round Sling<br/> Circumference : 6.0 m<br/> E.W.L. : 3.0 m<br/> Colour : Green<br/> Y.O.M : 03-2024<br/> Factor of Safety : 7:1<br/> Date of Initial Use : 05.02.2025<br/> Discard Date : 05.02.2029</p> <p>Conformity Certificate No.: HL24 RS240040<br/> Dated : 06.03.2024<br/> Break Test Certificate No.: VQI/AAES/2312032429<br/> Dated : 12.03.2024<br/> <b>Identification of Measuring/Testing Tools:</b><br/> Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026</p> | <b>NIL</b>                   | <b>2.0 t</b><br>(Straight lift) |

| Date of Last Examination        | Date of Next Examination | Date of Last Proof Load Test | Date of Next Proof Load Test |
|---------------------------------|--------------------------|------------------------------|------------------------------|
| 05.02.2025<br>VQI/AAES/79/13643 | 14.01.2026               | Not Applicable               | Not Applicable               |

**Authorized Name:** **NITHIN RAVINDRAN**
**Authorized Signature:**


**Surveyor's Name:** **MANOJ MATHEW**
**Surveyor's Signature:**


**LEGAL DISCLAIMER: THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar  
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Form code: ISI-INSP-5-7-A1-QA V1 Revision: 06 Date: 2024-10

[www.dnv.com](http://www.dnv.com)

Page 1 of 1

Copyright © DNV 2021. All rights reserved.

**The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client**



## CERTIFICATE

### of Thorough Examination of Lifting Gear L5-QAT-039d Rev. 0

Certificate No.: VQI/AAES/79/13643

Date of Inspection: 05.02.2025

|                                                                                                |             |                                                                                                                                                                                                                                                                                                                                                                                          |                           |                                        |
|------------------------------------------------------------------------------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|----------------------------------------|
| <b>Name &amp; Address of the Owner:</b><br><b>AL HABARI ENGINEERING</b><br><b>DOHA - QATAR</b> |             | <b>Place of Inspection:</b><br><b>ABU ADEL ENGINEERING &amp; MECH SERVICES YARD,</b><br><b>DOHA-QATAR</b>                                                                                                                                                                                                                                                                                |                           |                                        |
| <b>Maker or Supplier:</b><br><b>HEROLIFT TRADING AND SERVICES W.L.L</b>                        |             | <b>Ref. Standard:</b><br><b>BS EN 1492-2:2000+A1:2008 / QP-PAI-STD-005</b><br><b>Rev.00</b>                                                                                                                                                                                                                                                                                              |                           |                                        |
| <b>ID No.:</b>                                                                                 | <b>Qty.</b> | <b>Description</b>                                                                                                                                                                                                                                                                                                                                                                       | <b>Proof Load Applied</b> | <b>S.W.L</b>                           |
| <b>2402030167</b><br><b>2402030168</b><br><b>2402030166</b><br><b>2402030169</b>               | <b>04</b>   | <b><u>ROUND SLING</u></b><br><br>TYPE : POLYESTER ENDLESS ROUND SLING<br>EFFECTIVE LENGTH : 3.0 m<br>CIRCUMFERENCE: 6.0 m<br>COLOUR: GREEN<br>YEAR OF MANUFACTURE : 03/2024<br><br>INITIAL USE : 05.02.2025<br>DISCARD DATE : 05.02.2029<br><br>SAFETY FACTOR 7:1<br><br>Break Test Cert No.: VQI/AAES/2312032429,<br>Dated: 12.03.2024<br><br>COC No.: HL24 RS240040, Dated: 06.03.2024 | NOT APPLICABLE            | <b>2.0 t</b><br><b>(STRAIGHT LIFT)</b> |

| Date of Last Examination | Date of Next Examination | Date of Last Proof Load Test | Date of Next Proof Load Test |
|--------------------------|--------------------------|------------------------------|------------------------------|
| NEW                      | 05.08.2025               | NOT APPLICABLE               | NOT APPLICABLE               |

Authorized Name: EZHIL AMUTHAN



Surveyor's Name: K. VENKATESAN

Authorized Signature:

Surveyor's Signature:

**THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per Corporate Standard for Lifting Equipment and Operations. The liabilities and insurance are as per Velosi Certification LLC General Conditions of Services.





AA 840



# CERTIFICATE

## of Actual Breaking Load Test

L5-QAT-35c Rev. 0

Certificate No.: VQI/AAES/2312032429

Date of Inspection: 12.03.2024

| <b>Name &amp; Address of the Owner:</b><br><b>HEROLIFT TRADING AND SERVICES W.L.L</b><br><b>DOHA - QATAR</b> |           | <b>Place of Inspection:</b><br><b>A. A. ENGINEERING &amp; MECH. SERVICES</b><br><b>P.O.BOX 40541, DOHA - QATAR</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                      |                       |
|--------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----------------------|
| <b>Maker or Supplier:</b><br><b>HEROLIFT TRADING AND SERVICES W.L.L</b>                                      |           | <b>Ref. Standard:</b><br><b>BS EN 1492-2:2000+A1:2008/</b><br><b>QP-PAI-STD-005 REV. 00</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                      |                       |
| ID No.:                                                                                                      | Qty.      | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Actual Breaking Load | Minimum Breaking Load |
| <b>2402030026</b>                                                                                            | <b>01</b> | <p align="center"><b>ROUND SLING</b></p> <p>TYPE : Tubular Polyester Endless Round Slings</p> <p>EWL : 3.0 m</p> <p>CIRCUMFERENCE : 6.0 m</p> <p>COLOUR : GREEN</p> <p>YEAR OF MANUFACTURE : 03/2024</p> <p><b>SWL: 2.0 t</b></p> <p>TEST BED SERIAL : 292/113</p> <p>CALIBRATED ON : 22.06.2023</p> <p>CERTIFICATE REF. : VQI/AAES/2322062367</p> <p><b>Factor of Safety: 7:1</b></p> <p><b>NOTE: ONE RANDOMLY SELECTED ROUND SLING FROM A LOT OF 300 PIECES.</b></p> <p><b>ROUND SLINGS I.D. No.: 2402030001</b><br/><b>TO</b><br/><b>2402030300</b></p> <p><b>COC No.: HL24 RS240040, Dated: 06.03.2024</b></p> | 15.14 t              | <b>14.0 t</b>         |

| Date of Last Examination | Date of Next Examination | Date of Last Proof Load Test | Date of Next Proof Load Test |
|--------------------------|--------------------------|------------------------------|------------------------------|
| <b>NEW</b>               | <b>NOT APPLICABLE</b>    | <b>NEW</b>                   | <b>NOT APPLICABLE</b>        |

Authorized Name: **EZHIL AMUTHAN**

Surveyor's Name: **E. SRINIVASAN**

Authorized Signature: \_\_\_\_\_

Surveyor's Signature: \_\_\_\_\_

**THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined and tested the lifting equipment in the above-mentioned place as per Corporate Standard for Lifting Equipment and Operations. The liabilities and insurance are as per Velosi Certification LLC General Conditions of Services.





# هيروليفت للتجارة والخدمات ذ.م.م HEROLIFT TRADING AND SERVICES W.L.L

## CERTIFICATE OF CONFORMITY AND MANUFACTURER'S REPORT OF EXAMINATION ACCORDING TO BS EN 1492-2:2000+A1:2008 & ASME B30.9

Report Reference No.: HL24 RS240040

Date: 6<sup>th</sup> March 2024

|                                                                                                                                                     |                                       |                                                                                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Customers Name and Address:</b><br>M/s. HEROLIFT TRADING AND SERVICES W.L.L<br>BUILDING 7, STREET 2041, ZONE 91,<br>P.O. BOX: 40509, DOHA, QATAR |                                       | <b>Manufacturer's Name:</b><br>M/s. HEROLIFT TRADING AND SERVICES W.L.L<br>BUILDING 7, STREET 2041, ZONE 91,<br>P.O. BOX: 40509, DOHA, QATAR |
| <b>Product Reference:</b><br>HL23195/2023                                                                                                           | <b>Order Reference:</b><br>WO 0071/24 | <b>Customer Reference:</b><br>-                                                                                                              |
| <b>POLYESTER ROUND ENDLESS SLING</b>                                                                                                                |                                       |                                                                                                                                              |

|                              |                      |
|------------------------------|----------------------|
| <b>Break test Cert. No.:</b> | <b>Date of Test:</b> |
|------------------------------|----------------------|

| Distinguishing Number or Mark  | Quantity | Product Description                                                                                                                                                                        | Safe Working Load in Tonne                                                                                 |
|--------------------------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| 2402030001<br>TO<br>2402030300 | 300      | Type : Tubular Polyester Round Endless sling<br>Circumference : 6.0 m<br>EWL : 3.0 m<br>Colour : Green<br>Date of Mfg. : 03/2024<br>SWL : 2.0 Tonne<br>MBL : 14.0 t<br>Safety Factor : 7:1 | <b>2.0 t</b><br>(Straight Lift)<br><br><b>4.0 t</b><br>(Basket Hitch)<br><br><b>1.6 t</b><br>(Choke Hitch) |

### Quality Manager

We certify that the slings listed above have been produced in accordance with the requirements of the above-mentioned standard.

### DIRECTIONS FOR USE

Use only identified slings with a visible Safe Working Load (SWL).

Do not use damaged slings.

Use only a slip knot for a choker lift.

Do not use the sling on sharp-edged and rough surfaces without an additional protective sleeve.

Do not forcibly pull out a sling that is jammed under a load.

Take into account the lifting angles.

Do not use slings in temperatures above 100 degrees Celsius or below -40 degrees Celsius.

Before each use, the sling should be inspected for defects and to ensure that the identification and specification are correct.

A sling that is unidentified or defective should never be used and should be referred to a competent person for examination.

During the period of use, frequent checks should be made for defects or damage, including damage concealed by soiling, which might affect the continued safe use of the sling.

These checks should also extend to any fittings and lifting accessories used in association with the sling.

If any doubt exists as to the fitness for use, or if any of the required markings have been lost or become illegible, the sling should be removed from service for examination by a competent person.

Upon completion of the lifting operation, the sling should be returned to proper storage.

When not in use, slings should be stored in clean, dry, and well-ventilated conditions at ambient temperature on a rack, away from any heat sources, contact with chemicals, fumes, corrodible surfaces, direct sunlight, or other sources of ultraviolet radiation.

Avoid shock loading.

HL/COC/RS/23/Rev.0

Signature :



C.R.No: 178754 | P.O.Box: 40509 | Doha - Qatar

س.ت: ١٧٨٧٥٤ | الدوحة - قطر

E-mail: info@heroliftqatar.com - www.heroliftqatar.com