



Attachment 5-MS-0046851-Rev.1

CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No.: **TRG08C2026-2429**

Date of Inspection: **13-Aug-2026**

<u>Name and Address of the Owner:</u> M/s. SULZER ROTATING EQUIPMENT SERVICES P.O. BOX 12975 DOHA STATE OF QATAR		<u>Place of Inspection:</u> Ras Jaffan WO# : 17462209704 <u>Requested By:</u> DUTEST		
<u>Maker or Supplier</u> RV INDUSTRIES		<u>Ref. Standard/Ref</u> BS EN 1492-2:2000+A1:2008 / CORP-PAI-STD-005 REV. 00		
ID No.:	Qty.	Description	Proof Load Applied	SWL
AA198/0541 AA118/0541 AA040/0541 AA044/0541	04	<u>ENDLESS ROUND SLING</u> Type : Endless Polyester Round Sling Brand : Salvator Circumference : 12.0 m E.W.L. : 6.0 m Colour : Yellow Y.O.M : 08-2023 Factor of Safety : 7:1 Date of Initial Use : 20.02.2025 Discard Date : 20.02.2029 Conformity Certificate No. : L2023080541 Dated : 05.08.2023 Break Test Certificate No. : VQI/AAES/7925112346 Dated: 25.11.2023 TC No.: NA	NIL	3.0 t (Straight lift)
Insp. Pr. No.: MS-0046851 LEI-021-7		Checklist No.: CLTRG08C2026-2429	Tool kit No.: 08	Date of Issue: 14-Aug-2026
Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test	
02-February-2026	12-Feb-2027	Not Applicable	Not Applicable	

Authorized Name: **Udayakumar. G**

Surveyor's Name:

M Ali Inam

Authorized Signature:



Surveyor's Signature:



THIS IS TO CERTIFY THAT the above competent surveyor thoroughly examined & tested the lifting equipment in the above-mentioned place as per relevant International Standard and Code. The liabilities & insurance is as per TUV Rheinland Gulf General Conditions of Services.



CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No:
N143A9FA

Date of Inspection:
02-February-2026


Name and Address of the Owner: M/s. SULZER ROTATING EQUIPMENT SERVICES P.O. BOX 12975 DOHA STATE OF QATAR	Place of Inspection: DUTEST YARD, INDUSTRIAL AREA DOHA, QATAR W.O# 17462209221 DNV Order No.: A1857569
Manufacturer OR Supplier: RV INBDUSTRIES	Reference Standard: BS EN 1492-2:2000+A1:2008 / CORP-PAI-STD-005 REV 00

ID No.	Qty.	Equipment Description	Test Load Applied (Tonne)	SWL (Tonne)
AA198/0541 AA118/0541 AA040/0541 AA044/0541	04	ENDLESS ROUND SLING Type : Endless Polyester Round Sling Brand : Salvator Circumference : 12.0 m E.W.L. : 6.0 m Colour : Yellow Y.O.M : 08-2023 Factor of Safety : 7:1 Date of Initial Use : 20.02.2025 Discard Date : 20.02.2029 Conformity Certificate No.: L2023080541 Dated : 05.08.2023 Break Test Certificate No.: VQI/AAES/7925112346 Dated : 25.11.2023 Identification of Measuring/Testing Tools: Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026	NIL	3.0 t (Straight lift)

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
14.07.2025 A1763017-44	02.08.2026	Not Applicable	Not Applicable

Authorized Name: **ROBIN JOHNY**

Authorized Signature:




Surveyor's Name: **MANOJ MATHEW**

Surveyor's Signature:



LEGAL DISCLAIMER: THIS IS TO CERTIFY THAT the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Form code: ISI-INSP-5-7-A1-QA V1 Revision: 06 Date: 2024-10

www.dnv.com

Page 1 of 1

Copyright © DNV 2021. All rights reserved.

The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client

CERTIFICATE OF THOROUGH EXAMINATION OF LIFTING GEAR

Certificate No:
A1763017-44

Date of Inspection:
14-July-2025


Name and Address of the Owner: M/s. SULZER ROTATING EQUIPMENT SERVICES DOHA STATE OF QATAR	Place of Inspection: DUTEST YARD, INDUSTRIAL AREA DOHA, QATAR W.O# 17462208717 DNV Order No.: A1763017
Manufacturer OR Supplier: RV INBDUSTRIES	Reference Standard: BS EN 1492-2:2000+A1:2008 / QP-PAI-STD-005 REV 00

ID No.	Qty.	Equipment Description	Test Load Applied (Tonne)	SWL (Tonne)
AA198/0541 AA118/0541 AA040/0541 AA044/0541	04	ENDLESS ROUND SLING Type : Endless Polyester Round Sling Brand : Salvator Circumference : 12.0 m E.W.L. : 6.0 m Colour : Yellow Y.O.M : 08-2023 Factor of Safety : 7:1 Date of Initial Use : 20.02.2025 Discard Date : 20.02.2029 Conformity Certificate No.: L2023080541 Dated : 05.08.2023 Break Test Certificate No.: VQI/AAES/7925112346 Dated : 25.11.2023 Identification of Measuring/Testing Tools: Measuring Tape Sl. N°: VC23-TAG-317, Due Dt.: 04.02.2026	NIL	3.0 t (Straight lift)

Date of Last Examination 20.02.2025 VQI/AAES/79/14443	Date of Next Examination 14.01.2026	Date of Last Proof Load Test Not Applicable	Date of Next Proof Load Test Not Applicable
--	---	---	---

Authorized Name: **NITHIN RAVINDRAN**

Authorized Signature:




Surveyor's Name: **MANOJ MATHEW**

Surveyor's Signature:



LEGAL DISCLAIMER: **THIS IS TO CERTIFY THAT** the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per QatarEnergy Corporate Regulation for Lifting Equipment & Operations. Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

GL Noble Denton WLL (DNV QATAR), Ghanem Al Thani Business Centre, Office No.:202, Zone 23, Bin Mahmoud, P.O.Box 22933, Doha, Qatar
Tel: +974 4402 7333 Fax: +974 4466 1969 E-mail: GLNDqatar@dnv.com

Form code: ISI-INSP-5-7-A1-QA V1 Revision: 06 Date: 2024-10

www.dnv.com

Page 1 of 1

Copyright © DNV 2021. All rights reserved.

The contents of the present Certificate shall not be reproduced except in full without the approval of the Inspection Body and the client



CERTIFICATE

of Thorough Examination of Lifting Gear

L5-QAT-039d Rev. 0

Certificate No.: VQI/AAES/79/14443

Date of Inspection: 20.02.2025

Name & Address of the Owner: AL HABARI ENGINEERING DOHA - QATAR		Place of Inspection: ABU ADEL ENGINEERING & MECH SERVICES YARD, DOHA-QATAR		
Maker or Supplier: RV INDUSTRIES		Ref. Standard: BS EN 1492-2:2000+A1:2008 / QP-PAI-STD-005 Rev.00		
ID No.:	Qty.	Description	Proof Load Applied	S.W.L
AA 198/0541 AA 118/0541 AA 040/0541 AA 044/0541	04	<u>ROUND SLING</u> TYPE : POLYESTER ENDLESS ROUND SLING EFFECTIVE LENGTH : 6.0 m CIRCUMFERENCE: 12.0 m COLOUR: YELLOW BRAND: SALVATOR YEAR OF MANUFACTURE : 08/2023 INITIAL USE : 20.02.2025 DISCARD DATE : 20.02.2029 SAFETY FACTOR 7:1 Break Test Cert No.: VQI/AAES/7925112346, Dated: 25.11.2023 COC No.: L2023080541, Dated: 05.08.2023	NOT APPLICABLE	3.0 t (STRAIGHT LIFT)

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
NEW	20.08.2025	NOT APPLICABLE	NOT APPLICABLE

Authorized Name: EZHIL AMUTHAN

Surveyor's Name: K. VENKATESAN

Authorized Signature: _____



Surveyor's Signature: _____



THIS IS TO CERTIFY THAT the above competent surveyor thoroughly examined the lifting equipment in the above-mentioned place as per Corporate Standard for Lifting Equipment and Operations. The liabilities and insurance are as per Velosi Certification LLC General Conditions of Services.



CERTIFICATE

of Actual Breaking Load Test

L5-QAT-35c Rev. 0

Certificate No.: VQI/AAES/7925112346

Date of Inspection: 25.11.2023

Name & Address of the Owner: A. A. ENGINEERING & MECH. SERVICES DOHA - QATAR		Place of Inspection: A. A. ENGINEERING & MECH. SERVICES P.O.BOX 40541, DOHA - QATAR		
Maker or Supplier: SALVATOR		Ref. Standard: BS EN 1492-2 / QP-PAI-STD-005 REV. 00		
ID No.:	Qty.	Description	Actual Breaking Load	Minimum Breaking Load
AA 122/0541	01	<u>ROUND SLING</u> TYPE : Polyester Endless Round Slings EWL : 6.0 m CIRCUMFERENCE : 12.0 m COLOUR : YELLOW YEAR OF MANUFACTURE : 08/2023 MANUFACTURER : RV INDUSTRIES SWL: 3.0 t TEST BED SERIAL : 292/113 CALIBRATED ON : 22.06.2023 CERTIFICATE REF. : VQI/AAES/2322062367 Factor of Safety: 7:1 NOTE: ONE RANDOMLY SELECTED ROUND SLING FROM A LOT OF 200 PIECES. ROUND SLINGS I.D. No.: AA 001/0541 TO AA 200/0541 COC No.: L2023080541, Dated: 05.08.2023	21.71 t	21.0 t

Date of Last Examination	Date of Next Examination	Date of Last Proof Load Test	Date of Next Proof Load Test
NEW	NOT APPLICABLE	NEW	NOT APPLICABLE

Authorized Name: SIVAKUMAR ADONI

Surveyor's Name: K. VENKATESAN

Authorized Signature: *S. Sivakumar*

Surveyor's Signature: *K. Venkatesan*

THIS IS TO CERTIFY THAT the above competent surveyor thoroughly examined and tested the lifting equipment in the above-mentioned place as per Corporate Standard for Lifting Equipment and Operations. The liabilities and insurance are as per Velosi Certification LLC General Conditions of Services.





CERTIFICATE OF CONFORMITY

Certificate Number: **L2023080541**

Order No: 19386/23/JW

Invoice No: JL2304083

Delivered to: ABU ADEL TRADING AND CONTG. EST.

P.O. BOX 40541, DOHA, QATAR.

Description of Product: Polyester Endless Round Slings According to EN1492-2:2000+A1:2008,
Type: Double Ply, Length: 6 Meter, Circumference: 12 Meter, Safety Factor: 7:1, Color: Yellow
Date of Manufacturing: August 2023

BRAND: SALVATOR, Manufacturer: RV INDUSTRIES

Batch No.	ID Number	Qty. (Pcs)	SWL (Kg)	Proof Load (Kg)	Safety Factor	Safe Working Load (In kg)		
						Straight Lift	Choked Lift	Basket Lift
0541	AA 001 to AA 200	200	3000	6000	7:1	3000	2400	6000

Comments: The Safety factor is calculated and supported by sample destruction test.

We Certify that the slings listed above have been manufactured in accordance with the applicable sections of BS EN 1492-2; 2000 & and were found to be free flaws, damages or other defects.

PCs are based on visual observation, Proof Load applied on material batch sample.

Date: **05 August 2023**

Date of Issuance

Signature

Waseem Ahmad

Quality Assurance Manager



CAUTIONS

- DO NOT EXCEED WORKING LOAD LIMIT
- PREVENT SHOCK-LOADING
- WHERE SELECTING A SLING IT IS VERY IMPORTANT TO CONSIDER THE ANGLES AT WHICH THE SLING WILL BE USED
- SLINGS ARE SUBJECT TO CUTTING WHEN LIFTING ITEMS WITH SHARP EDGES. IN THIS CASE ALWAYS USE WEAR SLEEVES
- DO NOT USE A DAMAGED SLING
- NEVER MAKE KNOTS IN A SLING
- CHEMICAL ACTIVE ENVIRONMENTS CAN AFFECT THE STRENGTH.
- INSPECT SLINGS WEEKLY OR MORE FREQUENTLY DEPENDING ON SLING USE
- ALWAYS STORE SLINGS IN A COOL DRY AND DARK PLACE WHEN THEY ARE NOT IN USE FOR PROLONGED PERIODS.
- ALWAYS READ AND UNDERSTAND THE OPERATING INSTRUCTIONS BEFORE USE.
- STORE THE SLINGS IN A COOL, DRY PLACE
- DO NOT USE ABOVE 100 AND BELOW -40 DEGREES CENTIGRADE

R.V. INDUSTRIES
Plot No-6 Chhat Industrial Area,
Lucknow-228019 INDIA
आर.वी. इंडस्ट्रीज
प्लॉट नं०६ चिन्हाट, इंडस्ट्रियल एरिया,
लखनऊ-228019